INDEX

IEE Proceedings

Vol. 127 1980

ABBREVIATIONS

- p Paper, address or lecture
- d Discussion on a paper
- a Abstract of paper or address
- e Errata
- s Synopsis of a paper published in full in another Part of the IEE Proceedings

A

Abdalla, O.H., and Walker, P.A.W. Identification and optimal output control of a laboratory power system D p237
Abdel-Hamid, R.H., Chalmers, B.J., and Spooner, E. see Chalmers, B.J.
Abdel-Rahman, M.H., and Bickford, J.P. see Bickford, J.P.
Abdelsalem, M.M., Bickford, J.P., Sanderson, J.V.H., Mohamed, S.E.T., Morais, S.A., and Olipade, O. see Bickford, J.P.
Aboulnasr, T.T., and Fahmy, M.M. Optimisation of active URC filters for magnitude and/or linear-phase specifications G p242
Ackroyd, M.H., and Oligboh, C.N. see Oligboh, C.N.
Acock, D., Lidgate, D., and Aitchison, P.W. see Lidgate, D.
Acock, D., Lidgate, D., Khalid, B.M.N., and Psomadellis, F. see Lidgate, D.
Adams, M.F., and Anderson, A.P. Three-dimensional image-construction technique and its application to coherent microwave diagnostics H p138
Aggarwal, R.K., Johns, A.T., and El-Nour, M. see Johns, A.T.
Aghvami, A.H., and Mathews, N.A. see Mathews, N.A.
Agnew, D. Design centering and tolerancing via margin sensitivity minimisation G p270
Aguilo, J., and Valderrama, E. A five-inputs flip-flop E p259
Ahamed, T.U., and Shepherd, W. Operation of a lead/acid battery with thyristor chopper burden B p120
Ahmad, S. Injection phase delay in high-power Baritt oscillators I p109
Ahson, S.I. Adaptive excitation control C d48
Aitchison, C.S., and Madani, K. see Madani, K.
Aitchison, P.W., Lidgate, D., and Acock, D. see Lidgate, D.
Aitken, K.H., Winning, D.J., Marshall, A.G., Findlay, D.G.E., and Grant, N.F. see Winning, D.J.
Al-Nimma, D.A., and Williams, S. Study of rapid speed-changing methods in a.c. motor drives B p382
Alkaisi, M.M., Thompson, M.J., and Allison, J. see Thompson, M.J.
Allan, R.N., de Oliveira, M.F., Kozlowski, A., and Williams, G.T. Evaluating the reliability of electrical systems in multi-unit generating stations C p65
Allen, A.J., and Atkinson, P. see Atkinson, P.
Allidina, A.Y., and Hughes, F.M. Generalised self-tuning controller with pole assignment D p13
Allison, J., Thompson, M.J., and Alkaisi, M.M. see Thompson, M.J.
Allman, P.G.C., and Simmons, J.G. Quasistatic and nonequilibrium phenomena in m.o.s. structures under the influence of a constant gate-current bias I p140
Allman, P.G.C., and Simmons, J.G. Quasistatic and nonequilibrium phenomena in m.o.s. structures under the influence of a constant gate-current bias I p312
Alseyab, S.A., and Rhodes, J.D. Design procedure for multioctave combline-filter multiplexers H p346
Ametani, A., and Schinzinger, R. Mutual impedance of transmission lines with earth return C p326
Anantharam, V., and Bhat, K.N. Current gain in bipolar transistors with a field plate over the base surface I p15
Anderson, A.F., Bumby, J.R., and Hassall, B.I. Analysis of helical armature windings with particular reference to superconducting a.c. generators C p129
Anderson, A.P., and Adams, M.F. see Adams, M.F.
Anderson, A.P., and Melek, M. see Melek, M.
Anderson, R.J., Deyhimy, I., Eden, R.C., and Harris, J.S. see Deyhimy, I.
Andrews, J.R., Nahman, N.S., Gans, W.L., Guillaume, M.E., Lawton, R.A., Ondrejka, A.R., and Young, M. see Nahman, N.S.
Antognetti, P., and Puggelli, G. Scales m.o.s. circuits: performances and simulation I p199
Antoniou, A. Design of digital differentiators satisfying prescribed specifications E p24
Antoniou, A., and Charalambous, C. see Charalambous, C.
Aoulad-Syad, D., and Tosser, A.J. see Tosser, A.J.
Arambepola, B. Fast computation of multidimensional discrete Fourier transforms F p49
Armour, D.G., Carter, G., Lee, L.S., and Sharples, R. see Carter, G.
Arnodo, C., Nuzillat, G., Damay-Kavala, F., and Bert, G. see Nuzillat, G.
Arnold, C.P., Arrillaga, J., Heffernan, M.D., and Lake, C.B. see Arrillaga, J.
Arrillaga, J., Harker, B.J., and Turner, K.S. Clarifying an ambiguity in recent a.c.-d.c. load-flow formulations C p324
Arrillaga, J., Heffernan, M.D., Lake, C.B., and Arnold, C.P. Fault studies in a.c. systems interconnected by h.v. d.c. links C p15
Arrillaga, J., Woods, G., and Duke, R.M. Thyristor-controlled in-phase boosting for h.v.d.c. convertors C p221
Arrillaga, J., and Baird, J.F. see Baird, J.F.
Arvidsson, G., and Thylén, L. Novel method for coupling between single-mode fibres and integrated optical components and its possible applications H p37
Ash, D.O., Dey, P., Gaylard, B., and Gibbon, R.R. Conductor systems for overhead lines: some considerations in their selection C d206
Ashmole, P.H., Farmer, E.D., and Newman, V.G. see Farmer, E.D.
Astrom, K.J., and Wittenmark, B. Self-tuning controllers based on pole-zero placement D p120
Atkinson, L.G., Chalmers, B.J., Cox, J.W.R., and El-Atar, M.M.K. see Chalmers, B.J.
Atkinson, P., and Allen, A.J. Low-cost microprocessor-based system for teaching the c.a.d. of control systems A p111
Austin, J., and Forrest, J.R. Design concepts for active phased-array modules F p290
Azarakhsh, M., and Jenkins, D.G. KHAR: a translator system for machine-oriented languages E p97

B

Baccarani, G., Landini, F., and Riccó, B. Depletion-mode m.o.s.f.e.t. model including a field-dependent surface mobility I p62
Backensto, W.V., and Viswanathan, C.R. Bias-dependent 1/f noise model of an m.o.s. transistor I p87
Backensto, W.V., and Viswanathan, C.R. Techniques for analytically determining surface potential and mobility of an m.o.s. transistor I p81
Baden Fuller, A.J., and dos Santos, M.L.X. New method for the display of three-dimensional vector fields A p435
Badr, A.H., Benson, F.A., and Sitch, J.E. Coupling between coaxial cables over a ground plane at low frequencies A p549
Baggott, A.J., Eyre, A.J., Fielding, G., and Gray, F.M. Use of London's electricity supply system for centralised control C d111
Bailey, A.E. International harmonisation of microwave standards H p70
Baird, J.F., and Arrillaga, J. Harmonic reduction in d.c.-ripple reinjection C p294
Baker, K.D., and Sullivan, G.D. Multiple band-pass filters in image processing E p173
Balchin, M.J., and Davidson, J.A.M. Numerical method for calculating magnetic-flux and eddy-current distributions in three dimensions A p46
Baldomir, D., and Moreno, E. see Moreno, E.
Balestrino, A., and Celentano, G. Design of p.d. controllers in linear multivariable systems D p115
Ball, J.A.R., and Khan, P.J. Source region electric field derivation by a dyadic Green's function approach H p301
Balmford, W. Impact of minicomputers on electrical wholesale distribution A p480
Balston, D.M., and Hanna, F.K. Image restoration and enhancement (Editorial) E p157
Baptistella, L.F.B., and Geromel, J.C. Decomposition approach to problem of unit commitment schedule for hydrothermal systems D p250
Barbacci, M.R., Djordjevic, J., and Ibbett, R.N. see Djordjevic, J.
Barlow, H.M., Sugimoto, E., and Davies, J.B. see Sugimoto, E.
Barlow, Sir William The management challenge in the British Post Office A p639
Barrault, M.R., and Ranjan, R. see Ranjan, R.
Barrett, A.N. Processing and synthesis of biological data E p225
Barrett, J.F. Formula for output autocorrelation and spectrum of a Volterra system with stationary Gaussian input D p286
Barry, B.E., Mun, J., Sanghera, G.S., and Vanlint, S.D. see Mun, J.
Bartle, J. Management of engineering resources in an Area Electricity Board A p259
Barton, P. Digital beam forming for radar F p266
Basarab-Horwath, I., and Jones, B.E. Capacitance transducer using a thin dielectric and variable-area electrode A p392
Batchelor, B.G., Brumfitt, P.J., and Smith, B.D.V. Command language for interactive image analysis E p203
Batchelor, B.G., and Marlow, B.K. Fast generation of chain code E p143
Bates, R.H.T., and Milner, M.O. see Milner, M.O.
Bates, R.J.S., and Cochrane, P. Method of estimating the capacity of multipair cables to carry low-speed p.c.m. transmission systems F p16
Baylis, J.A. Address as Chairman of the IEE North Western, Measurement & Control Section A a72
Bedair, S.S., and Sobhy, M.I. Accurate formulas for computer-aided design of shielded microstrip circuits H p305
Benjamin, R. Generalisations of maximum-entropy pattern analysis F p341
Benjamin, R. Optimum use of fully populated, over populated and sparsely filled antenna apertures H p117
Benjamin, R. Some philosophical aspects of signal processing F p67
Benson, F.A., Badr, A.H., and Sitch, J.E. see Badr, A.H.
Benson, F.A., Rahmann, M.M., and Sitch, J.E. see Rahmann, M.M.
Bert, G., Nuzillat, G., Damay-Kavala, F., and Arnodo, C. see Nuzillat, G.
Bhat, K.N., and Anantharam, V. see Anantharam, V.
Bickford, J.P., and Abdel-Rahman, M.H. Application of travelling-wave methods to the calculation of transient-fault currents and voltages in power-system networks C p153
Bickford, J.P., Sanderson, J.V.H., Abdelsalem, M.M., Mohamed, S.E.T., Morais, S.A., and Olipade, O. Developments in the calculation of waveforms and frequency spectra for transient fault currents and voltages C p145
Bickford, J.P., and Diseko, N.L. see Diseko, N.L.
Bickford, J.P., and Khan, A.M.M. see Khan, A.M.M.
Biegelmeier, G., and Lee, W.R. New considerations on the threshold of ventricular fibrillation for a.c. shocks at 50-60 Hz A p103
Billings, S.A. Identification of nonlinear systems - a survey D p272
Billinton, R., and Medicherla, T.K.P. Overall approach to the reliability evaluation of composite generation and transmission systems C p72
Binh, L.N., and Livingstone, J. Optimisation of a collinear acousto-optic TE_m - TE_n mode converter in $LiNbO_3$ H p323

Binns, K.J., and Kahan, P.A. Effect of load on the fluc pulsations and radial-force pulsations of induction motor teeth **B** p223
Binns, K.J., and Kurdali, A. Permanent-magnet a.c. generators **B** d240
Binns, K.J., and Smith, J.R. Prediction of load characteristics of turbogenerators **C** d44
Binns, K.J., Smith, J.R., Williamson, S., and Buckley, G.W. see Smith, J.R.
Bircumshaw, R.M. Selecting general managers from engineers **A** p252
Bird, B.M. Address as Chairman of the IEE Power Division **A** p21
Bird, T.S., and Boomars, J.L. Evaluation of focal fields and radiation characteristics of a dual-offset reflector antenna **H** p209
Biswas, J.R., and Ghosh, S. see Ghosh, S.
Blair, P.K. Receivers for the NAVSTAR global positioning system **F** p163
Blenkinsop, P.T., Lawrenson, P.J., Stephenson, J.M., Corda, J., and Fulton, N.N. see Lawrenson, P.J.
Bloch, P.D., and Solymer, L. Analysis of a 4-port Bragg device **H** p133
Board, K., and Darwish, M. see Darwish, M.
Boland, F.M., and Owens, D.H. Linear multipass processes: a two-dimensional interpretation **D** p189
Boland, F.M., and Owens, D.H. On quantisation and other bounded nonlinearities in first-order discrete multivariable control **D** p38
Bolton, A.G. Coefficient sensitivity in recursive digital filters implemented using microprocessors **G** p177
Bolton, A.G. Y transform, for the design of recursive digital filters **G** p145
Bolton, H.R., and Nicodemou, V.C. Operation of self-excited generators for windmill application **B** d240
Bone, M.C., and Wilson, M.G.F. see Wilson, M.G.F.
Bonfield, D.J., and Thomas, J.R.E. Synthetic-aperture-radar real-time processing **F** p155
Bonwick, W.J. Voltage waveform distortion in synchronous generators with rectifier loading **B** p13
Booer, A.K., Mason, I.M., and Buchanan, D.J. see Mason, I.M.
Boomars, J.L., and Bird, T.S. see Bird, T.S.
Bordry, F., De Fornel, B., and Trannoy, B. Flux and speed numerical control of a voltage-fed asynchronous induction machine **B** p91
Borrego, J.M., Vyas, H.P., and Gutman, R.J. see Vyas, H.P.
Bosch, B.G. Device and circuit trends in gigabit logic **I** p254
Boutrit, C., Georges, J.C., and Ravelet, S. Computer technique for solving Schottky barrier from dark forward current-voltage characteristics **I** p250
Bowers, B. Historical review of artificial light sources **A** p127
Bowler, P., and McLaren, S.G. Slip-frequency limited phase-locked-loop induction-motor drive **D** p51
Brailsford, J.R., and Naybour, R.D. see Naybour, R.D.
Brameller, A., Hamam, K., Hamam, Y.M., and Hindi, K.S. see Hamam, K.
Brass, D.F.S. Address as Chairman of the IEE South East Scotland Sub-Centre **A** a415
Brewitt-Taylor, C.R., Robson, P.N., and Sitch, J.E. Noise figure of m.e.s.f.e.t.s. **I** p1
Briggs, B.F.N., and Littlewood, S. see Littlewood, S.
Brown, J. Address as IEE President **A** p1
Brown, R.F., Norton, J.P., and Godfrey, K.R. see Norton, J.P.
Brumfitt, P.J., Batchelor, B.G., and Smith, B.D.V. see Batchelor, B.G.
Brunt, L., Windram, M.D., and Wilson, E.J. see Windram, M.D.
Bubenko, J.A., and Sundell, J. see Sundell, J.
Buchanan, D.J., Mason, I.M., and Booer, A.K. see Mason, I.M.
Buckley, G.W., Smith, J.R., Binns, K.J., and Williamson, S. see Smith, J.R.
Bumby, J.R., Anderson, A.F., and Hassall, B.I. see Anderson, A.F.
Burrow, N.G., Walton, A.J., Marsden, B.J., and Moran, P.L. see Walton, A.J.
Burton, D.P., Heffernan, D., and Richmond, E. 'Optimiser': a microcomputer-based current controller to improve voltage levels in rural locations **B** p46
Butler, C.M. Investigation of a scatterer coupled to an aperture in a conducting screen **H** p161
Butler, M.B.N. Radar applications of s.a.w. dispersive filters **F** p118
Buxo, J., Sarrabayrouse, G., Owen, A.E., Munoz Yague, A., and Sabaa, J-P. see Sarrabayrouse, G.

C

Cady, F.M., and Hodgson, R.M. Microprocessor-based interactive image-processing system **E** p197
Calderwood, J.H. Address as Chairman of the IEE Science, Education & Technology Division **A** p38
Calverley, H.B. Developments for medium-capacity urban public transport **A** e118
Cameron, R., and Kouvaritakis, B. see Kouvaritakis, B.
Card, H.C., and Hwang, W. Minority-carrier injection (dark) metal-polycrystalline silicon contacts **I** p161
Card, H.C., and Panayotatos, P. see Panayotatos, P.
Carpenter, C.J. Comparison of alternative formulations of 3-dimensional magnetic-field and eddy-current problems at power frequencies **B** d331
Carroll, J.E., and Rigg, P.R. Matrix theory for n-line microwave coupler design **H** p309
Carroll, J.E., and Rigg, P.R. see Rigg, P.R.
Carter, G., Armour, D.G., Lee, L.S., and Sharples, R. Assessment of undergraduate electrical engineering laboratory studies **A** p460
Casasent, D. Optical processing for adaptive phased-array radar **F** p278
Cathelin, M., Gavant, M., and Rocchi, M. A 3.5 GHz self-aligned single-clocked binary frequency divider on GaAs **I** p270
Cathey, J.J., and Nasar, S.A. Effect of armature banding on the commutation of a d.c. machine **B** p201 e332
Cayless, M.A. Future developments in lamps **A** p211
Celentano, G., and Balestrino, A. see Balestrino, A.
Chalmers, B.J., Atkinson, L.G., Cox, J.W.R., and El-Atar, M.M.K. Design of 400 Hz saturistor motors with improved starting performance **B** p341
Chalmers, B.J., and Dukes, B.J. High-performance eddy-current dynamometers **B** p20
Chalmers, B.J., Spooner, E., and Abdel-Hamid, R.H. Parameters of solid-rotor induction machines with unbalanced supply **B** p174
Chan, H.C., and Haykin, S. see Haykin, S.
Chan, K.K., Huang, C.C., and Raab, A.R. Dielectric-loaded trifurcated horn for H-plane stacked reflector feed array **H** p61
Char, J.P., and Dadheech, S.D. Edge-numbering convention: an insight into circuit formation **G** p41
Charalambous, C., and Antoniou, A. Equalisation of recursive digital filters **G** p219
Charlton, W.H., and Smith, B.H. see Smith, B.H.
Chesser, R.B., Sharp, P.F., and Smith, D.B. see Sharp, P.F.
Chiou, C.-F., and Schaumann, R. Comparison of dynamic range properties of high-order active bandpass filters **G** p101
Chirricozzi, E., Harley, R.G., and Limebeer, D.J.N. see Harley, R.G.
Chiuppesi, F., Galati, G., and Lombardi, P. Optimisation of rejection filters **F** p354
Choma, J. Actively peaked broadbanded monolithic amplifier **G** p61
Christopoulos, C., and Endean, V.G. Prebreakdown electrical conductivity of nearly saturated caesium vapour **A** p95
Chryssafis, A., Sanghera, G.S., and Moglestue, C. see Sanghera, G.S.
Clark, D.T., Sykes, R.W., Roberts, G.G., and Fok, T. see Sykes, R.W.
Clements, R.M., Oved, Y., and Smy, P.R. High-pressure sheath to glow transition in a plasma-filled gap **A** p447
Cloete, J.H. Alternating-plane property of the poles of even-degree low pass filters **G** p16
Coaton, J.R. Lamps (editorial) **A** p125
Coaton, J.R., and Fitzpatrick, J.R. Tungsten-halogen lamps and regenerative mechanisms **A** p142
Cochran, A.M., Isles, D.E., and Pope, I.T. Development of pumped-storage in a power system **C** d262
Cochrane, P., and Bates, R.J.S. see Bates, R.J.S.
Collier, R.J., and El-Deeb, N.A. Microstrip coupler suitable for use as a 6-port reflectometer **H** p87
Collocott, S.J., Morgan, V.T., and Morrow, R. Electrostatic hazard involved in discharging CO_2 fire extinguisher **A** p119
Cooper, C.B., and Walshe, K.A. see Walshe, K.A.
Corda, J., Lawrenson, P.J., Stephenson, J.M., Blenkinsop, P.T., and Fulton, N.N. see Lawrenson, P.J.
Corfield, Sir Kenneth Management communications: the STC approach **A** p604
Cornbleet, S. Flat disc, radially nonhomogeneous, lenses **H** p330
Corsini, P., Frosini, G., and Lopriore, L. Special-purpose computer for video signal processing in radar systems **E** p109
Cosgrove, J., Tso, S.K., and Spooner, E.D. see Tso, S.K.
Cottrill, J.E.J. Economic assessment of the renewable energy sources **A** p279
Coupe, F.G.A., and Sewell, J.I. Digital active network analysis **G** p181
Cowan, C.F.N., and Mavor, J. Design and performance evaluation of a 256-point adaptive filter **F** p179
Cox, J.W.R., Chalmers, B.J., Atkinson, L.G., and El-Atar, M.M.K. see Chalmers, B.J.
Creighton, G.K. Current-source invertor-fed induction motor torque pulsations **B** p231
Critoph, R.E. Fossil-fuel heat pumps for domestic, commercial and industrial space heating **A** p326
Crnošija, P., and Kmetić, M. Determination of network voltage distortion factor by digital computer simulation **B** p358
Crnosija, P. Analytical method for the determination of the voltage distortion factor of a network loaded with a thyristor-regulated direct-current motor drive (Summary) **C** p94
Crosnier, Y., Druelle, Y., and Salmer, G. see Druelle, Y.
Crouch, P.E. Polynomic systems theory: a review **D** p220
Csuros, L., and Foreman, K.F. Some practical aspects of overvoltages on the CEGB transmission system **C** p248
Cullen, A.L. Microwave Measurements (Editorial) **H** p65
Cullen, A.L., Judah, S.K., and Nikravesh, F. Impedance measurement using a 6-port directional coupler **H** p92
Curtis, T.E., and Ward, R.J. Digital beam forming for sonar systems **F** p257

D

Da Costa, E.M., and Nichols, K.G. 'Mascot' **G** p302
Dadheech, S.D., and Char, J.P. see Char, J.P.
Damay-Kavala, F., Nuzillat, G., Bert, G., and Arnodo, C. see Nuzillat, G.
Daniell, G.J., and Gull, S.F. Maximum entropy algorithm applied to image enhancement **E** p170
Daniels, A.R., and Slattery, D.T. Application of power transistors to polyphase regenerative power convertors **C** d266
Daniels, A.R., and Slattery, D.T. New power convertor technique employing power transistors **C** d266
Daniels, D.J. Short pulse radar for stratified lossy dielectric layer measurement **F** p384
Darwish, M., and Board, K. Switching in m.i.s.m. structures **I** p317
Das, B.N., Joshi, K.K., and Rao, J.S. see Joshi, K.K.
Das, P.K., and Smith, D.G. Analysis of blocking probabilities in skipped gradings which are offered unbalanced traffic **F** p430
Das, P.K., and Smith, D.G. Design of gradings subjected to unbalanced offered traffic **F** p41
Das, S., and Davies, E.J. see Davies, E.J.
Das, S.K. Mathematical model of scenery hoist system at the Olivier theatre **E** p263
Dass, B.K., and Muttoo, S.K. Correction of random and burst errors **E** p249
Davidson, B.J., Glendenning, I., Harman, R.D., Hart, A.B., Maddock, B.J., Moffitt, R.D., Newman, V.G., Smith, T.F., Worthington, P.J., and Wright, J.K. Large-scale electrical energy storage **A** p345
Davidson, J.A.M., and Balchin, M.J. see Balchin, M.J.
Davie, H., Findlay, D., Foord, T.R., Marshall, A.G., and Winning, D.J. see Findlay, D.
Davie, M.C. Channel vocoder based on c.c.d. discrete-Fourier-transform processors **F** p132
Davies, D.E.N., and Niazi, A.Y. Studies of a focused-field filter for multiplexing microwave signals **H** p173
Davies, D.E.N., and Ward, C.R. Low sidelobe patterns from thinned arrays using multiplicative processing **F** p9
Davies, E.J., and Das, S. Experimental study of eddy currents induced in the solid shells of d.c. machines carrying undulating currents **B** p317
Davies, J.B., and Razaz, M. see Razaz, M.
Davies, J.B., Sugimoto, E., and Barlow, H.M. see Sugimoto, E.
Davis, J.R. Degradation behaviour of n-channel m.o.s.f.e.t.s. operated at 77K **I** p183
Dawson, J.M., Din, S., Mytton, M.G., Shore, N.L., and Stansfield, H.B. System-reliability studies for wave-energy generation **A** p296
de Cogan, D. Punch-through diode as a power device **I** p67
De Fornel, B., Bordry, F., and Trannoy, B. see Bordry, F.

De Jaeger, J.C., and Salmer, G. Characteristics of isotype n Ge-n GaAs heterojunctions I p207
de Oliveira, J.C., and Yacamini, R. see Yacamini, R.
de Oliveira, M.F., Allan, R.N., Kozlowski, A., and Williams, G.T. see Allan, R.N.
De Vos, A., and Hindryckx, B. A thin-film transistor with polytetrafluoroethylene as insulator I p42
Deacon, J.M., and Heighway, J. S.A.W. filters: some case histories F p107
Dean, N., Dix, J.F., Widdowson, J., and Mavor, J. see Dix, J.F.
Dekkers, J.J.M., and Tsironis, C. see Tsironis, C.
Dennis, T.J. Nonlinear temporal filter for television picture noise reduction G p52
Derese, I., and Noldus, E.J. Nonlinear control of bilinear systems D p169
Dey, P., Ash, D.O., Gaylard, B., and Gibbon, R.R. see Ash, D.O.
Deyhimy, I., Anderson, R.J., Eden, R.C., and Harris, J.S. Charge-coupled devices in gallium arsenide I p278
Dhariwal, S.R. Measurement of lifetime of photoinjected carriers in solar cells by reverse voltage pulse response I p20
Dimmer, P.R., and Putteridge, O.P.D. Second derivative Gauss-Newton-based method for solving nonlinear simultaneous equations G p278
Din, S., Dawson, J.M., Mytton, M.G., Shore, N.L., and Stansfield, H.B. see Dawson, J.M.
Director, S.W., and Maly, W. see Maly, W.
Diseko, N.L., and Bickford, J.P. A method of simulating linear and nonlinear resonant phenomena associated with transformer feeders C p169
Dix, J.F., Dean, N., Widdowson, J., and Mavor, J. Applications of c.c.d.s. to sonar system F p125
Djordjevic, J., Ibbett, R.N., and Barbacci, M.R. Evaluation of computer architecture using ISPS E p126
Djordjevic, J., Ibbett, R.N., and Sumner, F.H. Evaluation of some proposed name-space architectures using ISPS E p120
Dodson, R.C., Evans, P.D., and Eastham, J.F. see Evans, P.D.
Donazzi, F., Occhini, E., and Seppi, A. Soil thermal and hydrological characteristics in designing underground cables C d333
dos Santos, M.L.X., and Baden Fuller, A.J. see Baden Fuller, A.J.
Douce, J.L. Bias of frequency-response estimates in closed-loop systems D p149
Doughty, R.W. Address as Chairman of the IEE North Western Centre A a69
Druelle, Y., Crosnier, Y., and Salmer, G. Large-signal behaviour and capability of the transistor transit-time oscillator I p72
Drury, W., Farrer, W., and Jones, B.L. Performance of thyristor bridge convertors employing flywheeling B p268
Duke, R.M., Arrillaga, J., and Woods, G. see Arrillaga, J.
Dukes, B.J., and Chalmers, B.J. see Chalmers, B.J.
Dunnett, R.M., and Wells, R. Improvements in steam temperature control on a modern oil-fired power-station boiler D p7
Durrani, T.S., and Goutis, C.E. Optimisation techniques for digital image reconstruction from their projections E p161

E

Eastham, J.F., and Evans, P.D. see Evans, P.D.
Eastham, J.F., Evans, P.D., and Dodson, R.C. see Evans, P.D.
Eden, R.C., Deyhimy, I., Anderson, R.J., and Harris, J.S. see Deyhimy, I.
Edwards, A.W. Address as Chairman of the IEE North Western, Utilisation Section A a71
Edwards, G.J. Engineering syndicate study A p565
El-Atar, M.M.K., Chalmers, B.J., Atkinson, L.G., and Cox, J.W.R. see Chalmers, B.J.
El-Deeb, N.A., and Collier, R.J. see Collier, R.J.
El-Mokadem, F.T., and Ha, T.T. Low-noise 'circulator-coupled' amplifier for unattended small earth terminals H p228
El-Nour, M., Johns, A.T., and Aggarwal, R.K. see Johns, A.T.
Elangovan, S., Krishnaparandhama, T., Kuppurajulu, A., and Sankaranarayanan, V. see Krishnaparandhama, T.
Ellis, J.H. Fundamental limitations of wave-front analysis by least squares H p219
Endean, V.G., and Christopoulos, C. see Christopoulos, C.
Engelmann, R.W.H., and Kerps, D. Leaky modes in active three-layer slab waveguides I p330
England, G. Managing for low growth A p636
Ertan, H.B., Hughes, A., and Lawrenson, P.J. Efficient numerical method for predicting the torque/displacement curve of saturated VR stepping motors B p246
Evans, P.D., Dodson, R.C., and Eastham, J.F. Delta inverter B p333
Evans, P.D., and Eastham, J.F. Disc-geometry homopolar synchronous machine B p299
Evans, S., and Theodorou, E.A. see Theodorou, E.A.
Evans, W.A., and Towers, M.S. Hybrid technique in waveform generation and synthesis G p119
Eyre, A.J., Baggott, A.J., Fielding, G., and Gray, F.M. see Baggott, A.J.
Eyres, A. Address as Chairman of the IEE Mersey and N.Wales Power Section A a72
Ezra, Sir Derek How engineers become managers: the experience of the NCB A p629

F

Fahmy, M.M., and Aboulnasr, T.T. see Aboulnasr, T.T.
Fakhouri, S.Y. Identification of the Volterra kernels of nonlinear systems D p296
Falkner, A.H. Novel electro-optical instrument for hole-diameter measurement A p443
Fang, M.T.C., and Shayler, P.J. see Shayler, P.J.
Farhang-Boroujeny, B., and Turner, L.F. An intersymbol interference cancellation equaliser for use in systems employing envelope detection F p485
Farina, A., and Neri, P. Multitarget interleaved tracking for phased-array radar F p312
Farina, A., and Pardini, S. Survey of radar data-processing techniques in air-traffic-control and surveillance systems F p190
Farish, O., and Kurimoto, A. see Kurimoto, A.
Farmer, E.D., Newman, V.G., and Ashmole, P.H. Economic and operational implications of a complex of wind-driven generators on a power system A p289
Farrell, P.G., and Goodman, R.M.F. Soft-decision error control for h.f. data transmission F p389
Farrer, W., Drury, W., and Jones, B.L. see Drury, W.
Farrer, W., Murgatroyd, P.N., Hodgkinson, R.P.D., and McLoughlin, P.D. see Murgatroyd, P.N.
Fernando, K.V.M., and Nicholson, H. Discrete double-sided Karhunen-Loève expansion D p155
Fernando, K.V.M., and Nicholson, H. Karhunen-Loève expansion with reference to singular-value decomposition and separation of variables D p204
Field, A.D., and Owens, D.H. see Owens, D.H.
Fielding, G., Baggott, A.J., Eyre, A.J., and Gray, F.M. see Baggott, A.J.
Filanovsky, I.M., Stromsmoe, K.A., Saraga, W., and Talbot, A. Property of analytic functions related to band-pass transformation G p176
Findlay, D., Davie, H., Foord, T.R., Marshall, A.G., and Winning, D.J. Microprocessor-based adaptive water-turbine governor C p360
Findlay, D.G.E., Winning, D.J., Marshall, A.G., Aitken, K.H., and Grant, N.F. see Winning, D.J.
Findlay, R.D. Equivalent nonlinear lumped-parameter network representations for a.c.s.r. conductors C p430
Finetti, M., Masetti, G., Nagrini, P., and Solmi, S. Predeposition through a polysilicon layer as a tool to reduce anomalies in phosphorus profiles and the push-out effect in n-p-n transistors I p37
Fisher, S.N., and Jewell, W.H. Scheme to improve transient response of industrial systems B p349
Fitzpatrick, J.R., and Coaton, J.R. see Coaton, J.R.
Fok, T., Sykes, R.W., Roberts, G.G., and Clark, D.T. see Sykes, R.W.
Foord, T.R., Findlay, D., Davie, H., Marshall, A.G., and Winning, D.J. see Findlay, D.
Foreman, K.F., and Csuros, L. see Csuros, L.
Förg, P.N., and Freyer, J. see Freyer, J.
Forrest J.R. Phased arrays (editorial) F p241
Forrest, J.R., and Austin, J. see Austin, J.
Foster, S.J., and Redwood, M. Enlargement of piezoelectric filter bandwidth by parallel connection of coupled resonators G p209
Foulk, P.W., McLean, J.A., Mason, R.A., and O'Callaghan, P.J. Aids an integrated design system for digital hardware E p45
Foulk, P.W., and O'Callaghan, J. Formal description of computational structure in Aids E p55
Fountain, T.J., and Goetcherian, V. Clip 4 parallel processing system E p219
Franti, L., and Paganuzzi, G.M. Pseudoelliptical phase-equalised filter allowing good optimisation for both phase and amplitude response H p342
Freeman, E.M., Rajanathan, C.B., and Lowther, D.A. see Rajanathan, C.B.
Freyer, J., and Förg, P.N. Baritt diodes for K_u-band frequencies I p78
Frosini, G., Corsini, P., and Lopriore, L. see Corsini, P.
Fuchs, J.-J.J. Explicit self-tuning methods D p259
Fulton, N.N., Lawrenson, P.J., Stephenson, J.M., Blenkinsop, P.T., and Corda, J. see Lawrenson, P.J.

G

Gago, A., and Huertas, J.L. see Huertas, J.L.
Galati, G., Chiuppesi, F., and Lombardi, P. see Chiuppesi, F.
Gans, W.L., Nahman, N.S., Andrews, J.R., Guillaume, M.E., Lawton, R.A., Ondrejka, A.R., and Young, M. see Nahman, N.S.
Gardner, G.E., and Unwin, R.J. Development testing techniques for airblast and SF_6 switchgear C p285
Gautier, H., and Tournois, P. Signal processing using surface-acoustic-wave and digital components F p92
Gavant, M., Cathelin, M., and Rocchi, M. see Cathelin, M.
Gawthrop, P.J. Hybrid self-tuning control D p229
Gaylard, B., Ash, D.O., Dey, P., and Gibbon, R.R. see Ash, D.O.
Gebbie, H.A., Llewellyn-Jones, D.T., Knight, R.J., and Moffat, P.H. see Llewellyn-Jones, D.T.
Georges, J.C., Boutrit, C., and Ravelet, S. see Boutrit, C.
Geromel, J.C., and Baptistella, L.F.B. see Baptistella, L.F.B.
Gharavi, H. Bandwidth compression of digital colour-television signals using block-adaptive d.p.c.m. F p405
Gharavi, H., and Steele, R. Predictors for intraframe encoding of Pal picture signals F p205
Ghausi, M.S., and Malawka, J. see Malawka, J.
Ghosh, S., and Biswas, J.R. Generation of high-frequency sinusoidal voltage using solid-state switching device, actuating pulse transformer and operated by a d.c. power pack G p109
Gibbard, M.J., and Muttik, P.K. see Muttik, P.K.
Gibbon, R.R., Ash, D.O., Dey, P., and Gaylard, B. see Ash, D.O.
Gibbons, J.A.M., Saunders, B.L., and Stannett, A.W. Role of metal debris in the performance of stop-joints as used in 275 kV and 400 kV self-contained oil-filled cable circuits C p406
Giesner, D.B., Jackson, R.J., and Wilson, M.A. see Jackson, R.J.
Girling, D.S. Changes in quality management of electronic components A p407
Gladstone, K.J., and McGeehan, J.P. Computer simulation of multipath fading in the land mobile radio environment G p323
Glendenning, I. Wave energy A p301
Glendenning, I., Davidson, B.J., Harman, R.D., Hart, A.B., Maddock, B.J., Moffitt, R.D., Newman, V.G., Smith, T.F., Worthington, P.J., and Wright, J.K. see Davidson, B.J.
Gnanalingham, S., and Wilkins, R. Digital simulation of fuse breaking tests C p434
Godfrey, K.R., Norton, J.P., and Brown, R.F. see Norton, J.P.
Goetcherian, V., and Fountain, T.J. see Fountain, T.J.
Golja, B., and Nassibian, A.G. see Nassibian, A.G.
Goodman, K.A., Smith, J.R., Stronach, A.F., and Tsao, T. see Smith, J.R.
Goodman, R.M.F., and Farrell, P.G. see Farrell, P.G.
Gosling, W. Protection ratio and economy of spectrum use in land mobile radio F p174
Goutis, C.E., and Durrani, T.S. see Durrani, T.S.
Grant, N.F., Winning, D.J., Marshall, A.G., Findlay, D.G.E., and Aitken, K.H. see Winning, D.J.
Gray, F.M., Baggott, A.J., Eyre, A.J., and Fielding, G. see Baggott, A.J.
Grimble, M.J. Reduced-order optimal controller for discrete-time stochastic systems D p55
Grimble, M.J., Patton, R.J., and Wise, D.A. Use of Kalman filtering techniques in dynamic ship-positioning systems D p93
Grzesik, J. Field matching through volume suppression H p20
Guile, A.E. Joule heating in emitting sites on various nonrefractory arc cathodes A p452
Guillaume, M.E., Nahman, N.S., Andrews, J.R., Gans, W.L., Lawton, R.A., Ondrejka, A.R., and Young, M. see Nahman, N.S.
Gull, S.F., and Daniell, G.J. see Daniell, G.J.
Gutman, R.J., Vyas, H.P., and Borrego, J.M. see Vyas, H.P.

H

Ha, T.T. Microwave power combining and graceful degradation G p148

Ha, T.T., and El-Mokadem, F.T. see El-Mokadem, F.T.

Habib, S.E.D., and Simmons, J.G. Theory of switching in p-n-insulator (tunnel)-metal devices: thick-tunnel oxides and indirect tunnel effects I p111

Habib, S.E.D., and Simmons, J.G. Theory of the metal-insulator-semiconductor thyristor I p176

Hadlow, M.E. Future energy concepts (Editorial) A p273

Hagihara, S. Quasiperiodic oscillations caused by magnetic saturation in a tuned-circuit levitator A p245

Hagisawa, T., Sekine, M., Musha, T., Irabu, T., Kiuchi, E., and Tomita, Y. see Sekine, M.

Hagisawa, T., Sekine, M., Musha, T., Tomita, Y., Irabu, T., and Kiuchi, E. see Sekine, M.

Hall, K.S. Calculation of rectifier-circuit performance A p54

Hall, T.J. High performance multimode optical fibre acoustic sensor utilising heterodyne detection H p193

Halliday, J., and Windram, M.D. see Windram, M.D.

Hamam, K., Hamam, Y.M., Hindi, K.S., and Brameller, A. Unit commitment of thermal generation C p3

Hamam, Y.M., Hamam, K., Hindi, K.S., and Brameller, A. see Hamam, K.

Hamid, M.A.K., and Rao, T.C.K. see Rao, T.C.K.

Hammond, P.H. Address as Chairman of the IEE Computing & Control Division A p27

Hampson H.G. Address as Chairman of the IEE North Western Supply Section A p272

Hanna, F.K., and Misra, A.K. Hardware realisation of binary search algorithm E p148

Hanna, F.K., and Balston, D.M. see Balston, D.M.

Hannalla, A.Y., and Macdonald, D.C. Representation of soft magnetic materials A p386

Hannalla, A.Y., and MacDonald, D.C. Sudden 3-phase short-circuit characteristics of turbine generators from design data using electromagnetic field calculations C p213

Harding, M.A. Experience of electronics on rapid transit stock B p215

Harker, B.J., Arrillaga, J., and Turner, K.S. see Arrillaga, J.

Harley, R.G., Limebeer, D.J.N., and Chirricozzi, E. Comparative study of saturation methods in synchronous machine models B p1

Harman, R.D., Davidson, B.J., Glendenning, I., Hart, A.B., Maddock, B.J., Moffitt, R.D., Newman, V.G., Smith, T.F., Worthington, P.J., and Wright, J.K. see Davidson, B.J.

Harris, J.S., Deyhimy, I., Anderson, R.J., and Eden, R.C. see Deyhimy, I.

Harrison, R., Smith, K.G., and Varley, J.S. Energy analysis of wave and tidal power A p274

Hart, A.B., Davidson, B.J., Glendenning, I., Harman, R.D., Maddock, B.J., Moffitt, R.D., Newman, V.G., Smith, T.F., Worthington, P.J., and Wright, J.K. see Davidson, B.J.

Hart, B.L. Saturation characteristics of n-p-n dual-output current mirror G p173

Hassall, B.I., Anderson, A.F., and Bumby, J.R. see Anderson, A.F.

Hassan, M.F., and Singh, M.G. Decentralised controller with online interaction trajectory improvement D p142

Hassan, M.F., and Singh, M.G. Stability, stabilisation and performance of multilevel controllers under structural perturbations - Part II: Stabilisation under any structural perturbation D p214

Hassan, M.F., Titli, A., Singh, M.G., and Hurteau, R. Stability, stabilisation and performance of multilevel controllers under structural perturbations - Part I: Cutting the links between co-ordinator and subsystems D p207

Hatziargyriou, N., and Yacamini, R. see Yacamini, R.

Hauenstein, P. Comparison of engineering education in Switzerland and in the United Kingdom A p402

Haus, H.A. Models of modelocking a laser diode in an external resonator I p323

Haykin, S., and Chan, H.C. Computer simulation study of a radar Doppler processor using the maximum-intropy method F p464

Heffernan, D., Burton, D.P., and Richmond, E. see Burton, D.P.

Heffernan, M.D., Arrillaga, J., Lake, C.B., and Arnold, C.P. see Arrillaga, J.

Heighway, J., and Deacon, J.M. see Deacon, J.M.

Helszajn, J. Measurement of symmetrical waveguide discontinuities using the eigenvalue approach H p74

Henn, J.W. Linear perturbation models for a.c. magnetic suspension systems. experimental and theoretical results D p64

Hesmondhalgh, D.E., and Tipping, D. A multielement magnetic gear B p129

Hewkin, P.F., Jacobs, O.L.R., and While, C. see Jacobs, O.L.R.

Heylen, A.E.D. Electrical ionisation and breakdown of gases in a crossed magnetic field A p221

Higashi, T., and Kojima, N. Loaded coaxial-cable transmission characteristics H p27

Hillen, M.W., van Linschoten, J., and Snijder, J. see van Linschoten, J.

Hindi, K.S., Hamam, K., Hamam, Y.M., and Brameller, A. see Hamam, K.

Hindryckx, B., and De Vos, A. see De Vos, A.

Hodgkinson, R.P.D., Murgatroyd, P.N., Farrer, W., and McLoughlin, P.D. see Murgatroyd, P.N.

Hodgson, R.M., and Cady, F.M. see Cady, F.M.

Hökenek, E., and Moschytz, G.S. Analysis of general switched-capacitor networks using indefinite admittance matrix G p21

Hökenek, E., and Moschytz, G.S. Analysis of multiphase switched-capacitor (m.s.c.) networks using the indefinite admittance matrix (i.a.m.) G p226

Holmes, J.N. JSRU channel vocoder, The F p53

Horacsek, O. Properties and failure modes of incandescent tungsten filaments A p134

Hosticka, B.J., and Moschytz, G.S. see Moschytz, G.S.

Howe, A.F., and Newbery, P.G. Semiconductor fuses and their applications B p155

Huang, C.C., Chan, K.K., and Raab, A.R. see Chan, K.K.

Huertas, J.L., and Gago, A. Regionaliser: a new nonlinear transformation convertor G p247

Hughes, A., Ertan, H.B., and Lawrenson, P.J. see Ertan, H.B.

Hughes, F.M., and Allidina, A.Y. see Allidina, A.Y.

Humpage, W.D., Wong, K.P., and Nguyen, T.T. Development of z-transform electromagnetic transient analysis methods for multimode power networks C p379

Humpage, W.D., Wong, K.P., and Nguyen, T.T. Time convolution and 2-transform methods of electromagnetic transient analysis in power systems C p386

Humpage, W.D., Wong, K.P., Nguyen, T.T., and Sutanto, D. Z-transform electromagnetic transient analysis in power systems C p370

Hurteau, R., Hassan, M.F., Titli, A., and Singh, M.G. see Hassan, M.F.

Hwang, W., and Card, H.C. see Card, H.C.

I

Ibbett, R.N., Djordjevic, J., and Barbacci, M.R. see Djordjevic, J.

Ibbett, R.N., Djordjevic, J., and Sumner, F.H. see Djordjevic, J.

in't Veld, G.H., Shore, K.A., and Rozzi, T.E. see Shore, K.A.

Irabu, T., Sekine, M., Musha, T., Kiuchi, E., Hagisawa, T., and Tomita, Y. see Sekine, M.

Irabu, T., Sekine, M., Musha, T., Tomita, Y., Hagisawa, T., and Kiuchi, E. see Sekine, M.

Isles, D.E., Cochran, A.M., and Pope, I.T. see Cochran, A.M.

Ivannikov, A.D., and Sipchuk, P.P. Computer-aided design of m.o.s. integrated layout G p313

J

Jack, A.G., and Stoll, R.L. Negative-sequence currents and losses in the solid rotor of a turbogenerator C p53

Jack, A.G., and Vrenken, L.E. Fluorescent lamps and low pressure sodium lamps A p149

Jackson, M., and Roulston, J.F. see Roulston, J.F.

Jackson, R.D., and Prendergast, E.J. see Prendergast, E.J.

Jackson, R.J. Interlamination voltages in large turbogenerators C d114

Jackson, R.J., Wilson, M.A., and Giesner, D.B. Partial discharges in power-cable joints: their propagation along a crossbonded circuit and methods for their detection C p420

Jacobs, O.L.R., Hewkin, P.F., and While, C. Online computer control of pH in an industrial process D p161

James, G.L. Analysis of radiation pattern and G/T_A for shaped dual-reflector antennas H p52

James, G.L. G.T.D. solution for diffraction by convex corrugated surfaces H p257

Janke, W., and Stepowicz, W.J. see Stepowicz, W.J.

Jeelof, G. Outline of the philosophy of management that has been effective in Philips A p591

Jenkins, D.G., and Azarakhsh, M. see Azarakhsh, M.

Jewell, W.H., and Fisher, S.N. see Fisher, S.N.

Johns, A.T. New ultra-high-speed directional comparison technique for the protection of e.h.v. transmission lines C p228

Johns, A.T., El-Nour, M., and Aggarwal, R.K. Performance of distance protection of e.h.v. feeders utilising shunt-reactor arrangements for arc suppression and voltage control C p304

Jones, B.E., and Wilson, B. Linear induction motors controlling carriages moving round a circular track D p265

Jones, B.E., and Basarab-Horwath, I. see Basarab-Horwath, I.

Jones, B.L., Drury, W., and Farrer, W. see Drury, W.

Jorgensen, R. Coverage shaping of contoured-beam antennas by field synthesis H p201

Joshi, K.K., Rao, J.S., and Das, B.N. Analysis of inhomogeneously filled stripline and microstripline H p11

Joshi, K.K., Rao, J.S., and Das, B.N. Characteristic impedance of nonplanar striplines H p287

Judah, S.K., Cullen, A.L., and Nikravesh, F. see Cullen, A.L.

K

Kahan, P.A., and Binns, K.J. see Binns, K.J.

Kak, S.C. Masking ciphers F p185

Kalikstein, K. Variational bound principle for irregular waveguides H p354

Kalinikos, B.A. Excitation of propagating spin waves in ferromagnetic films H p4

Karpovsky, M. Testing for numerical computations E p69

Kataoka, S., and Tateno, H. see Tateno, H.

Kayes, W.I., Rowe, R.W., and Undrill, P.E. see Rowe, R.W.

Keeffe, W.M. Recent progress in metal halide discharge-lamp research A p181

Keen, N.J. Low-noise millimetre-wave mixer diodes: results and evaluation of a test programme I p188 e296

Keen, W.R. Satellite-antenna measurement techniques (Commissioned IEE Review) A p417

Kekre, H.B., and Khalid, M. Buffer design in a closed form with hybrid input and random server interruptions F p448

Kekre, H.B., Sahasrabudhe, S.C., and Rama Rao, V. Sythesis procedure for p-symmetric Boolean functions E p93

Kellett, Sir Brian The engineer: the challenge of the market place A p610

Kerps, D. Filament displacement and refraction losses in a stripe-geometry AlGaAs d.h. laser I p94

Kerps, D., and Engelmann, R.W.H. see Engelmann, R.W.H.

Keuster, E.F., and Pate, R.C. Fundamental mode propagation on dielectric fibres of arbitrary cross-section H p41

Khalid, B.M.N., Lidgate, D., Acock, D., and Psomadellis, F. see Lidgate, D.

Khalid, M., and Kekre, H.B. see Kekre, H.B.

Khan, A.M.M., and Bickford, J.P. Interactive calculation of power system transients C p41

Khan, P.J., and Ball, J.A.R. see Ball, J.A.R.

Kinniment, D.J. Performance comparison of conventional and backtracking algorithms in circuit routing G p309

Kittler, J. Measurement errors in pattern recognition E p81

Kiuchi, E., Sekine, M., Musha, T., Tomita, Y., Hagisawa, T., and Irabu, T. see Sekine, M.

Klemm, R. Use of generalised resolution methods to locate sources in random dispersive media F p34

Kmetič, M., and Crnošifa, P. see Crnošifa, P.

Knight, R.J., Llewellyn-Jones, D.T., Moffat, P.H., and Gebbie, H.A. see Llewellyn-Jones, D.T.

Knott, K.F., and Unwin, R.T. see Unwin, R.T.

Kojima, N., and Higashi, T. see Higashi, T.

Kontoleon, J.M. Fast decomposition of networks in minimally interconnected subnetworks G p215

Korn, I. OQPSK and MSK systems with bandlimiting filters in transmitter and receiver and various detector filters F p439

Koussiouris, T.G. On the sensitivity of a system compensated by the inverse Nyquist array D p177 e294

Kouvaras, N. Modular networks for direct processing of delta-modulated signals E d279

Kouvaritakis, B., and Cameron, R. Pole placement with minimised norm controllers D p32

Kozlowski, A., Allan, R.N., de Oliveira, M.F., and Williams, G.T. see Allan, R.N.

Krishnaparandhama, T., Elangovan, S., Kuppuraju, A., and Sankaranarayanan, V. Fast power-flow solution by the method of reduction and restoration C p90

Krowne, C.M. Counter-clockwise reflection-coefficient behaviour on a Smith chart H p154 e304

Kumar, A., and Smith, D.G. Microwave properties of liquids using a modified cavity perturbation technique H p1

Kuppurajulu, A., Krishnaparandhama, T., Elangovan, S., and Sankaranarayanan, V. see Krishnaparandhama, T.
Kurnali, A., and Binns, K.J. see Binns, K.J.
Kurimoto, A., and Farish, O. Negative d.c. corona study in atmospheric air using Schlieren and interferometric techniques A p89

L

Lafferty, H.H., and Ullmann, J.R. see Ullmann, J.R.
Lajacono, R. Simplified method for synthesising m.q.f. filters G p57
Lake, C.B., Arrillaga, J., Heffernan, M.D., and Arnold, C.P. see Arrillaga, J.
Landini, F., Baccarani, G., and Riccó, B. see Baccarani, G.
Lawrenson, P.J., Stephenson, J.M., Blenkinsop, P.T., Corda, J., and Fulton, N.N. Variable-speed switched reluctance motors B p253
Lawrenson, P.J., Ertan, H.B., and Hughes, A. see Ertan, H.B.
Lawton, R.A., Nahman, N.S., Andrews, J.R., Gans, W.L., Guillaume, M.E., Ondrejka, A.R., and Young, M. see Nahman, N.S.
Ledwich, G. Adaptive excitation control C d48
Lee, L.S., Carter, G., Armour, D.G., and Sharples, R. see Carter, G.
Lee, W.R., and Biegelmeier, G. see Biegelmeier, G.
Lewis, J.E., and Rengarajan, S.R. see Rengarajan, S.R.
Lewis, P.A., and Underhill, M.J. Quiet tuning and matching of antennas for radio-silence operation F p361
Li, H.F., and Luk, W.K. see Luk, W.K.
Lidgate, D., Acock, D., Khalid, B.M.N., and Psomadellis, F. Electrical operational interlocks for a fossil-fired power station auxiliary system C p317
Lidgate, D., Aitchison, P.W., and Acock, D. Electrical interlock design for complex high-power switching networks C d265
Ligthart, L.P., and Nieuwkerk, L.R. F.M.-C.W. Delft atmospheric research radar F p421
Limebeer, D.J.N., Harley, R.G., and Chirricozzi, E. see Harley, R.G.
Littler, D.J. Management of research in the Central Electricity Generating Board A p625
Littlewood, S., and Briggs, B.F.N. Auto-resetting interrupter for use with 11 kV triggered spark gaps C p97
Livingstone, A.W., and Mellor, P.J.T. Capacitor coupling of GaAs depletion-mode f.e.t.s. I p297
Livingstone, J., and Binh, L.N. see Binh, L.N.
Llewellyn-Jones, D.T., Knight, R.J., Moffat, P.H., and Gebbie, H.A. New method of measuring low values of dielectric loss in the near millimetre wavelength region using untuned cavities A p535
Lloyd, A.M. Design of multiplexer universal-logic-module networks using spectral techniques E p31
Lombardi, P., Chiuppesi, F., and Galati, G. see Chiuppesi, F.
Lopriore, L., Corsini, P., and Frosini, G. see Corsini, P.
Lorch, H.O., Tavner, P.J., Penman, J., and Stoll, R.L. see Tavner, P.J.
Lorriman, J.A. Can engineers develop themselves as managers? A p498
Lowther, D.A., Rajanathan, C.B., and Freeman, E.M. see Rajanathan, C.B.
Lugton, W.T., Slamencka, E., and Rieder, W. see Slamencka, E.
Luk, W.K., and Li, H.F. Microcomputer-based real-time/online f.f.t. processor E p18
Lynn, P.A. F.I.R. digital filters based on difference coefficients: design improvements and software implementation E p253
Lyon, R.W., and Sangster, A.J. see Sangster, A.J.

M

McAllister, P.A. Phase-lock techniques for synthesis of microwave frequencies H p112
McDermid, J.A. Design and use of Comflex - a hardware-controlled packet switch E p233
MacDonald, D.C., and Hannalla, A.Y. see Hannalla, A.Y.
McGeehan, J.P., and Gladstone, K.J. see Gladstone, K.J.
McLaren, S.G., and Bowler, P. see Bowler, P.
Maclean, D.J.H. Practical analysis of wideband feedback amplifiers G p1
McLean, J.A., Foulk, P.W., Mason, R.A., and O'Callaghan, P.J. see Foulk, P.W.
McLeod, T.S. Profit, cash flow, employment and development of new products A p488
McLoughlin, P.D., Murgatroyd, P.N., Farner, W., and Hodgkinson, R.P.D. see Murgatroyd, P.N.
McQuilton, D. More high-rate 'cyclic' convolutional self-orthogonal codes F p427
McVey, C.I. High-pressure sodium lamp technology A p158
McWhirter, J.G., Roberts, J.B.G., Simons, R.F., and Watson, D.J. Compact low-power coder for extreme bit rate reduction of television pictures F p368
Madani, K., and Aitchison, C.S. Investigation into the technique of active reactance compensation to improve the gain-bandwidth performance of microwave bipolar transistor amplifiers H p292
Maddock, B.J., Davidson, B.J., Glendenning, I., Harman, R.D., Hart, A.B., Moffitt, R.D., Newman, V.G., Smith, T.F., Worthington, P.J., and Wright, J.K. see Davidson, B.J.
Magar, S.S., and Robinson, D.A. Microprogrammable arithmetic element and its applications to digital signal processing F p99
Majithia, J.C., and Yu, W. see Yu, W.
Malawka, J., and Ghausi, M.S. Second-order function realisation with switched-capacitor network and unity-gain amplifiers G p187
Malhi, S.D.S., and Salama, C.A.T. V-groove isolated b.i.f.e.t. technology for micropower i.c.s. I p169
Maly, W., and Director, S.W. Dimension reduction procedure for the simplicial approximation approach to design centering G p255
Mansell, A.D., and Power, H.M. Stabilisation of doubly-fed, slip-ring machines using the datum-shift method B p293
Marlow, B.K., and Batchelor, B.G. see Batchelor, B.G.
Marsden, B.J., Walton, A.J., Moran, P.L., and Burrow, N.G. see Walton, A.J.
Marshall, A.G., Findlay, D., Davie, H., Foord, T.R., and Winning, D.J. see Findlay, D.
Marshall, A.G., Winning, D.J., Findlay, D.G.E., Aitken, K.H., and Grant, N.F. see Winning, D.J.
Martin, P.J., and Roberts, G.G. Microcomputer-aided interface-state analysis I p133
Martinez, G., and Sancho, M. Accurate calculation of electrical capacitances of axially symmetric systems including dielectric media A p531
Masetti, G., Finetti, M., Nagrini, P., and Solmi, S. see Finetti, M.
Mason, I.M., Buchanan, D.J., and Booer, A.K. Fault location by underground seismic survey F p322
Mason, J.S.D. Power spectra from approximate transforms A p250
Mason, R.A., Foulk, P.W., McLean, J.A., and O'Callaghan, P.J. see Foulk, P.W.
Mathews, N.A., and Aghvami, A.H. M-ary c.p.s.k. signalling over two-link nonlinear channels in additive Gaussian noise F p410
Mavor, J. Developments in high-speed integrated semiconductor devices (Editorial) I p253
Mavor, J., and Cowan, C.F.N. see Cowan, C.F.N.
Mavor, J., Dix, J.F., Dean, N., and Widdowson, J. see Dix, J.F.
Mazzone, A.M., and Rees, H.D. Transferred-electron harmonic generators for millimetre band sources I p149
Meaney, P.M. Management philosophy of a holding company A p614
Medicherla, T.K.P., and Billinton, R. see Billinton, R.
Meindl, J.D., Shott, J.D., and Melen, R.D. see Shott, J.D.
Melek, M., and Anderson, A.P. Theoretical studies of localised tumour heating using focused microwave arrays F p319
Melen, R.D., Shott, J.D., and Meindl, J.D. see Shott, J.D.
Mellitt, B., and Mwandosya, M.J. Input characteristics of naturally commutated single-phase asymmetrical convertors B p107
Mellor, P.J.T., and Livingstone, A.W. see Livingstone, A.W.
Mengali, U., and Pirani, G. Timing-jitter growth in a chain of regenerative repeaters for optical-fibre transmissions G p153 e331
Miller, R.L., Truong, T.K., and Reed, I.S. Efficient program for decoding the (255, 223) Reed-Solomon code over $GF(2^8)$ with both errors and erasures, using transform decoding E p136
Mills, J. Good programming in assembly language E p241
Milner, M.O., and Bates, R.H.T. Design of subreflectors to compensate for Cassegrain main reflector deformations H p277
Misra, A.K., and Hanna, F.K. see Hanna, F.K.
Moffat, P.H., Llewellyn-Jones, D.T., Knight, R.J., and Gebbie, H.A. see Llewellyn-Jones, D.T.
Moffitt, R.D., Davidson, B.J., Glendenning, I., Harman, R.D., Hart, A.B., Maddock, B.J., Newman, V.G., Smith, T.F., Worthington, P.J., and Wright, J.K. see Davidson, B.J.
Moglestue, C., Sanghera, G.S., and Chryssafis, A. see Sanghera, G.S.
Mohamed, S.E.T., Bickford, J.P., Sanderson, J.V.H., Abdelsalem, M.M., Morais, S.A., and Olipade, O. see Bickford, J.P.
Morais, S.A., Bickford, J.P., Sanderson, J.V.H., Abdelsalem, M.M., Mohamed, S.E.T., and Olipade, O. see Bickford, J.P.
Moran, P.L., and Scurr, D. see Scurr, D.
Moran, P.L., Walton, A.J., Marsden, B.J., and Burrow, N.G. see Walton, A.J.
Moreno, E., and Baldomir, D. Sylvester's criterion applied to Poisson's equation. A quantitative proof of Earnshaw's theorem A p399
Morgan, V.T., Collocott, S.J., and Morrow, R. see Collocott, S.J.
Morita, N. Scattering and mode conversion of guided modes of a slab waveguide by a circular cylinder H p263
Morrin, P.C., and Watson, D.B. see Watson, D.B.
Morrow, R. Applications of radio/frequency power to the drying of timber A p394
Morrow, R. Approach to the design of applicators for radio-frequency drying B p124
Morrow, R., Collocott, S.J., and Morgan, V.T. see Collocott, S.J.
Morton, J.S. Coil-less cold-cathode arc chutes for high-speed d.c. circuit breakers for use on traction systems B p34 d329
Moschytz, G.S., and Hosticka, B.J. Transmission matrix of switched-capacitor ladder networks: application in active-filter design G p87
Moschytz, G.S., and Hökenek, E. see Hökenek, E.
Mouftah, H.T., and Smith, K.C. Design and implementation of three-valued logic systems with m.o.s. integrated circuits G p165
Moule, G.L., Roberts, J.B.G., and Parry, G. see Roberts, J.B.G.
Mühlemann, K. Method for reducing memory conflicts caused by busy waiting in multiple-processing synchronisation E p85
Muir, M.J., and Yee, H. see Yee, H.
Mukhopadhyay, P., Sarkar, B.N., and Verma, V.K. see Sarkar, B.N.
Mun, J., Sanghera, G.S., Vanlint, S.D., and Barry, B.E. GaAs diode/f.e.t. logic circuits for high-speed-frequency-divider applications I p98
Munoz Yague, A., Sarrabayrouse, G., Buxo, J., Owen, A.E., and Sabaa, J-P. see Sarrabayrouse, G.
Murgatroyd, P.N., Farrer, W., Hodgkinson, R.P.D., and McLoughlin, P.D. The toroidal cage coil B p207
Musha, T., Sekine, M., Irabu, T., Kiuchi, E., Hagisawa, T., and Tomita, Y. see Sekine, M.
Muttik, P.K., and Gibbard, M.J. Design of synchronous generator excitation controllers in multi-machine power systems inverse Nyquist array C p350
Muttoo, S.K., and Dass, B.K. see Dass, B.K.
Mwandosya, M.J., and Mellitt, B. see Mellitt, B.
Mwenechanya, J., and Williamson, A.C. see Williamson, A.C.
Mytton, M.G., Dawson, J.M., Din, S., Shore, N.L., and Stansfield, H.B. see Dawson, J.M.

N

Nagrini, P., Finetti, M., Masetti, G., and Solmi, S. see Finetti, M.
Nahman, N.S., Andrews, J.R., Gans, W.L., Guillaume, M.E., Lawton, R.A., Ondrejka, A.R., and Young, M. Applications of time-domain methods to microwave measurements H p99
Naidu, D.S., and Rajagopalan, P.K. Singular perturbation method for a closed-loop optimal control problem D p1
Naidu, D.S., and Rajagopalan, P.K. see Rajagopalan, P.K.
Nasar, S.A., and Cathey, J.J. see Cathey, J.J.
Nassibian, A.G., and Golja, B. Investigation of Ar ion implant gettering of gold in silicon by m.o.s. and Rutherford backscattering techniques I p29
Naybour, R.D., and Brailsford, J.R. A new type of test for connectors to be used on aluminium conductors C d339
Neilsen, O.M. Current mechanism of tunnel m.i.s. solar cells I p301
Neri, P., and Farina, A. see Farina, A.
Neri, R. Power gain in Cassegrain antennas with small gridded hyperboloidal subreflectors H p241
Newbery, P.G., and Howe, A.F. see Howe, A.F.
Newman, V.G., Davidson, B.J., Glendenning, I., Harman, R.D., Hart, A.B., Maddock, B.J., Moffitt, R.D., Smith, T.F., Worthington, P.J., and Wright, J.K. see Davidson, B.J.
Newman, V.G., Farmer, E.D., and Ashmole, P.H. see Farmer, E.D.
Nguyen, T.T., Humpage, W.D., and Wong, K.P. see Humpage, W.D.
Niazi, A.Y., and Davies, D.E.N. see Davies, D.E.N.

Nichols, K.G., and Da Costa, E.M. see Da Costa, E.M.
Nicholson, H., and Fernando, K.V.M. see Fernando, K.V.M.
Nicodemou, V.C., and Bolton, H.R. see Bolton, H.R.
Nielsen, J.N. New methods in engineering education A p475
Nielsen, O.M. Required minimum value of barrier height in minority-carrier m.i.s. solar cells I p105
Nieuwkerk, L.R., and Ligthart, L.P. see Ligthart, L.P.
Nikravesh, F., Cullen, A.L., and Judah, S.K. see Cullen, A.L.
Noh, C.J., and Smith, I.R. Chattering conditions in electromagnetic contactors B p324
Nolus, E.J., and Derese, I. see Derese, I.
Nondahl, T.A., and Novotny, D.W. Three-phase pole-by-pole model of a linear induction machine B p68
Norton, J.P., Brown, R.F., and Godfrey, K.R. Modal analysis of identifiability of linear compartmental models D p83
Novotny, D.W., and Nondahl, T.A. see Nondahl, T.A.
Nowrouzian, B., and Saraga, W. An analysis program, PAMS, for linear signal processing systems containing carrier-actuated modulators as time-varying elements G p284
Nuzillat, G., Damay-Kavala, F., Bert, G., and Arnodo, C. Low pinch-off voltage f.e.t. logic (l.p.f.l.): l.s.i. oriented logic approach using quasinormally off GaAs m.e.s.f.e.t.s. I p287

O

O'Callaghan, J., and Foulk, P.W. see Foulk, P.W.
O'Callaghan, P.J., Foulk, P.W., McLean, J.A., and Mason, R.A. see Foulk, P.W.
O'Connor, W.J. Magnetic forces in idealised saturable-pole configurations B p29
O'Kelly, D. Flux penetration and losses in steel plate with sinusoidal magnetisation B p287
Occhini, E., Donazzi, F., and Seppi, A. see Donazzi, F.
Olaniyan, O.O. Analysis of feedback communication systems F p30
Oligboh, C.N., and Ackroyd, M.H. Linear frequency coded sequence (l.f.c.s.) G p191
Olipade, O., Bickford, J.P., Sanderson, J.V.H., Abdelsalem, M.M., Mohamed, S.E.T., and Morais, S.A. see Bickford, J.P.
Oliver, A.J. Estimation of transformer winding temperature and coolant flows using general network method C p395
Ondrejka, A.R., Nahman, N.S., Andrews, J.R., Gans, W.L., Guillaume, M.E., Lawton, R.A., and Young, M. see Nahman, N.S.
Oved, Y., Clements, R.M., and Smy, P.R. see Clements, R.M.
Owen, A.E., Sarrabayrouse, G., Buxo, J., Munoz Yague, A., and Sabaa, J-P. see Sarrabayrouse, G.
Owens, D.H. Inversion of uniform rank multivariable systems D p153
Owens, D.H., and Field, A.D. Nested-feedback-loop decomposition for reduction of linear multivariable systems D p103
Owens, D.H., and Boland, F.M. see Boland, F.M.

P

Paganuzzi, G.M., and Franti, L. see Franti, L.
Panayotatos, P., and Card, H.C. Use of $V_{oc}J_{sc}$ measurements for determination of barrier height under illumination and for fill-factor calculations in Schottky-barrier solar cells I p308
Pandey, K. Second generation teletext and view-data decoders G e33
Pannenborg, A.E. Industrial innovation A p495
Pardini, S., and Farina, A. see Farina, A.
Parr, D.T., Taylor, J.E., and Stannard Powell, S.J. see Taylor, J.E.
Parry, G., Roberts, J.B.G., and Moule, G.L. see Roberts, J.B.G.
Parry Rogers, T.G. Plessey's evolving management philosophy A p600
Parsons, J.D., and Pongsupaht, A. Data transmission over v.h.f. mobile-radio links using binary f.s.k. and two quasisynchronous transmitters F p456
Parsons, J.D., and Pongsupaht, A. Error-rate reduction in v.h.f. mobile radio data systems using specific diversity reception techniques F p475
Parthasarathy, T.B., and Shanmugasundaram, A. see Shanmugasundaram, A.
Pask, C. Analysis of optical fibre connectors and modal noise generation H p282
Pate, R.C., and Keuster, E.F. see Keuster, E.F.
Patel, M.R. Dynamic stability of helical and barrel coils in transformers against axial short-circuit forces C p281
Patton, R.J., Grimble, M.J., and Wise, D.A. see Grimble, M.J.
Payne, N.J. Engineering effective management A p594
Peaker, A.R. Light-emitting diodes A p202
Pearce, Sir Austin Converting engineers into managers: a system A p607
Pejšek, Z., and Roubiček, O. see Roubiček, O.
Pengelly, R.S. GaAs monolithic microwave circuits for phased-array applications F p301
Penman, J., and Williamson, A.C. Feasibility of electromagnetic separation of irradiated nuclear reactor fuel-rod components B p277
Penman, J., Tavner, P.J., Stoll, R.L., and Lorch, H.O. see Tavner, P.J.
Perry, P.F. Optimising production, inventory and procurement control in manufacturing industry: two case studies of companies with computerised management information systems A p575
Phillips, D.H., Taylor, D.M., and Wilson, D.O. see Taylor, D.M.
Pillai, K.P.P., and Ramakrishnan, S. see Ramakrishnan, S.
Pirani, G., and Mengali, U. see Mengali, U.
Pongsupaht, A., and Parsons, J.D. see Parsons, J.D.
Pope, I.T., Cochran, A.M., and Isles, D.E. see Cochran, A.M.
Poray, A.T., and Shackshaft, G. see Shackshaft, G.
Power, H.M., and Mansell, A.D. see Mansell, A.D.
Pragnell, A.W. Management of the engineering function in the IBA A p620
Prasada Rao, G., and Saha, D.C. see Saha, D.C.
Prasadarao, T.S.V., and Tamaskar, D.G. Optimal controllers for a d-q machine (Summary) D p75
Prendergast, E.J., and Jackson, R.D. Microcomputer-based power-semiconductor-circuit waveform analyser B p363
Prusty, S., and Rao, M.V.S. New method for predetermination of true saturation characteristics of transformers and nonlinear reactors C p106
Psomadellis, F., Lidgate, D., Acock, D., and Khalid, B.M.N. see Lidgate, D.
Puggelli, G., and Antognetti, P. see Antognetti, P.
Purge Prasad, G.S.S.S.K., and Tripathy, S.C. see Tripathy, S.C.
Putteridge, O.P.D., and Dimmer, P.R. see Dimmer, P.R.

R

Raab, A.R., Chan, K.K., and Huang, C.C. see Chan, K.K.
Rabbat, N.B.G., and Sangiovanni-Vincentelli, A.L. see Sangiovanni-Vincentelli, A.L.
Rahmann, M.M., Sitch, J.E., and Benson, F.A. Leakage from coaxial cables A p74
Rajagopalan, P.K., and Naidu, D.S. Singular-perturbation analysis of a closed-loop fixed-end-point optimal-control problem D p194
Rajagopalan, P.K., and Naidu, D.S. see Naidu, D.S.
Rajanathan, C.B., Lowther, D.A., and Freeman, E.M. Study of Xi-core transverse-flux plate levitator B p183
Rama Rao, V., Kekre, H.B., and Sahasrabudhe, S.C. see Kekre, H.B.
Ramakrishnan, S., and Pillai, K.P.P. Theory and performance of the disc-type electromagnetic particle clutch under continuous slip service A p81
Ranby, P.W., and Smith, D.W. Electroluminescent panel devices A p196
Ranjan, R., and Barrault, M.R. Axial electric-field measurements of d.c. arcs in current-limiting fuses C p199
Rao, J., Smith, T.F., and Woods, B.J. see Smith, T.F.
Rao, J.S., Joshi, K.K., and Das, B.N. see Joshi, K.K.
Rao, M.V.S., and Prusty, S. see Prusty, S.
Rao, T.C.K., and Hamid, M.A.K. G.T.D. analysis of scattering from a dielectric-coated conducting cylinder H p143
Rappaport, S.S., and Raychaudhuri, D. see Raychaudhuri, D.
Ravelet, S., Boutrit, C., and Georges, J.C. see Boutrit, C.
Raychaudhuri, D., and Rappaport, S.S. Sampled multiserver queues with general arrivals and deterministic service time E p88
Razaz, M., and Davies, J.B. Scattering coefficients of a dielectric taper in a rectangular waveguide H p185
Redwood, M., and Foster, S.J. see Foster, S.J.
Reed, I.S., Miller, R.L., and Truong, T.K. see Miller, R.L.
Rees, H.D., and Mazzone, A.M. see Mazzone, A.M.
Rehmet, M. Xenon lamps A p190
Reid, G.M. Subjective tests on visual telecommunications standards F p3
Rengarajan, S.R., and Lewis, J.E. Propagation characteristics of elliptical dielectric-tube waveguides H p121
Rhodes, J.D., and Alseyab, S.A. see Alseyab, S.A.
Riccó, B., Baccarani, G., and Landini, F. see Baccarani, G.
Richmond, E., Burton, D.P., and Heffernan, D. see Burton, D.P.
Rieder, W., Slamencka, E., and Lugton, W.T. see Slamencka, E.
Rigg, P.R., and Carroll, J.E. Low-cost computer-based time-domain microwave network analyser H p107
Rigg, P.R., and Carroll, J.E. Three-line broadband codirectional microwave couplers using planar comb and herringbone microstrip lines H p315
Rigg, P.R., and Carroll, J.E. see Carroll, J.E.
Roberts, G.G., and Martin, P.J. see Martin, P.J.
Roberts, G.G., Sykes, R.W., Fok, T., and Clark, D.T. see Sykes, R.W.
Roberts, J.B.G., Moule, G.L., and Parry, G. Design and application of real-time spectrum-analyser systems F p76
Roberts, J.B.G., McWhirter, J.G., Simons, R.F., and Watson, D.J. see McWhirter, J.G.
Robinson, D.A., and Magar, S.S. see Magar, S.S.
Robson, P.N., Brewitt-Taylor, C.R., and Sitch, J.E. see Brewitt-Taylor, C.R.
Rocchi, M., Cathelin, M., and Gavant, M. see Cathelin, M.
Rothwell, R., and Zegveld, W. Possibilities for innovation in small and medium sized manufacturing firms (s.m.f.s.) A p267
Roubiček, O., and Pejšek, Z. Oscillatory synchronous linear motor with permanent-magnet excitation B p8
Roulston, J.F., and Jackson, M. Optimisation of a digital autodetector for linear and logarithmic radar video F p22
Rowe, R.W., Undrill, P.E., and Kayes, W.I. Synthesis and enhancement of the radionuclide tomographic section E p193
Rozzi, T.E., Shore, K.A., and in't Veld, G.H. see Shore, K.A.
Ruella, P. Resistive diode microwave mixers used as phase comparators H p251

S

Sabaa, J-P., Sarrabayrouse, G., Buxo, J., Owen, A.E., and Munoz Yague, A. see Sarrabayrouse, G.
Saha, D.C., and Prasada Rao, G. Identification of disturbed parameter systems via multidimensional distributions D p45
Saha, S.K. Inverting integrator with extended time constant using grounded capacitor G p99
Sahasrabudhe, S.C., Kekre, H.B., and Rama Rao, V. see Kekre, H.B.
Salama, C.A.T., and Malhi, S.D.S. see Malhi, S.D.S.
Saleh, N., and Tewfick, S. Calculator-aided evaluation of integrated n-m.o.s. operational amplifiers G p67
Salmer, G., and De Jaeger, J.C. see De Jaeger, J.C.
Salmer, G., Druelle, Y., and Crosnier, Y. see Druelle, Y.
Salter, S.H. Recent progress on ducks A p308
Sancho, M., and Martinez, G. see Martinez, G.
Sandbank, C.P. Address as Chairman of the IEE Electronics Division A p12
Sander, W. Experimental phased-array radar ELRA: antenna system F p285
Sanderson, J.V.H., Bickford, J.P., Abdelsalem, M.M., Mohamed, S.E.T., Morais, S.A., and Olipade, O. see Bickford, J.P.
Sanghera, G.S., Chryssafis, A., and Moglestue, C. Monte Carlo particle simulation of n-type GaAs field-effect transistors with a p-type buffer layer I p203
Sanghera, G.S., Mun, J., Vanlint, S.D., and Barry, B.E. see Mun, J.
Sangiovanni-Vincentelli, A.L., and Rabbat, N.B.G. Techniques for time-domain analysis of l.s.i. circuits G p292
Sangster, A.J. Gain/bandwidth predictions for travelling-wave gyrotron I p235
Sangster, A.J. Small-signal analysis of the travelling-wave gyrotron using Pierce parameters I p45
Sangster, A.J., and Lyon, R.W. Dual-mode waveguides for variably polarised slotted waveguide array antennas H p237
Sankaranarayanan, V., Krishnaparandhama, T., Elangovan, S., and Kuppurajulu, A. see Krishnaparandhama, T.
Saraga, W., Filanovsky, I.M., Stromsmoe, K.A., and Talbot, A. see Filanovsky, I.M.

Saraga, W., and Nowrouzian, B. see Nowrouzian, B.

Sarkar, B.N., Verma, V.K., and Mukhopadhyay, P. Effect of field failure of a d.w.r. generator **C** p82

Sarrabayrouse, G., Buxo, J., Owen, A.E., Munoz Yague, A., and Sabaa, J-P. Inversion-controlled switching mechanism of m.i.s.s. devices **I** p119 e296

Saunders, B.L., Gibbons, J.A.M., and Stannett, A.W. see Gibbons, J.A.M.

Schaumann, R., and Chiou, C.-F. see Chiou, C.-F.

Schinzinger, R., and Ametani, A. see Ametani, A.

Scurr, D., and Moran, P.L. Termination of lossless coupled transmission lines subjected to a transient stimulus **G** p75

Seilly, A.H. Fast-acting helical solenoid actuators **D** p245

Sekine, M., Musha, T., Irabu, T., Kiuchi, E., Hagisawa, T., and Tomita, Y. Non-Rayleigh weather clutter **F** p471

Sekine, M., Musha, T., Tomita, Y., Hagisawa, T., Irabu, T., and Kiuchi, E. Log-Weibull distributed sea clutter **F** p225

Sen, A.E., and Tokad, Y. Generalised cascade sum of matrices associated with active RLC multiports through generalised inverses **G** p169

Seppi, A., Donazzi, F., and Occhini, E. see Donazzi, F.

Sewell, J.I., and Coupe, F.G.A. see Coupe, F.G.A.

Shackshaft, G., and Poray, A.T. Implementation of new approach to determination of synchronous-machine parameters from tests **C** d44

Shanmugasundaram, A., and Parthasarathy, T.B. Circle diagram for a compensated linear induction motor **B** p197

Sharp, P.F., Chesser, R.B., and Smith, D.B. Assessment of scintigram quality **E** p185

Sharples, R., Carter, G., Armour, D.G., and Lee, L.S. see Carter, G.

Shaw, A.H. Address as Chairman of the IEE Worcestershire Sub-Centre **F** p169

Shayler, P.J., and Fang, M.T.C. Flow near the upstream electrode of gas-blast circuit breakers **C** p26

Shelton, R.M. Implications for the UK of solar-power satellites (s.p.s.) as an energy source **A** p336

Shepherd, W., and Ahamed, T.U. see Ahamed, T.U.

Shieh, L.S., and Tajvari, A. Analysis and synthesis of matrix transfer functions using the new block-state equations in block-tridiagonal forms **D** p19

Shore, K.A., Rozzi, T.E., and in't Veld, G.H. Semiconductor laser analysis: general method for characterising devices of various cross-sectional geometries **I** p221

Shore, N.L., Dawson, J.M., Din, S., Mytton, M.G., and Stansfield, H.B. see Dawson, J.M.

Shott, J.D., Melen, R.D., and Meindl, J.D. Charge-coupled devices for use in electronically-focused ultrasonic imaging systems **F** p144

Simkin, J., and Trowbridge, C.W. Three-dimensional nonlinear electromagnetic field computations, using scalar potentials **B** p368

Simmons, J.G., and Allman, P.G.C. see Allman, P.G.C.

Simmons, J.G., and Habib, S.E.D. see Habib, S.E.D.

Simons, J.S. Diagnostic testing of high-voltage machine insulation. A review of ten years' experience in the field **B** p139 d386

Simons, R.F., McWhirter, J.G., Roberts, J.B.G., and Watson, D.J. see McWhirter, J.G.

Singh, M.G., and Hassan, M.F. see Hassan, M.F.

Singh, M.G., Hassan, M.F., Titli, A., and Hurteau, R. see Hassan, M.F.

Singh, S.N. Nonlinear state-variable-feedback excitation-and governor-control design using decoupling theory **D** p131

Singh, Y.P., and Subramanian, S. Frequency-response identification of structure of nonlinear systems **D** p77

Sipchuk, P.P., and Ivannikov, A.D. see Ivannikov, A.D.

Sitch, J.E., Badr, A.H., and Benson, F.A. see Badr, A.H.

Sitch, J.E., Brewitt-Taylor, C.R., and Robson, P.N. see Brewitt-Taylor, C.R.

Sitch, J.E., Rahmann, M.M., and Benson, F.A. see Rahmann, M.M.

Skaug, R. Numerical evaluation of the non-periodic autocorrelation parameter for optimal phases of maximal length sequences **F** p230

Slamencka, E., Rieder, W., and Lugton, W.T. Synthetic testing: the present state **C** d203

Slattery, D.T., and Daniels, A.R. see Daniels, A.R.

Smith, A.C., and Williamson, S. see Williamson, S.

Smith, B.D.V., Batchelor, B.G., and Brumfitt, P.J. see Batchelor, B.G.

Smith, B.H., and Charlton, W.H. Output voltages of a multiswitch inverter **B** p117

Smith, D.B., Sharp, P.F., and Chesser, R.B. see Sharp, P.F.

Smith, D.G., and Das, P.K. see Das, P.K.

Smith, D.G., and Kumar, A. see Kumar, A.

Smith, D.W., and Ranby, P.W. see Ranby, P.W.

Smith, I.R., and Noh, C.J. see Noh, C.J.

Smith, J.R., Binns, K.J., Williamson, S., and Buckley, G.W. Determination of saturated reactances of turbogenerators **C** p122

Smith, J.R., Stronach, A.F., Tsao, T., and Goodman, K.A. Prediction of dynamic response of marine systems incorporating induction-motor propulsion drives **B** p308

Smith, J.R., and Binns, K.J. see Binns, K.J.

Smith, J.R., and Williamson, S. see Williamson, S.

Smith, K.C., and Mouftah, H.T. see Mouftah, H.T.

Smith, K.G., Harrison, R., and Varley, J.S. see Harrison, R.

Smith, T.F., Woods, B.J., and Rao, J. POLIGON: a new interactive graphics system **G** p317

Smith, T.F., Davidson, B.J., Glendenning, I., Harman, R.D., Hart, A.B., Maddock, B.J., Moffitt, R.D., Newman, V.G., Worthington, P.J., and Wright, J.K. see Davidson, B.J.

Smy, P.R., Clements, R.M., and Oved, Y. see Clements, R.M.

Snijder, J., van Linschoten, J., and Hillen, M.W. see van Linschoten, J.

Sobhy, M.I., and Bedair, S.S. see Bedair, S.S.

Soin, R.S., and Spence, R. Statistical exploration approach to design centering **G** p260

Solmi, S., Finetti, M., Masetti, G., and Nagrini, P. see Finetti, M.

Solymer, L., and Bloch, P.D. see Bloch, P.D.

Spence, R., and Soin, R.S. see Soin, R.S.

Spooner, E., Chalmers, B.J., and Abdel-Hamid, R.H. see Chalmers, B.J.

Spooner, E.D., Tso, S.K., and Cosgrove, J. see Tso, S.K.

Stalewski, A., and Weller, G.C. Novel capacitor-divider voltage sensors for high-voltage transmission systems **C** d210

Stannard Powell, S.J., Taylor, J.E., and Parr, D.T. see Taylor, J.E.

Stannett, A.W., Gibbons, J.A.M., and Saunders, B.L. see Gibbons, J.A.M.

Stansfield, H.B., Dawson, J.M., Din, S., Mytton, M.G., and Shore, N.L. see Dawson, J.M.

Starzyk, J. Signal-flow-graph analysis by decomposition method **G** p81

Steele, R., and Gharavi, H. see Gharavi, H.

Stephenson, J.M., Lawrenson, P.J., Blenkinsop, P.T., Corda, J., and Fulton, N.N. see Lawrenson, P.J.

Stepowicz, W.J., and Janke, W. Electrothermal transients due to self heating in a silicon p-n diode **I** p25

Stoll, R.L., and Jack, A.G. see Jack, A.G.

Stoll, R.L., Tavner, P.J., Penman, J., and Lorch, H.O. see Tavner, P.J.

Stromsmoe, K.A., Filanovsky, I.M., Saraga, W., and Talbot, A. see Filanovsky, I.M.

Stronach, A.F., Smith, J.R., Tsao, T., and Goodman, K.A. see Smith, J.R.

Subbarayudu, D., and Subrahamanyam, V. see Subrahamanyam, V.

Subrahamanyam, V., and Subbarayudu, D. Steady-state analysis of an induction motor fed from a current-source inverter using complex-state (Park's) vector **B** d244

Subramanian, S., and Singh, Y.P. see Singh, Y.P.

Sugimoto, E., Barlow, H.M., and Davies, J.B. Measurement of losses in multiconductor cable transmitting in the dipole-mode **H** p270

Sullivan, G.D., and Baker, K.D. see Baker, K.D.

Sumner, F.H., Djordjevic, J., and Ibbett, R.N. see Djordjevic, J.

Sundell, J., and Bubenko, J.A. Heat-pump applications to single-family dwellings- an analysis by computer model **A** p320

Sutanto, D., Humpage, W.D., Wong, K.P., and Nguyen, T.T. see Humpage, W.D.

Swift, D.A. Flashover across the surface of an electrolyte: arresting arc propagation with narrow metal strips **A** p553

Sykes, R.W., Roberts, G.G., Fok, T., and Clark, D.T. p-type InP/Langmuir film m.i.s. diodes **I** p137

T

Tagg, G.F. Multiple-driven-rod earth connection **C** p240

Tajvari, A., and Shieh, L.S. see Shieh, L.S.

Talbot, A., Filanovsky, I.M., Stromsmoe, K.A., and Saraga, W. see Filanovsky, I.M.

Tamaskar, D.G., and Prasadarao, T.S.V. see Prasadarao, T.S.V.

Tateno, H., and Kataoka, S. Topological and experimental analysis of stationary behaviour of transferred-electron devices with nonuniform geometry **I** p9

Taub, D.M. Analysis of line-scan output/e.h.t. generator circuit for c.r.t. displays **G** p129

Tavner, P.J. Measurements of the influence of core geometry, eddy currents and permeability on the axial flux distortion in laminated steel cores **B** p57

Tavner, P.J., Penman, J., Stoll, R.L., and Lorch, H.O. Influence of winding design on the axial flux in laminated-stator cores **C** d114

Taylor, D.M., Wilson, D.O., and Phillips, D.H. Gallium arsenide review: past, present and future **I** p266

Taylor, J.E., Stannard Powell, S.J., and Parr, D.T. Measurements on jointed optical-fibre cable for the Slough-Maidenhead field trial **H** p33

ter Vrugt, J.W., and Verwimp, J.K.P. High pressure mercury vapour lamps **A** p173

Tewfick, S., and Saleh, N. see Saleh, N.

Theodorou, E.A., and Evans, S. Detection of broadband u.h.f. signals using analogue correlation **G** p199

Thomas, J.R.E., and Bonfield, D.J. see Bonfield, D.J.

Thomas, R.E. British business schools **A** p588

Thompson, M.J., Alkaisi, M.M., and Allison, J. Conduction in sputtered a-Si-H Schottky-barrier solar cells **I** p212

Thylén, L., and Arvidsson, G. see Arvidsson, G.

Tipping, D., and Hesmondhalgh, D.E. see Hesmondhalgh, D.E.

Titli, A., Hassan, M.F., Singh, M.G., and Hurteau, R. see Hassan, M.F.

Tokad, Y., and Sen, A.E. see Sen, A.E.

Tomita, Y., Sekine, M., Musha, T., Hagisawa, T., Irabu, T., and Kiuchi, E. see Sekine, M.

Tosser, A.J., and Aoulad-Syad, D. Cascade networks of logic functions built in multiplexer units **E** p64

Tournois, P., and Gautier, H. see Gautier, H.

Towers, M.S., and Evans, W.A. see Evans, W.A.

Trannoy, B., Bordry, F., and De Fornel, B. see Bordry, F.

Treble, F.C. Solar cells (Commissioned IEE Review) **A** p505

Tripathy, S.C., and Purge Prasad, G.S.S.S.K. Load flow solution for ill-conditioned power systems by quadratically convergent Newton-like method **C** p273

Trowbridge, C.W., and Simkin, J. see Simkin, J.

Truong, T.K., Miller, R.L., and Reed, I.S. see Miller, R.L.

Tsao, T., Smith, J.R., Stronach, A.F., and Goodman, K.A. see Smith, J.R.

Tsironis, C., and Dekkers, J.J.M. Gunn oscillations in thin GaAs epilayers and m.e.s.f.e.t.s. **I** p241

Tso, S.K., Spooner, E.D., and Cosgrove, J. Efficient microprocessor-based cycloconvertor control **B** p190

Turner, K.S., Arrillaga, J., and Harker, B.J. see Arriliaga, J.

Turner, L.F., and Farhang-Boroujeny, B. see Farhang-Boroujeny, B.

U

Ullmann, J.R., and Lafferty, H.H. Picture-processing techniques for geometrical tolerance checking of integrated-circuit layouts **E** p8

Underhill, M.J., and Lewis, P.A. see Lewis, P.A.

Undrill, P.E., Rowe, R.W., and Kayes, W.I. see Rowe, R.W.

Unwin, R.J., and Gardner, G.E. see Gardner, G.E.

Unwin, R.T., and Knott, K.F. Comparison of methods used for determining base spreading resistance **I** p53

V

Valderrama, E., and Aguilo, J. see Aguilo, J.

Valkovic, Z. Calculation of the losses in three-phase transformer tanks **C** p20

van Linschoten, J., Snijder, J., and Hillen, M.W. Preprocessing of data from spreading-resistance measurements **I** p100

Vanlint, S.D., Mun, J., Sanghera, G.S., and Barry, B.E. see Mun, J.

Varley, J.S., Harrison, R., and Smith, K.G. see Harrison, R.

Verma, V.K., Sarkar, B.N., and Mukhopadhyay, P. see Sarkar, B.N.

Verwimp, J.K.P., and ter Vrugt, J.W. see ter Vrugt, J.W.
Viswanathan, C.R., and Backensto, W.V. see Backensto, W.V.
Viswanathan, C.R., and Backensto, W.V. see Backensto, W.V.
Voles, R. Interpolating sampled cross-correlation surfaces of images for fine registration F p401
Vrenken, L.E., and Jack, A.G. see Jack, A.G.
Vyas, H.P., Gutman, R.J., and Borrego, J.M. Electron and hole photocurrent effects on impatt oscillators I p126

W

Waldron, R.A. Scattering-matrix theory of dispersive interdigital transducers for pulse-compression radar H p15
Walker, P.A.W., and Abdalla, O.H. see Abdalla, O.H.
Walshe, K.A., and Cooper, C.B. Slope reactance effects in single-phase saturated reactors C d329
Walton, A.J., Marsden, B.J., Moran, P.L., and Burrow, N.G. Two-dimensional analysis of tapered distributed networks using finite elements G p34 e100
Ward, C.R., and Davies, D.E.N. see Davies, D.E.N.
Ward, R.J., and Curtis, T.E. see Curtis, T.E.
Warner, F.L. New expression for mismatch uncertainty when measuring microwave attenuation H p66
Watson, D.B., and Morrin, P.C. Numerical description of treeing in p.m.m.a. A p458
Watson, D.J., McWhirter, J.G., Roberts, J.B.G., and Simons, R.F. see McWhirter, J.G.
Watts, R. Developing managers in a service industry A p615
Weller, G.C., and Stalewski, A. see Stalewski, A.
Wells, R., and Dunnett, R.M. see Dunnett, R.M.
Wharmby, D.O. Scientific aspects of the high-pressure sodium lamp A p165
While, C., Jacobs, O.L.R., and Hewkin, P.F. see Jacobs, O.L.R.
White, A.A.L. Advantage of incorporating geothermal energy into power-station cycles A p330
Widdowson, J., Dix, J.F., Dean, N., and Mavor, J. see Dix, J.F.
Wilkins, R., and Gnanalingham, S. see Gnanalingham, S.
Wilkinson, C.O.W., Yi-Yan, A., and Wilkinson, J.A.H. see Yi-Yan, A.
Wilkinson, J.A.H., Yi-Yan, A., and Wilkinson, C.O.W. see Yi-Yan, A.
Williams, G.T., Allan, R.N., de Oliveira, M.F., and Kozlowski, A. see Allan, R.N.
Williams, L.A. Modelling and simulation in engineering marketing A p61
Williams, P.D.L. Medium fading of radar targets at sea with special reference to operation at 3 cm and 10 cm F p212
Williams, S., and Al-Nimma, D.A. see Al-Nimma, D.A.
Williamson, A.C. A new connection for synchronous motor excitation B p169
Williamson, A.C., and Mwenechanya, J. New method of low-speed commutation of an inverter-fed synchronous motor B p375
Williamson, A.C., and Penman, J. see Penman, J.
Williamson, S., and Smith, A.C. Field analysis for rotating induction machines and its relationship to the equivalent-circuit method B p83
Williamson, S., and Smith, J.R. Application of minimisation algorithms in electrical engineering A p528
Williamson, S., Smith, J.R., Binns, K.J., and Buckley, G.W. see Smith, J.R.
Wilson, B., and Jones, B.E. see Jones, B.E.
Wilson, D.O., Taylor, D.M., and Phillips, D.H. see Taylor, D.M.
Wilson, E.J., Windram, M.D., and Brunt, L. see Windram, M.D.
Wilson, G. Unilateral capacitor element and its application in low-frequency RC active filters G p13
Wilson, M.A., Jackson, R.J., and Giesner, D.B. see Jackson, R.J.
Wilson, M.G.F., and Bone, M.C. Theory of curved diffraction gratings H p127
Windram, M.D., Brunt, L., and Wilson, E.J. Adaptive antennas for u.h.f. broadcast reception F p249
Windram, M.D., and Halliday, J. Adaptive arrays - a theoretical introduction F p243
Winning, D.J., Marshall, A.G., Findlay, D.G.E., Aitken, K.H., and Grant, N.F. Controller testing facility on 32.5 MW water turbine (Technical note) C p357
Winning, D.J., Findlay, D., Davie, H., Foord, T.R., and Marshall, A.G. see Findlay, D.
Wise, D.A., Grimble, M.J., and Patton, R.J. see Grimble, M.J.
Wittenmark, B., and Astrom, K.J. see Astrom, K.J.
Wong, K.P., Humpage, W.D., and Nguyen, T.T. see Humpage, W.D.
Wong, K.P., Humpage, W.D., and Nguyen, T.T. see Humpage, W.D.
Wong, K.P., Humpage, W.D., Nguyen, T.T., and Sutanto, D. see Humpage, W.D.
Wood, C. Improved bandwidth of microstrip antennas using parasitic elements H p231
Woods, B.J., Smith, T.F., and Rao, J. see Smith, T.F.
Woods, D. Analysis of a dual-six-port network analyser and derivation of calibration equations A p541
Woods, D. Simplified calibration equations for the unidirectional and bidirectional computer-corrected network analyser H p82
Woods, G., Arrillaga, J., and Duke, R.M. see Arrillaga, J.
Woods, J.V., and Zobel, R.N. Fast synthesised cyclic-parallel analogue-digital convertor G p45
Worthington, P.J., Davidson, B.J., Glendenning, I., Harman, R.D., Hart, A.B., Maddock, B.J., Moffitt, R.D., Newman, V.G., Smith, T.F., and Wright, J.K. see Davidson, B.J.
Wright, J.K., Davidson, B.J., Glendenning, I., Harman, R.D., Hart, A.B., Maddock, B.J., Moffitt, R.D., Newman, V.G., Smith, T.F., and Worthington, P.J. see Davidson, B.J.

Y

Yacamini, R., and de Oliveira, J.C. Harmonics in multiple convertor systems: a generalised approach B p96
Yacamini, R., and de Oliveira, J.C. Instability in h.v. d.c. schemes at low-order integer harmonics C p179
Yacamini, R., and Hatziargyriou, N. Overvoltages caused by blocking twelve pulse h.v.d.c. schemes C p189
Yee, H., and Muir, M.J. Transient stability of multimachine systems with saturable exciters C p9
Yi-Yan, A., Wilkinson, J.A.H., and Wilkinson, C.O.W. Optical waveguide filters for the visible spectrum H p335
Yokoyama, S. Experimental analysis of earth wires for induced lightning surges C p33
Young, M., Nahman, N.S., Andrews, J.R., Gans, W.L., Guillaume, M.E., Lawton, R.A., and Ondrejka, A.R. see Nahman, N.S.
Young, S.J. Low-level-device programming with a high-level language E p37
Yu, W., and Majithia, J.C. Suggestions for control mechanism for reducing the number of priority changes in an adaptive loop E p229

Z

Zakzouk, A.K.M. General model for defect formation in silicon dioxide I p230 e336
Zegveld, W., and Rothwell, R. see Rothwell, R.
Zinober, A.S.I. Self-adaptive near-optimal control of diffusion equations D p290
Zobel, R.N., and Woods, J.V. see Woods, J.V.

Addresses

Baylis, J.A. as Chairman of the IEE North Western, Measurement & Control Section : Grid control in the North West A a72
Bird, B.M. as Chairman of the IEE Power Division : Electric transport: the future prospects A p21
Brass, D.F.S. as Chairman of the IEE South East Scotland Sub-Centre : Distribution engineering and forestry A a415
Brown, J. as IEE President : Academic strategy A p1
Calderwood, J.H. as Chairman of the IEE Science, Education & Technology Division : Engineering and enchantment A p38
Doughty, R.W. as Chairman of the IEE North Western Centre : The energy situation - crisis or challenge? A a69
Edwards, A.W. as Chairman of the IEE North Western, Utilisation Section : Utilisation of electrical energy - a contribution by the electricity supply industry A a71
Eyres, A. as Chairman of the IEE Mersey and N.Wales Power Section : The modern distribution network A a72
Hammond, P.H. as Chairman of the IEE Computing & Control Division : Transfer of computing and control technology into manufacturing industry, The A p27
Hampson H.G. as Chairman of the IEE North Western Supply Section : Reducing power station costs A p272
Sandbank, C.P. as Chairman of the IEE Electronics Division : Communications in the 21st century A p12
Shaw, A.H. as Chairman of the IEE Worcestershire Sub-Centre : Forty years of ground radar F p169

Conference Publications

176 Progress in cables and overhead lines for 100 kV and above C 50
177 Dielectric materials, measurements and applications A 121
178 Fifth European Solid State Circuits Conference - ESSCIRC 79 I 28
180 International Specialist Seminar on Case studies in advanced signal processing F 240
181 Second International Conference on Automotive electronics G 66
182 Developments in design and performance of e.h.b. switching equipment C 52
183 International Conference on Submarine telecommunications systems F 168
184 Conference on Communications equipment and systems F 229
185 Developments in power-system protection C 269
186 International conference on effective use of electricity in buildings B 266
187 Power system monitoring and control B 267
188 International Conference on Radio spectrum conservation techniques F 339
191 International Broadcasting Convention F 495

IEE Commissioned Reviews

Keen, W.R. Satellite-antenna measurement techniques A p417
Treble, F.C. Solar Cells A p505

Subject index

ACOUSTOELECTRIC EFFECTS

Charge-coupled devices for use in electronically-focused ultrasonic imaging systems. J.D.Shott, R.D.Melen and J.D.Meindl F p144
Design and application of real-time spectrum-analyser systems. J.B.G.Roberts, G.L.Moule and G.Parry F p76
Digital beam forming for sonar systems. T.E.Curtis and R.J.Ward F p257
High performance multimode optical fibre acoustic sensor utilising heterodyne detection. T.J.Hall H p193
Optimisation of a collinear acousto-optic TE_m - TE_n mode converter in $LiNbO_3$. L.N.Binh and J.Livingstone H p323
Theory of curved diffraction gratings. M.G.F.Wilson and M.C.Bone H p127

ACTIVE NETWORKS

Digital active network analysis. F.G.A.Coupe and J.I.Sewell G p181
Optimisation of active URC filters for magnitude and/or linear-phase specifications. T.T.Aboulnasr and M.M.Fahmy G p242

ADAPTIVE CONTROL

Adaptive antennas for u.h.f. broadcast reception. M.D.Windram, L.Brunt and E.J.Wilson F p249
Adaptive arrays - a theoretical introduction. M.D.Windram and J.Halliday F p243
Hybrid self-tuning control. P.J.Gawthrop D p229
Optical processing for adaptive phased-array radar. D.Casasent F p278
Suggestions for control mechanism for reducing the number of priority changes in an adaptive loop. W.Yu and J.C.Majithia E p229
Transfer of computing and control technology into manufacturing industry, The. P.H.Hammond A p27

ALGEBRA
(incl. Matrix Algebra)

Analysis and synthesis of matrix transfer functions using the new block-state equations in block-tridiagonal forms. L.S.Shieh and A.Tajvari D p19
Analysis of general switched-capacitor networks using indefinite admittance matrix. E.Hökenek and G.S.Moschytz G p21
Discrete double-sided Karhunen-Loève expansion. K.V.M.Fernando and H.Nicholson D p155
Fundamental mode propagation on dielectric fibres of arbitrary cross-section. E.F.Keuster and R.C.Pate H p41
Generalised cascade sum of matrices associated with active RLC multiports through generalised inverses. A.E.Sen and Y.Tokad G p169
Karhunen-Loève expansion with reference to singular-value decomposition and separation of variables. K.V.M.Fernando and H.Nicholson D p204
Microwave power combining and graceful degradation. T.T.Ha G p148
Modal analysis of identifiability of linear compartmental models. J.P.Norton, R.F.Brown and K.R.Godfrey D p83
Nonlinear control of bilinear systems. I.Derese and E.J.Noldus D p169
On the sensitivity of a system compensated by the inverse Nyquist array. T.G.Koussiouris D p177 e294
Optical processing for adaptive phased-array radar. D.Casasent F p278
Optimisation of rejection filters. F.Chiuppesi, G.Galati and P.Lombardi F p354
Scattering-matrix theory of dispersive interdigital transducers for pulse-compression radar. R.A.Waldron H p15
Simplified calibration equations for the unidirectional and bidirectional computer-corrected network analyser. D.Woods H p82
Survey of radar data-processing techniques in air-traffic-control and surveillance systems. A.Farina and S.Pardini F p190
Transmission matrix of switched-capacitor ladder networks: application in active-filter design. G.S.Moschytz and B.J.Hosticka G p87
Two-dimensional analysis of tapered distributed networks using finite elements. A.J.Walton, B.J.Marsden, P.L.Moran and N.G.Burrow G p34 e100

AMPLIFIERS

Actively peaked broadbanded monolithic amplifier. J.Choma G p61
Calculator-aided evaluation of integrated n-m.o.s. operational amplifiers. N.Saleh and S.Tewfick G p67
Fast synthesised cyclic-parallel analogue-digital convertor. J.V.Woods and R.N.Zobel G p45
GaAs monolithic microwave circuits for phased-array applications. R.S.Pengelly F p301
Low-noise 'circulator-coupled' amplifier for unattended small earth terminals. F.T.El-Mokadem and T.T.Ha H p228
Practical analysis of wideband feedback amplifiers. D.J.H.Maclean G p1
Second-order function realisation with switched-capacitor network and unity-gain amplifiers. J.Malawka and M.S.Ghausi G p187

ANALOGUE COMPUTERS AND COMPUTATION

Current gain in bipolar transistors with a field plate over the base surface. V.Anantharam and K.N.Bhat I p15
Fast synthesised cyclic-parallel analogue-digital convertor. J.V.Woods and R.N.Zobel G p45

ANALOGUE-DIGITAL CONVERSION

Digital active network analysis. F.G.A.Coupe and J.I.Sewell G p181
Microprocessor-based interactive image-processing system. F.M.Cady and R.M.Hodgson E p197
Y transform, for the design of recursive digital filters. A.G.Bolton G p145

ANTENNAS AND PROPAGATION

Adaptive antennas for u.h.f. broadcast reception. M.D.Windram, L.Brunt and E.J.Wilson F p249
Adaptive arrays - a theoretical introduction. M.D.Windram and J.Halliday F p243
Analysis of inhomogeneously filled stripline and microstripline. K.K.Joshi, J.S.Rao and B.N.Das H p11
Analysis of radiation pattern and G/T_A for shaped dual-reflector antennas. G.L.James H p52
Coverage shaping of contoured-beam antennas by field synthesis. R.Jorgensen H p201
Design concepts for active phased-array modules. J.Austin and J.R.Forrest F p290
Design of subreflectors to compensate for Cassegrain main reflector deformations. M.O.Milner and R.H.T.Bates H p277
Dielectric-loaded trifurcated horn for H-plane stacked reflector feed array. K.K.Chan, C.C.Huang and A.R.Raab H p61
Digital beam forming for radar. P.Barton F p266
Evaluation of focal fields and radiation characteristics of a dual-offset reflector antenna. T.S.Bird and J.L.Boomars H p209
Experimental phased-array radar ELRA: antenna system. W.Sander F p285
F.M.-C.W. Delft atmospheric research radar. L.P.Ligthart and L.R.Nieuwkerk F p421
Fundamental limitations of wave-front analysis by least squares. J.H.Ellis H p219
Fundamental mode propagation on dielectric fibres of arbitrary cross-section. E.F.Keuster and R.C.Pate H p41
G.T.D. solution for diffraction by convex corrugated surfaces. G.L.James H p257
Improved bandwidth of microstrip antennas using parasitic elements. C.Wood H p231
Low sidelobe patterns from thinned arrays using multiplicative processing. D.E.N.Davies and C.R.Ward F p9
Multitarget interleaved tracking for phased-array radar. A.Farina and P.Neri F p312
Optimisation of rejection filters. F.Chiuppesi, G.Galati and P.Lombardi F p354
Optimum use of fully populated, over populated and sparsely filled antenna apertures. R.Benjamin H p117
Phased arrays (editorial). Forrest J.R. F p241
Power gain in Cassegrain antennas with small gridded hyperboloidal subreflectors. R.Neri H p241
Quiet tuning and matching of antennas for radio-silence operation. P.A.Lewis and M.J.Underhill F p361
Receivers for the NAVSTAR global positioning system. P.K.Blair F p163
Satellite-antenna measurement techniques. W.R.Keen A p417
Synthetic-aperture-radar real-time processing. D.J.Bonfield and J.R.E.Thomas F p155

ARCING

Axial electric-field measurements of d.c. arcs in current-limiting fuses. R.Ranjan and M.R.Barrault C p199
Coil-less cold-cathode arc chutes for high-speed d.c. circuit breakers for use on traction systems. J.S.Morton B p34 d329
Digital simulation of fuse breaking tests. S.Gnanalingham and R.Wilkins C p434
Flashover across the surface of an electrolyte: arresting arc propagation with narrow metal strips. D.A.Swift A p553
Joule heating in emitting sites on various nonrefractory arc cathodes. A.E.Guile A p452
Prebreakdown electrical conductivity of nearly saturated caesium vapour. C.Christopoulos and V.G.Endean A p95
Scientific aspects of the high-pressure sodium lamp. D.O.Wharmby A p165

BATTERIES AND CELLS

Large-scale electrical energy storage. B.J.Davidson, I.Glendenning, R.D.Harman, A.B.Hart, B.J.Maddock, R.D.Moffitt, V.G.Newman, T.F.Smith, P.J.Worthington and J.K.Wright A p345

Operation of a lead/acid battery with thyristor chopper burden. T.U.Ahamed and W.Shepherd **B** p120

BIOMEDICAL ENGINEERING

Assessment of scintigram quality. P.F.Sharp, R.B.Chesser and D.B.Smith **E** p185
Processing and synthesis of biological data. A.N.Barrett **E** p225
Synthesis and enhancement of the radionuclide tomographic section. R.W.Rowe, P.E.Undrill and W.I.Kayes **E** p193

BIPOLAR DEVICES

Current gain in bipolar transistors with a field plate over the base surface. V.Anantharam and K.N.Bhat **I** p15

BREAKDOWN AND GAS DISCHARGES

Electrical ionisation and breakdown of gases in a crossed magnetic field. A.E.D.Heylen **A** p221
Electron and hole photocurrent effects on impatt oscillators. H.P.Vyas, R.J.Gutman and J.M.Borrego **I** p126
Fluorescent lamps and low pressure sodium lamps. A.G.Jack and L.E.Vrenken **A** p149
Future developments in lamps. M.A.Cayless **A** p211
High pressure mercury vapour lamps. J.W.ter Vrugt and J.K.P.Verwimp **A** p173
High-pressure sheath to glow transition in a plasma-filled gap. R.M.Clements, Y.Oved and P.R.Smy **A** p447
Negative d.c. corona study in atmospheric air using Schlieren and interferometric techniques. A.Kurimoto and O.Farish **A** p89
Prebreakdown electrical conductivity of nearly saturated caesium vapour. C.Christopoulos and V.G.Endean **A** p95
Scientific aspects of the high-pressure sodium lamp. D.O.Wharmby **A** p165
Xenon lamps. M.Rehmet **A** p190

CABLES AND OVERHEAD LINES

Application of travelling-wave methods to the calculation of transient-fault currents and voltages in power-system networks. J.P.Bickford and M.H.Abdel-Rahman **C** p153
Auto-resetting interrupter for use with 11 kV triggered spark gaps. S.Littlewood and B.F.N.Briggs **C** p97
Conductor systems for overhead lines: some considerations in their selection. D.O.Ash, P.Dey, B.Gaylard and R.R.Gibbon **C** d206
Developments in the calculation of waveforms and frequency spectra for transient fault currents and voltages. J.P.Bickford, J.V.H.Sanderson, M.M.Abdelsalem, S.E.T.Mohamed, S.A.Morais and O.Olipade **C** p145
Experimental analysis of earth wires for induced lightning surges. S.Yokoyama **C** p33
Leakage from coaxial cables. M.M.Rahmann, J.E.Sitch and F.A.Benson **A** p74
Measurements on jointed optical-fibre cable for the Slough-Maidenhead field trial. J.E.Taylor, S.J.Stannard Powell and D.T.Parr **H** p33
Method of estimating the capacity of multipair cables to carry low-speed p.c.m. transmission systems. R.J.S.Bates and P.Cochrane **F** p16
Mutual impedance of transmission lines with earth return. A.Ametani and R.Schinzinger **C** p326
Partial discharges in power-cable joints: their propagation along a crossbonded circuit and methods for their detection. R.J.Jackson, M.A.Wilson and D.B.Giesner **C** p420
Role of metal debris in the performance of stop-joints as used in 275 kV and 400 kV self-contained oil-filled cable circuits. J.A.M.Gibbons, B.L.Saunders and A.W.Stannett **C** p406
Soil thermal and hydrological characteristics in designing underground cables. F.Donazzi, E.Occhini and A.Seppi **C** d333

CAPACITANCE AND CAPACITORS

Accurate calculation of electrical capacitances of axially symmetric systems including dielectric media. G.Martinez and M.Sancho **A** p531
Analysis of general switched-capacitor networks using indefinite admittance matrix. E.Hökenek and G.S.Moschytz **G** p21
Analysis of multiphase switched-capacitor (m.s.c.) networks using the indefinite admittance matrix (i.a.m.). E.Hökenek and G.S.Moschytz **G** p226
Capacitance transducer using a thin dielectric and variable-area electrode. I.Basarab-Horwath and B.E.Jones **A** p392
Capacitor coupling of GaAs depletion-mode f.e.t.s.. A.W.Livingstone and P.J.T.Mellor **I** p297
Inverting integrator with extended time constant using grounded capacitor. S.K.Saha **G** p99
Microcomputer-aided interface-state analysis. P.J.Martin and G.G.Roberts **I** p133
Quasistatic and nonequilibrium phenomena in m.o.s. structures under the influence of a constant gate-current bias. P.G.C.Allman and J.G.Simmons **I** p140
Quasistatic and nonequilibrium phenomena in m.o.s. structures under the influence of a constant gate-current bias. P.G.C.Allman and J.G.Simmons **I** p312
Transmission matrix of switched-capacitor ladder networks: application in active-filter design. G.S.Moschytz and B.J.Hosticka **G** p87
Unilateral capacitor element and its application in low-frequency RC active filters. G.Wilson **G** p13

CHANNEL CAPACITY

Method of estimating the capacity of multipair cables to carry low-speed p.c.m. transmission systems. R.J.S.Bates and P.Cochrane **F** p16

CHARGE CARRIERS

Quasistatic and nonequilibrium phenomena in m.o.s. structures under the influence of a constant gate-current bias. P.G.C.Allman and J.G.Simmons **I** p140
Quasistatic and nonequilibrium phenomena in m.o.s. structures under the influence of a constant gate-current bias. P.G.C.Allman and J.G.Simmons **I** p312
Techniques for analytically determining surface potential and mobility of an m.o.s. transistor. W.V.Backensto and C.R.Viswanathan **I** p81

CHARGE-COUPLED DEVICES

Applications of c.c.d.s. to sonar system. J.F.Dix, N.Dean, J.Widdowson and J.Mavor **F** p125
Channel vocoder based on c.c.d. discrete-Fourier-transform processors. M.C.Davie **F** p132
Charge-coupled devices for use in electronically-focused ultrasonic imaging systems. J.D.Shott, R.D.Melen and J.D.Meindl **F** p144
Charge-coupled devices in gallium arsenide. I.Deyhimy, R.J.Anderson, R.C.Eden and J.S.Harris **I** p278
Design and performance evaluation of a 256-point adaptive filter. C.F.N.Cowan and J.Mavor **F** p179
Receivers for the NAVSTAR global positioning system. P.K.Blair **F** p163

CIRCUIT BREAKERS

Coil-less cold-cathode arc chutes for high-speed d.c. circuit breakers for use on traction systems. J.S.Morton **B** p34 d329
Electrical operational interlocks for a fossil-fired power station auxiliary system. D.Lidgate, D.Acock, B.M.N.Khalid and F.Psomadellis **C** p317
Flow near the upstream electrode of gas-blast circuit breakers. P.J.Shayler and M.T.C.Fang **C** p26
High-pressure sheath to glow transition in a plasma-filled gap. R.M.Clements, Y.Oved and P.R.Smy **A** p447

CIRCUIT THEORY AND DESIGN

Actively peaked broadbanded monolithic amplifier. J.Choma **G** p61
Aids an integrated design system for digital hardware. P.W.Foulk, J.A.McLean, R.A.Mason and P.J.O'Callaghan **E** p45
Analysis of line-scan output/e.h.t. generator circuit for c.r.t. displays. D.M.Taub **G** p129
Calculation of rectifier-circuit performance. K.S.Hall **A** p54
Calculator-aided evaluation of integrated n-m.o.s. operational amplifiers. N.Saleh and S.Tewfick **G** p67
Design and implementation of three-valued logic systems with m.o.s. integrated circuits. H.T.Mouftah and K.C.Smith **G** p165
Developments in high-speed integrated semiconductor devices (Editorial). J.Mavor **I** p253
Device and circuit trends in gigabit logic. B.G.Bosch **I** p254
Fast synthesised cyclic-parallel analogue-digital convertor. J.V.Woods and R.N.Zobel **G** p45
GaAs diode/f.e.t. logic circuits for high-speed-frequency-divider applications. J.Mun, G.S.Sanghera, S.D.Vanlint and B.E.Barry **I** p98
Gallium arsenide review: past, present and future. D.M.Taylor, D.O.Wilson and D.H.Phillips **I** p266
Generalised cascade sum of matrices associated with active RLC multiports through generalised inverses. A.E.Sen and Y.Tokad **G** p169
Hardware realisation of binary search algorithm. F.K.Hanna and A.K.Misra **E** p148
Picture-processing techniques for geometrical tolerance checking of integrated-circuit layouts. J.R.Ullmann and H.H.Lafferty **E** p8
Saturation characteristics of n-p-n dual-output current mirror. B.L.Hart **G** p173
Scales m.o.s. circuits: performances and simulation. P.Antognetti and G.Puggelli **I** p199
Simplified calibration equations for the unidirectional and bidirectional computer-corrected network analyser. D.Woods **H** p82
Slip-frequency limited phase-locked-loop induction-motor drive. P.Bowler and S.G.McLaren **D** p51
Statistical exploration approach to design centering. R.S.Soin and R.Spence **G** p260
Synthetic testing: the present state. E.Slamencka, W.Rieder and W.T.Lugton **C** d203
Techniques for time-domain analysis of l.s.i. circuits. A.L.Sangiovanni-Vincentelli and N.B.G.Rabbat **G** p292
Transmission matrix of switched-capacitor ladder networks: application in active-filter design. G.S.Moschytz and B.J.Hosticka **G** p87

CLOSED-LOOP SYSTEMS

Generalised self-tuning controller with pole assignment. A.Y.Allidina and F.M.Hughes **D** p13
Nested-feedback-loop decomposition for reduction of linear multivariable systems. D.H.Owens and A.D.Field **D** p103
Self-tuning controllers based on pole-zero placement. K.J.Astrom and B.Wittenmark **D** p120
Singular-perturbation analysis of a closed-loop fixed-end-point optimal-control problem. P.K.Rajagopalan and D.S.Naidu **D** p194
Singular perturbation method for a closed-loop optimal control problem. D.S.Naidu and P.K.Rajagopalan **D** p1

COAXIAL CABLES

Coupling between coaxial cables over a ground plane at low frequencies. A.H.Badr, F.A.Benson and J.E.Sitch **A** p549
Leakage from coaxial cables. M.M.Rahmann, J.E.Sitch and F.A.Benson **A** p74
Loaded coaxial-cable transmission characteristics. T.Higashi and N.Kojima **H** p27
Measurement of losses in multiconductor cable transmitting in the dipole-mode. E.Sugimoto, H.M.Barlow and J.B.Davies **H** p270

CODES AND DECODING

Correction of random and burst errors. B.K.Dass and S.K.Muttoo **E** p249
Efficient program for decoding the (255, 223) Reed-Solomon code over $GF(2^8)$ with both errors and erasures, using transform decoding. R.L.Miller, T.K.Truong and I.S.Reed **E** p136
Fast generation of chain code. B.G.Batchelor and B.K.Marlow **E** p143

Linear frequency coded sequence (l.f.c.s.). C.N.Oligboh and M.H.Ackroyd G p191
Linear induction motors controlling carriages moving round a circular track. B.E.Jones and B.Wilson D p265
Masking ciphers. S.C.Kak F p185
More high-rate 'cyclic' convolutional self-orthogonal codes. D.McQuilton F p427
Second generation teletext and viewdata decoders. K.Pandey G e33
Soft-decision error control for h.f. data transmission. P.G.Farrell and R.M.F.Goodman F p389

COMMUTATION

Effect of armature banding on the commutation of a d.c. machine. J.J.Cathey and S.A.Nasar B p201 e332
Input characteristics of naturally commutated single-phase asymmetrical convertors. B.Mellitt and M.J.Mwandosya B p107
New method of low-speed commutation of an inverter-fed synchronous motor. A.C.Williamson and J.Mwenechanya B p375

COMPONENTS

Channel vocoder based on c.c.d. discrete-Fourier-transform processors. M.C.Davie F p132
General model for defect formation in silicon dioxide. A.K.M.Zakzouk I p230 e336
Noise figure of m.e.s.f.e.t.s.. C.R.Brewitt-Taylor, P.N.Robson and J.E.Sitch I p1
Processing and synthesis of biological data. A.N.Barrett E p225
Topological and experimental analysis of stationary behaviour of transferred-electron devices with nonuniform geometry. H.Tateno and S.Kataoka I p9
Transferred-electron harmonic generators for millimetre band sources. A.M.Mazzone and H.D.Rees I p149

COMPUTER APPLICATIONS

Aids an integrated design system for digital hardware. P.W.Foulk, J.A.McLean, R.A.Mason and P.J.O'Callaghan E p45
An analysis program, PAMS, for linear signal processing systems containing carrier-actuated modulators as time-varying elements. B.Nowrouzian and W.Saraga G p284
Analysis of line-scan output/e.h.t. generator circuit for c.r.t. displays. D.M.Taub G p129
Channel vocoder based on c.c.d. discrete-Fourier-transform processors. M.C.Davie F p132
Command language for interactive image analysis. B.G.Batchelor, P.J.Brumfitt and B.D.V.Smith E p203
Computer-aided design of m.o.s. integrated layout. A.D.Ivannikov and P.P.Sipchuk G p313
Computer simulation of multipath fading in the land mobile radio environment. K.J.Gladstone and J.P.McGeehan G p323
Depletion-mode m.o.s.f.e.t. model including a field-dependent surface mobility. G.Baccarani, F.Landini and B.Riccó I p62
Design centering and tolerancing via margin sensitivity minimisation. D.Agnew G p270
Design of 400 Hz saturistor motors with improved starting performance. B.J.Chalmers, L.G.Atkinson, J.W.R.Cox and M.M.K.El-Atar B p341
Determination of network voltage distortion factor by digital computer simulation. P.Crnošifa and M.Kmetić B p358
Digital beam forming for sonar systems. T.E.Curtis and R.J.Ward F p257
Dimension reduction procedure for the simplicial approximation approach to design centering. W.Maly and S.W.Director G p255
Disc-geometry homopolar synchronous machine. P.D.Evans and J.F.Eastham B p299
Fast computation of multidimensional discrete Fourier transforms. B.Arambepola F p49
Fast generation of chain code. B.G.Batchelor and B.K.Marlow E p143
Flux penetration and losses in steel plate with sinusoidal magnetisation. D.O'Kelly B p287
Formal description of computational structure in Aids. P.W.Foulk and J.O'Callaghan E p55
Good programming in assembly language. J.Mills E p241
Heat-pump applications to single-family dwellings- an analysis by computer model. J.Sundell and J.A.Bubenko A p320
Impact of minicomputers on electrical wholesale distribution. W.Balmford A p480
Interactive calculation of power system transients. A.M.M.Khan and J.P.Bickford C p41
Low-cost computer-based time-domain microwave network analyser. P.R.Rigg and J.E.Carroll H p107
'Mascot'. E.M.Da Costa and K.G.Nichols G p302
Microcomputer-aided interface-state analysis. P.J.Martin and G.G.Roberts I p133
Multiple bandpass filters in image processing. K.D.Baker and G.D.Sullivan E p173
Optimising production, inventory and procurement control in manufacturing industry: two case studies of companies with computerised management information systems. P.F.Perry A p575
Performance comparison of conventional and backtracking algorithms in circuit routing. D.J.Kinniment G p309
Picture-processing techniques for geometrical tolerance checking of integrated-circuit layouts. J.R.Ullmann and H.H.Lafferty E p8
POLIGON: a new interactive graphics system. T.F.Smith, B.J.Woods and J.Rao G p317
Processing and synthesis of biological data. A.N.Barrett E p225
Signal-flow-graph analysis by decomposition method. J.Starzyk G p81
Simplified calibration equations for the unidirectional and bidirectional computer-corrected network analyser. D.Woods H p82
Statistical exploration approach to design centering. R.S.Soin and R.Spence G p260
Survey of radar data-processing techniques in air-traffic-control and surveillance systems. A.Farina and S.Pardini F p190
Three-dimensional nonlinear electromagnetic field computations, using scalar potentials. J.Simkin and C.W.Trowbridge B p368
Transfer of computing and control technology into manufacturing industry, The. P.H.Hammond A p27
Transient stability of multimachine systems with saturable exciters. H.Yee and M.J.Muir C p9
Use of London's electricity supply system for centralised control. A.J.Baggott, A.J.Eyre, G.Fielding and F.M.Gray C d111

COMPUTER GRAPHICS

Dimension reduction procedure for the simplicial approximation approach to design centering. W.Maly and S.W.Director G p255
Microprocessor-based interactive image-processing system. F.M.Cady and R.M.Hodgson E p197
POLIGON: a new interactive graphics system. T.F.Smith, B.J.Woods and J.Rao G p317

CONDUCTORS AND CONDUCTIVITY

A new type of test for connectors to be used on aluminium conductors. R.D.Naybour and J.R.Brailsford C d339
Accurate calculation of electrical capacitances of axially symmetric systems including dielectric media. G.Martinez and M.Sancho A p531
Equivalent nonlinear lumped-parameter network representations for a.c.s.r. conductors. R.D.Findlay C p430
Prebreakdown electrical conductivity of nearly saturated caesium vapour. C.Christopoulos and V.G.Endean A p95

CONTROL EQUIPMENT AND APPLICATIONS

Adaptive excitation control. G.Ledwich C d48
Decentralised controller with online interaction trajectory improvement. M.F.Hassan and M.G.Singh D p142
Design and use of Comflex - a hardware-controlled packet switch. J.A.McDermid E p233
Explicit self-tuning methods. J.-J.J.Fuchs D p259
Fast-acting helical solenoid actuators. A.H.Seilly D p245
Generalised self-tuning controller with pole assignment. A.Y.Allidina and F.M.Hughes D p13
Hybrid self-tuning control. P.J.Gawthrop D p229
Input characteristics of naturally commutated single-phase asymmetrical convertors. B.Mellitt and M.J.Mwandosya B p107
Nested-feedback-loop decomposition for reduction of linear multivariable systems. D.H.Owens and A.D.Field D p103
Nonlinear state-variable-feedback excitation-and governor-control design using decoupling theory. S.N.Singh D p131
On quantisation and other bounded nonlinearities in first-order discrete multivariable control. F.M.Boland and D.H.Owens D p38
Online computer control of pH in an industrial process. O.L.R.Jacobs, P.F.Hewkin and C.While D p161
Self-tuning controllers based on pole-zero placement. K.J.Astrom and B.Wittenmark D p120
Stability, stabilisation and performance of multilevel controllers under structural perturbations - Part II: Stabilisation under any structural perturbation. M.F.Hassan and M.G.Singh D p214
Stability, stabilisation and performance of multilevel controllers under structural perturbations - Part I: Cutting the links between co-ordinator and subsystems. M.F.Hassan, A.Titli, M.G.Singh and R.Hurteau D p207
Use of Kalman filtering techniques in dynamic ship-positioning systems. M.J.Grimble, R.J.Patton and D.A.Wise D p93

CONTROL-SYSTEM SYNTHESIS

Generalised self-tuning controller with pole assignment. A.Y.Allidina and F.M.Hughes D p13
Linear multipass processes: a two-dimensional interpretation. F.M.Boland and D.H.Owens D p189
Low-cost microprocessor-based system for teaching the c.a.d. of control systems. P.Atkinson and A.J.Allen A p111
Pole placement with minimised norm controllers. B.Kouvaritakis and R.Cameron D p32

CONTROL THEORY

Bias of frequency-response estimates in closed-loop systems. J.L.Douce D p149
Improvements in steam temperature control on a modern oil-fired power-station boiler. R.M.Dunnett and R.Wells D p7
Nonlinear control of bilinear systems. I.Derese and E.J.Noldus D p169
Polynomic systems theory: a review. P.E.Crouch D p220
Transfer of computing and control technology into manufacturing industry, The. P.H.Hammond A p27

CONVERTORS

Fast synthesised cyclic-parallel analogue-digital convertor. J.V.Woods and R.N.Zobel G p45
Harmonic reduction in d.c.-ripple reinjection. J.F.Baird and J.Arrillaga C p294
Hybrid technique in waveform generation and synthesis. W.A.Evans and M.S.Towers G p119
Performance of thyristor bridge convertors employing flywheeling. W.Drury, W.Farrer and B.L.Jones B p268
Regionaliser: a new nonlinear transformation convertor. J.L.Huertas and A.Gago G p247
Thyristor-controlled in-phase boosting for h.v.d.c. convertors. J.Arrillaga, G.Woods and R.M.Duke C p221

DIELECTRICS

Accurate calculation of electrical capacitances of axially symmetric systems including dielectric media. G.Martinez and M.Sancho A p531
Analysis of inhomogeneously filled stripline and microstripline. K.K.Joshi, J.S.Rao and B.N.Das H p11
Approach to the design of applicators for radio-frequency drying. R.Morrow B p124
Dielectric-loaded trifurcated horn for H-plane stacked reflector feed array. K.K.Chan, C.C.Huang and A.R.Raab H p61
Fundamental mode propagation on dielectric fibres of arbitrary cross-section. E.F.Keuster and R.C.Pate H p41

Microwave properties of liquids using a modified cavity perturbation technique. A.Kumar and D.G.Smith H p1
New method of measuring low values of dielectric loss in the near millimetre wavelength region using untuned cavities. D.T.Llewellyn-Jones, R.J.Knight, P.H.Moffat and H.A.Gebbie A p535
Short pulse radar for stratified lossy dielectric layer measurement. D.J.Daniels F p384

DIGITAL CIRCUITS

Device and circuit trends in gigabit logic. B.G.Bosch I p254
Low pinch-off voltage f.e.t. logic (l.p.f.l.): l.s.i. oriented logic approach using quasinormally off GaAs m.e.s.f.e.t.s.. G.Nuzillat, F.Damay-Kavala, G.Bert and C.Arnodo I p287

DIGITAL COMMUNICATION SYSTEMS AND SIGNALLING

An intersymbol interference cancellation equaliser for use in systems employing envelope detection. B.Farhang-Boroujeny and L.F.Turner F p485
Channel vocoder based on c.c.d. discrete-Fourier-transform processors. M.C.Davie F p132
Fast synthesised cyclic-parallel analogue-digital convertor. J.V.Woods and R.N.Zobel G p45
JSRU channel vocoder, The. J.N.Holmes F p53
Microprogrammable arithmetic element and its applications to digital signal processing. S.S.Magar and D.A.Robinson F p99
Numerical evaluation of the nonperiodic autocorrelation parameter for optimal phases of maximal length sequences. R.Skaug F p230
Optimisation of a digital autodetector for linear and logarithmic radar video. J.F.Roulston and M.Jackson F p22
OQPSK and MSK systems with bandlimiting filters in transmitter and receiver and various detector filters. I.Korn F p439
Signal processing using surface-acoustic-wave and digital components. H.Gautier and P.Tournois F p92

DIGITAL COMPUTERS AND COMPUTATION

Cascade networks of logic functions built in multiplexer units. A.J.Tosser and D.Aoulad-Syad E p64
Digital beam forming for radar. P.Barton F p266
Efficient microprocessor-based cycloconvertor control. S.K.Tso, E.D.Spooner and J.Cosgrove B p190
Evaluation of computer architecture using ISPS. J.Djordjevic, R.N.Ibbett and M.R.Barbacci E p126
Evaluation of some proposed name-space architectures using ISPS. J.Djordjevic, R.N.Ibbett and F.H.Sumner E p120
F.I.R. digital filters based on difference coefficients: design improvements and software implementation. P.A.Lynn E p253
Flux and speed numerical control of a voltage-fed asynchronous induction machine. F.Bordry, B.De Fornel and B.Trannoy B p91
Formal description of computational structure in Aids. P.W.Foulk and J.O'Callaghan E p55
Low-level-device programming with a high-level language. S.J.Young E p37
Online computer control of pH in an industrial process. O.L.R.Jacobs, P.F.Hewkin and C.While D p161
Optimisation techniques for digital image reconstruction from their projections. T.S.Durrani and C.E.Goutis E p161
Testing for numerical computations. M.Karpovsky E p69

DIGITAL SIMULATION

An intersymbol interference cancellation equaliser for use in systems employing envelope detection. B.Farhang-Boroujeny and L.F.Turner F p485
Compact low-power coder for extreme bit rate reduction of television pictures. J.G.McWhirter, J.B.G.Roberts, R.F.Simons and D.J.Watson F p368
Frequency-response identification of structure of nonlinear systems. Y.P.Singh and S.Subramanian D p77
'Mascot'. E.M.Da Costa and K.G.Nichols G p302
Prediction of dynamic response of marine systems incorporating induction-motor propulsion drives. J.R.Smith, A.F.Stronach, T.Tsao and K.A.Goodman B p308
Self-adaptive near-optimal control of diffusion equations. A.S.I.Zinober D p290
Short pulse radar for stratified lossy dielectric layer measurement. D.J.Daniels F p384

DIODES

Characteristics of isotype n Ge-n GaAs heterojunctions. J.C.De Jaeger and G.Salmer I p207
Electron and hole photocurrent effects on impatt oscillators. H.P.Vyas, R.J.Gutman and J.M.Borrego I p126
Electrothermal transients due to self heating in a silicon p-n diode. W.J.Stepowicz and W.Janke I p25
Injection phase delay in high-power Baritt oscillators. S.Ahmad I p109
Low-noise millimetre-wave mixer diodes: results and evaluation of a test programme. N.J.Keen I p188 e296
Minority-carrier injection (dark) metal-polycrystalline silicon contacts. H.C.Card and W.Hwang I p161
Models of modelocking a laser diode in an external resonator. H.A.Haus I p323
p-type InP/Langmuir film m.i.s. diodes. R.W.Sykes, G.G.Roberts, T.Fok and D.T.Clark I p137
Thyristor-controlled in-phase boosting for h.v.d.c. convertors. J.Arrillaga, G.Woods and R.M.Duke C p221

DISTRIBUTED PARAMETERS

Identification of disturbed parameter systems via multidimensional distributions. D.C.Saha and G.Prasada Rao D p45

DOPING

Minority-carrier injection (dark) metal-polycrystalline silicon contacts. H.C.Card and W.Hwang I p161
V-groove isolated b.i.f.e.t. technology for micropower i.c.s.. S.D.S.Malhi and C.A.T.Salama I p169

EARTH SCIENCES

The energy situation - crisis or challenge?. R.W.Doughty A a69

EDDY CURRENTS

Numerical method for calculating magnetic-flux and eddy-current distributions in three dimensions. M.J.Balchin and J.A.M.Davidson A p46

EDUCATION AND TRAINING

Academic strategy. J.Brown A p1
Assessment of undergraduate electrical engineering laboratory studies. G.Carter, D.G.Armour, L.S.Lee and R.Sharples A p460
British business schools. R.E.Thomas A p588
Can engineers develop themselves as managers?. J.A.Lorriman A p498
Comparison of engineering education in Switzerland and in the United Kingdom. P.Hauenstein A p402
Developing managers in a service industry. R.Watts A p615
Engineering syndicate study. G.J.Edwards A p565
How engineers become managers: the experience of the NCB. SirDerek Ezra A p629
Impact of minicomputers on electrical wholesale distribution. W.Balmford A p480
New methods in engineering education. J.N.Nielsen A p475

ELECTROMAGNETICS

Numerical method for calculating magnetic-flux and eddy-current distributions in three dimensions. M.J.Balchin and J.A.M.Davidson A p46

ELECTRON TUBES

Models of modelocking a laser diode in an external resonator. H.A.Haus I p323
Small-signal analysis of the travelling-wave gyrotron using Pierce parameters. A.J.Sangster I p45

ENERGY CONVERSION AND STORAGE

Advantage of incorporating geothermal energy into power-station cycles. A.A.L.White A p330
Conduction in sputtered a-Si-H Schottky-barrier solar cells. M.J.Thompson, M.M.Alkaisi and J.Allison I p212
Current mechanism of tunnel m.i.s. solar cells. O.M.Neilsen I p301
Economic and operational implications of a complex of wind-driven generators on a power system. E.D.Farmer, V.G.Newman and P.H.Ashmole A p289
Energy analysis of wave and tidal power. R.Harrison, K.G.Smith and J.S.Varley A p274
Fast-acting helical solenoid actuators. A.H.Seilly D p245
Fossil-fuel heat pumps for domestic, commercial and industrial space heating. R.E.Critoph A p326
Future energy concepts (Editorial). M.E.Hadlow A p273
Heat-pump applications to single-family dwellings- an analysis by computer model. J.Sundell and J.A.Bubenko A p320
Implications for the UK of solar-power satellites (s.p.s.) as an energy source. R.M.Shelton A p336
Investigation of Ar ion implant gettering of gold in silicon by m.o.s. and Rutherford backscattering techniques. A.G.Nassibian and B.Golja I p29
Large-scale electrical energy storage. B.J.Davidson, I.Glendenning, R.D.Harman, A.B.Hart, B.J.Maddock, R.D.Moffitt, V.G.Newman, T.F.Smith, P.J.Worthington and J.K.Wright A p345
Measurement of lifetime of photoinjected carriers in solar cells by reverse voltage pulse response. S.R.Dhariwal I p20
Operation of a lead/acid battery with thyristor chopper burden. T.U.Ahamed and W.Shepherd B p120
Recent progress on ducks. S.H.Salter A p308
Required minimum value of barrier height in minority-carrier m.i.s. solar cells. O.M.Nielsen I p105
Solar cells. F.C.Treble A p505
System-reliability studies for wave-energy generation. J.M.Dawson, S.Din, M.G.Mytton, N.L.Shore and H.B.Stansfield A p296
Use of $V_{oc}J_{sc}$ measurements for determination of barrier height under illumination and for fill-factor calculations in Schottky-barrier solar cells. P.Panayotatos and H.C.Card I p308
Wave energy. I.Glendenning A p301

ENERGY RESERVES

Economic assessment of the renewable energy sources. J.E.J.Cottrill A p279
The energy situation - crisis or challenge?. R.W.Doughty A a69

ENGINEERING ADMINISTRATION AND MANAGEMENT

Academic strategy. J.Brown A p1
British business schools. R.E.Thomas A p588
Can engineers develop themselves as managers?. J.A.Lorriman A p498
Changes in quality management of electronic components. D.S.Girling A p407
Converting engineers into managers: a system. SirAustin Pearce A p607
Developing managers in a service industry. R.Watts A p615
Distribution engineering and forestry. D.F.S.Brass A a415
Engineering effective management. N.J.Payne A p594
How engineers become managers: the experience of the NCB. SirDerek Ezra A p629
Impact of minicomputers on electrical wholesale distribution. W.Balmford A p480
Management communications: the STC approach. SirKenneth Corfield A p604
Management of engineering resources in an Area Electricity Board. J.Bartle A p259

Management of research in the Central Electricity Generating Board. D.J.Littler A p625
Management of the engineering function in the IBA. A.W.Pragnell A p620
Management philosophy of a holding company. P.M.Meaney A p614
Managing for low growth. G.England A p636
Optimising production, inventory and procurement control in manufacturing industry: two case studies of companies with computerised management information systems. P.F.Perry A p575
Outline of the philosophy of management that has been effective in Philips. G.Jeelof A p591
Plessey's evolving management philosophy. T.G.Parry Rogers A p600
Possibilities for innovation in small and medium sized manufacturing firms (s.m.f.s.). R.Rothwell and W.Zegveld A p267
Profit, cash flow, employment and development of new products. T.S.McLeod A p488
Selecting general managers from engineers. R.M.Bircumshaw A p252
The engineer: the challenge of the market place. SirBrian Kellett A p610
The management challenge in the British Post Office. SirWilliam Barlow A p639

ERRORS AND ERROR ANALYSIS

Correction of random and burst errors. B.K.Dass and S.K.Muttoo E p249
Measurement errors in pattern recognition. J.Kittler E p81
OQPSK and MSK systems with bandlimiting filters in transmitter and receiver and various detector filters. I.Korn F p439
Overall approach to the reliability evaluation of composite generation and transmission systems. R.Billinton and T.K.P.Medicherla C p72
Preprocessing of data from spreading-resistance measurements. J.van Linschoten, J.Snijder and M.W.Hillen I p100
Soft-decision error control for h.f. data transmission. P.G.Farrell and R.M.F.Goodman F p389
Testing for numerical computations. M.Karpovsky E p69

FAULT LOCATION

Fault location by underground seismic survey. I.M.Mason, D.J.Buchanan and A.K.Booer F p322
Fault studies in a.c. systems interconnected by h.v. d.c. links. J.Arrillaga, M.D.Heffernan, C.B.Lake and C.P.Arnold C p15
Subjective tests on visual telecommunications standards. G.M.Reid F p3

FEEDBACK

Identification and optimal output control of a laboratory power system. O.H.Abdalla and P.A.W.Walker D p237
Online computer control of pH in an industrial process. O.L.R.Jacobs, P.F.Hewkin and C.While D p161

FERRITES AND FERROMAGNETICS

Excitation of propagating spin waves in ferromagnetic films. B.A.Kalinikos H p4
Flux penetration and losses in steel plate with sinusoidal magnetisation. D.O'Kelly B p287
Measurements of the influence of core geometry, eddy currents and permeability on the axial flux distortion in laminated steel cores. P.J.Tavner B p57
Representation of soft magnetic materials. A.Y.Hannalla and D.C.Macdonald A p386

FIELD-EFFECT TRANSISTORS

A 3.5 GHz self-aligned single-clocked binary frequency divider on GaAs. M.Cathelin, M.Gavant and M.Rocchi I p270
Capacitor coupling of GaAs depletion-mode f.e.t.s.. A.W.Livingstone and P.J.T.Mellor I p297
GaAs monolithic microwave circuits for phased-array applications. R.S.Pengelly F p301
Gunn oscillations in thin GaAs epilayers and m.e.s.f.e.t.s.. C.Tsironis and J.J.M.Dekkers I p241
Low pinch-off voltage f.e.t. logic (l.p.f.l.): l.s.i. oriented logic approach using quasinormally off GaAs m.e.s.f.e.t.s.. G.Nuzillat, F.Damay-Kavala, G.Bert and C.Arnodo I p287
Monte Carlo particle simulation of n-type GaAs field-effect transistors with a p-type buffer layer. G.S.Sanghera, A.Chryssafis and C.Moglestue I p203

FILTERS, FILTERING AND PREDICTION THEORY

Alternating-plane property of the poles of even-degree low pass filters. J.H.Cloete G p16
An analysis program, PAMS, for linear signal processing systems containing carrier-actuated modulators as time-varying elements. B.Nowrouzian and W.Saraga G p284
Analysis of general switched-capacitor networks using indefinite admittance matrix. E.Hökenek and G.S.Moschytz G p21
Applications of c.c.d.s. to sonar system. J.F.Dix, N.Dean, J.Widdowson and J.Mavor F p125
Assessment of scintigram quality. P.F.Sharp, R.B.Chesser and D.B.Smith E p185
Charge-coupled devices for use in electronically-focused ultrasonic imaging systems. J.D.Shott, R.D.Melen and J.D.Meindl F p144
Coefficient sensitivity in recursive digital filters implemented using microprocessors. A.G.Bolton G p177
Comparison of dynamic range properties of high-order active bandpass filters. C.-F.Chiou and R.Schaumann G p101
Design and application of real-time spectrum-analyser systems. J.B.G.Roberts, G.L.Moule and G.Parry F p76
Design and performance evaluation of a 256-point adaptive filter. C.F.N.Cowan and J.Mavor F p179
Design of digital differentiators satisfying prescribed specifications. A.Antoniou E p24
Design procedure for multioctave combline-filter multiplexers. S.A.Alseyab and J.D.Rhodes H p346
Digital active network analysis. F.G.A.Coupe and J.I.Sewell G p181
Enlargement of piezoelectric filter bandwidth by parallel connection of coupled resonators. S.J.Foster and M.Redwood G p209
Equalisation of recursive digital filters. C.Charalambous and A.Antoniou G p219
F.I.R. digital filters based on difference coefficients: design improvements and software implementation. P.A.Lynn E p253
Investigation into the technique of active reactance compensation to improve the gain-bandwidth performance of microwave bipolar transistor amplifiers. K.Madani and C.S.Aitchison H p292
Microprogrammable arithmetic element and its applications to digital signal processing. S.S.Magar and D.A.Robinson F p99
Multiple bandpass filters in image processing. K.D.Baker and G.D.Sullivan E p173
Nonlinear temporal filter for television picture noise reduction. T.J.Dennis G p52
Optimisation of active URC filters for magnitude and/or linear-phase specifications. T.T.Aboulnasr and M.M.Fahmy G p242
Optimisation of rejection filters. F.Chiuppesi, G.Galati and P.Lombardi F p354
OQPSK and MSK systems with bandlimiting filters in transmitter and receiver and various detector filters. I.Korn F p439
Property of analytic functions related to band-pass transformation. I.M.Filanovsky, K.A.Stromsmoe, W.Saraga and A.Talbot G p176
Pseudoelliptical phase-equalised filter allowing good optimisation for both phase and amplitude response. L.Franti and G.M.Paganuzzi H p342
Radar applications of s.a.w. dispersive filters. M.B.N.Butler F p118
S.A.W. filters: some case histories. J.M.Deacon and J.Heighway F p107
Second-order function realisation with switched-capacitor network and unity-gain amplifiers. J.Malawka and M.S.Ghausi G p187
Simplified method for synthesising m.q.f. filters. R.Lajacono G p57
Studies of a focused-field filter for multiplexing microwave signals. D.E.N.Davies and A.Y.Niazi H p173
Survey of radar data-processing techniques in air-traffic-control and surveillance systems. A.Farina and S.Pardini F p190
Transmission matrix of switched-capacitor ladder networks: application in active-filter design. G.S.Moschytz and B.J.Hosticka G p87
Two-dimensional analysis of tapered distributed networks using finite elements. A.J.Walton, B.J.Marsden, P.L.Moran and N.G.Burrow G p34 e100
Unilateral capacitor element and its application in low-frequency RC active filters. G.Wilson G p13
Y transform, for the design of recursive digital filters. A.G.Bolton G p145

FLUID MECHANICS

Flow near the upstream electrode of gas-blast circuit breakers. P.J.Shayler and M.T.C.Fang C p26

FREQUENCY-DOMAIN ANALYSIS

Hybrid technique in waveform generation and synthesis. W.A.Evans and M.S.Towers G p119

GENERATORS

Analysis of helical armature windings with particular reference to superconducting a.c. generators. A.F.Anderson, J.R.Bumby and B.I.Hassall C p129
Controller testing facility on 32.5 MW water turbine (Technical note). D.J.Winning, A.G.Marshall, D.G.E.Findlay, K.H.Aitken and N.F.Grant C p357
Design of synchronous generator excitation controllers in multimachine power systems inverse Nyquist array. P.K.Muttik and M.J.Gibbard C p350
Determination of saturated reactances of turbogenerators. J.R.Smith, K.J.Binns, S.Williamson and G.W.Buckley C p122
Economic and operational implications of a complex of wind-driven generators on a power system. E.D.Farmer, V.G.Newman and P.H.Ashmole A p289
Effect of armature banding on the commutation of a d.c. machine. J.J.Cathey and S.A.Nasar B p201 e332
Evaluating the reliability of electrical systems in multi-unit generating stations. R.N.Allan, M.F.de Oliveira, A.Kozlowski and G.T.Williams C p65
Fast power-flow solution by the method of reduction and restoration. T.Krishnaparandhama, S.Elangovan, A.Kuppurajulu and V.Sankaranarayanan C p90
Identification and optimal output control of a laboratory power system. O.H.Abdalla and P.A.W.Walker D p237
Interlamination voltages in large turbogenerators. R.J.Jackson C d114
Large-scale electrical energy storage. B.J.Davidson, I.Glendenning, R.D.Harman, A.B.Hart, B.J.Maddock, R.D.Moffitt, V.G.Newman, T.F.Smith, P.J.Worthington and J.K.Wright A p345
Microprocessor-based adaptive water-turbine governor. D.Findlay, H.Davie, T.R.Foord, A.G.Marshall and D.J.Winning C p360
Negative-sequence currents and losses in the solid rotor of a turbogenerator. A.G.Jack and R.L.Stoll C p53
Operation of self-excited generators for windmill application. H.R.Bolton and V.C.Nicolamou B d240
Permanent-magnet a.c. generators. K.J.Binns and A.Kurdali B d240
Prediction of dynamic response of marine systems incorporating induction-motor propulsion drives. J.R.Smith, A.F.Stronach, T.Tsao and K.A.Goodman B p308
Prediction of load characteristics of turbogenerators. K.J.Binns and J.R.Smith C d44
Sudden 3-phase short-circuit characteristics of turbine generators from design data using electromagnetic field calculations. A.Y.Hannalla and D.C.MacDonald C p213
Voltage waveform distortion in synchronous generators with rectifier loading. W.J.Bonwick B p13

GRAPH THEORY AND TOPOLOGY

Comparison of dynamic range properties of high-order active bandpass filters. C.-F.Chiou and R.Schaumann G p101
Edge-numbering convention: an insight into circuit formation. J.P.Char and S.D.Dadheech G p41
Signal-flow-graph analysis by decomposition method. J.Starzyk G p81

HAZARDS

Electrostatic hazard involved in discharging CO_2 fire extinguisher. S.J.Collocott, V.T.Morgan and R.Morrow **A** p119
New considerations on the threshold of ventricular fibrillation for a.c. shocks at 50-60 Hz. G.Biegelmeier and W.R.Lee **A** p103

HISTORY

Engineering and enchantment. J.H.Calderwood **A** p38
Historical review of artificial light sources. B.Bowers **A** p127
International harmonisation of microwave standards. A.E.Bailey **H** p70
S.A.W. filters: some case histories. J.M.Deacon and J.Heighway **F** p107

HYSTERESIS APPLICATIONS

New method for the display of three-dimensional vector fields. A.J.Baden Fuller and M.L.X.dos Santos **A** p435
Theory and performance of the disc-type electromagnetic particle clutch under continuous slip service. S.Ramakrishnan and K.P.P.Pillai **A** p81

HYSTERESIS THEORY

Comparison of alternative formulations of 3-dimensional magnetic-field and eddy-current problems at power frequencies. C.J.Carpenter **B** d331
Experimental study of eddy currents induced in the solid shells of d.c. machines carrying undulating currents. E.J.Davies and S.Das **B** p317
Field analysis for rotating induction machines and its relationship to the equivalent-circuit method. S.Williamson and A.C.Smith **B** p83
Flux and speed numerical control of a voltage-fed asynchronous induction machine. F.Bordry, B.De Fornel and B.Trannoy **B** p91
Flux penetration and losses in steel plate with sinusoidal magnetisation. D.O'Kelly **B** p287
High-performance eddy-current dynamometers. B.J.Chalmers and B.J.Dukes **B** p20
Magnetic forces in idealised saturable-pole configurations. W.J.O'Connor **B** p29
Measurements of the influence of core geometry, eddy currents and permeability on the axial flux distortion in laminated steel cores. P.J.Tavner **B** p57
Representation of soft magnetic materials. A.Y.Hannalla and D.C.Macdonald **A** p386
Sudden 3-phase short-circuit characteristics of turbine generators from design data using electromagnetic field calculations. A.Y.Hannalla and D.C.MacDonald **C** p213
Theory and performance of the disc-type electromagnetic particle clutch under continuous slip service. S.Ramakrishnan and K.P.P.Pillai **A** p81

IMAGE PROCESSING

Assessment of scintigram quality. P.F.Sharp, R.B.Chesser and D.B.Smith **E** p185
Command language for interactive image analysis. B.G.Batchelor, P.J.Brumfitt and B.D.V.Smith **E** p203
Compact low-power coder for extreme bit rate reduction of television pictures. J.G.McWhirter, J.B.G.Roberts, R.F.Simons and D.J.Watson **F** p368
Discrete double-sided Karhunen-Loève expansion. K.V.M.Fernando and H.Nicholson **D** p155
Image restoration and enhancement (Editorial). D.M.Balston and F.K.Hanna **E** p157
Maximum entropy algorithm applied to image enhancement. G.J.Daniell and S.F.Gull **E** p170
Microprocessor-based interactive image-processing system. F.M.Cady and R.M.Hodgson **E** p197
Synthesis and enhancement of the radionuclide tomographic section. R.W.Rowe, P.E.Undrill and W.I.Kayes **E** p193
Three-dimensional image-construction technique and its application to coherent microwave diagnostics. M.F.Adams and A.P.Anderson **H** p138

INDUCTION MOTORS

A new connection for synchronous motor excitation. A.C.Williamson **B** p169
Chattering conditions in electromagnetic contactors. C.J.Noh and I.R.Smith **B** p324
Circle diagram for a compensated linear induction motor. A.Shanmugasundaram and T.B.Parthasarathy **B** p197
Current-source invertor-fed induction motor torque pulsations. G.K.Creighton **B** p231
Design of 400 Hz saturistor motors with improved starting performance. B.J.Chalmers, L.G.Atkinson, J.W.R.Cox and M.M.K.El-Atar **B** p341
Effect of load on the fluc pulsations and radial-force pulsations of induction motor teeth. K.J.Binns and P.A.Kahan **B** p223
Field analysis for rotating induction machines and its relationship to the equivalent-circuit method. S.Williamson and A.C.Smith **B** p83
Flux and speed numerical control of a voltage-fed asynchronous induction machine. F.Bordry, B.De Fornel and B.Trannoy **B** p91
Linear induction motors controlling carriages moving round a circular track. B.E.Jones and B.Wilson **D** p265
Parameters of solid-rotor induction machines with unbalanced supply. B.J.Chalmers, E.Spooner and R.H.Abdel-Hamid **B** p174
Prediction of dynamic response of marine systems incorporating induction-motor propulsion drives. J.R.Smith, A.F.Stronach, T.Tsao and K.A.Goodman **B** p308
Slip-frequency limited phase-locked-loop induction-motor drive. P.Bowler and S.G.McLaren **D** p51
Stabilisation of doubly-fed, slip-ring machines using the datum-shift method. A.D.Mansell and H.M.Power **B** p293
Steady-state analysis of an induction motor fed from a current-source inverter using complex-state (Park's) vector. V.Subrahamanyam and D.Subbarayudu **B** d244
Study of rapid speed-changing methods in a.c. motor drives. D.A.Al-Nimma and S.Williams **B** p382
Three-phase pole-by-pole model of a linear induction machine. T.A.Nondahl and D.W.Novotny **B** p68

INDUCTORS AND INDUCTANCE

The toroidal cage coil. P.N.Murgatroyd, W.Farrer, R.P.D.Hodgkinson and P.D.McLoughlin **B** p207

INFORMATION AND COMMUNICATION THEORY

Communications in the 21st century. C.P.Sandbank **A** p12
Masking ciphers. S.C.Kak **F** p185

INSTRUMENTATION AND MEASURING SCIENCE

Analysis of a dual-six-port network analyser and derivation of calibration equations. D.Woods **A** p541
Comparison of methods used for determining base spreading resistance. R.T.Unwin and K.F.Knott **I** p53
Diagnostic testing of high-voltage machine insulation. A review of ten years' experience in the field. J.S.Simons **B** p139 d386
High-performance eddy-current dynamometers. B.J.Chalmers and B.J.Dukes **B** p20
Measurement errors in pattern recognition. J.Kittler **E** p81
Measurements of the influence of core geometry, eddy currents and permeability on the axial flux distortion in laminated steel cores. P.J.Tavner **B** p57
Measurements on jointed optical-fibre cable for the Slough-Maidenhead field trial. J.E.Taylor, S.J.Stannard Powell and D.T.Parr **H** p33
Microwave properties of liquids using a modified cavity perturbation technique. A.Kumar and D.G.Smith **H** p1
New expression for mismatch uncertainty when measuring microwave attenuation. F.L.Warner **H** p66
Novel electro-optical instrument for hole-diameter measurement. A.H.Falkner **A** p443
Optimisation of a digital autodetector for linear and logarithmic radar video. J.F.Roulston and M.Jackson **F** p22
Satellite-antenna measurement techniques. W.R.Keen **A** p417

INSULATORS AND INSULATION

A thin-film transistor with polytetrafluoroethylene as insulator. A.De Vos and B.Hindryckx **I** p42
Diagnostic testing of high-voltage machine insulation. A review of ten years' experience in the field. J.S.Simons **B** p139 d386
Flashover across the surface of an electrolyte: arresting arc propagation with narrow metal strips. D.A.Swift **A** p553
Microcomputer-aided interface-state analysis. P.J.Martin and G.G.Roberts **I** p133
Some practical aspects of overvoltages on the CEGB transmission system. L.Csuros and K.F.Foreman **C** p248
Theory of switching in p-n-insulator (tunnel)-metal devices: thick-tunnel oxides and indirect tunnel effects. S.E.D.Habib and J.G.Simmons **I** p111

INTEGRATED OPTICS

Impedance measurement using a 6-port directional coupler. A.L.Cullen, S.K.Judah and F.Nikravesh **H** p92
Novel method for coupling between single-mode fibres and integrated optical components and its possible applications. G.Arvidsson and L.Thylén **H** p37
Optical waveguide filters for the visible spectrum. A.Yi-Yan, J.A.H.Wilkinson and C.O.W.Wilkinson **H** p335
Theory of curved diffraction gratings. M.G.F.Wilson and M.C.Bone **H** p127

LASERS

Filament displacement and refraction losses in a stripe-geometry AlGaAs d.h. laser. D.Kerps **I** p94
Leaky modes in active three-layer slab waveguides. R.W.H.Engelmann and D.Kerps **I** p330
Models of modelocking a laser diode in an external resonator. H.A.Haus **I** p323
Semiconductor laser analysis: general method for characterising devices of various cross-sectional geometries. K.A.Shore, T.E.Rozzi and G.H.in't Veld **I** p221

LIGHTING

Electroluminescent panel devices. P.W.Ranby and D.W.Smith **A** p196
Fluorescent lamps and low pressure sodium lamps. A.G.Jack and L.E.Vrenken **A** p149
Future developments in lamps. M.A.Cayless **A** p211
High pressure mercury vapour lamps. J.W.ter Vrugt and J.K.P.Verwimp **A** p173
High-pressure sodium lamp technology. C.I.McVey **A** p158
Historical review of artificial light sources. B.Bowers **A** p127
Lamps (editorial). J.R.Coaton **A** p125
Light-emitting diodes. A.R.Peaker **A** p202
Properties and failure modes of incandescent tungsten filaments. O.Horacsek **A** p134
Recent progress in metal halide discharge-lamp research. W.M.Keeffe **A** p181
Scientific aspects of the high-pressure sodium lamp. D.O.Wharmby **A** p165
Tungsten-halogen lamps and regenerative mechanisms. J.R.Coaton and J.R.Fitzpatrick **A** p142
Xenon lamps. M.Rehmet **A** p190

LIGHTNING AND LIGHTNING PROTECTION

Application of travelling-wave methods to the calculation of transient-fault currents and voltages in power-system networks. J.P.Bickford and M.H.Abdel-Rahman **C** p153
Auto-resetting interrupter for use with 11 kV triggered spark gaps. S.Littlewood and B.F.N.Briggs **C** p97
Experimental analysis of earth wires for induced lightning surges. S.Yokoyama **C** p33

Some practical aspects of overvoltages on the CEGB transmission system. L.Csuros and K.F.Foreman C p248

LINEAR MOTORS

Circle diagram for a compensated linear induction motor. A.Shanmugasundaram and T.B.Parthasarathy B p197
Linear induction motors controlling carriages moving round a circular track. B.E.Jones and B.Wilson D p265
Oscillatory synchronous linear motor with permanent-magnet excitation. O.Roubiček and Z.Pejšek B p8
Three-phase pole-by-pole model of a linear induction machine. T.A.Nondahl and D.W.Novotny B p68

LOAD AND VOLTAGE REGULATION

Clarifying an ambiguity in recent a.c.-d.c. load-flow formulations. J.Arrillaga, B.J.Harker and K.S.Turner C p324
Effect of field failure of a d.w.r. generator. B.N.Sarkar, V.K.Verma and P.Mukhopadhyay C p82
Fast power-flow solution by the method of reduction and restoration. T.Krishnaparandhama, S.Elangovan, A.Kuppurajulu and V.Sankaranarayanan C p90
Harmonics in multiple convertor systems: a generalised approach. R.Yacamini and J.C.de Oliveira B p96
Input characteristics of naturally commutated single-phase asymmetrical convertors. B.Mellitt and M.J.Mwandosya B p107
Load flow solution for ill-conditioned power systems by quadratically convergent Newton-like method. S.C.Tripathy and G.S.S.S.K.Purge Prasad C p273

LOGIC

A five-inputs flip-flop. J.Aguilo and E.Valderrama E p259
Capacitor coupling of GaAs depletion-mode f.e.t.s.. A.W.Livingstone and P.J.T.Mellor I p297
Cascade networks of logic functions built in multiplexer units. A.J.Tosser and D.Aoulad-Syad E p64
Design and implementation of three-valued logic systems with m.o.s. integrated circuits. H.T.Mouftah and K.C.Smith G p165
Design of multiplexer universal-logic-module networks using spectral techniques. A.M.Lloyd E p31
GaAs diode/f.e.t. logic circuits for high-speed-frequency-divider applications. J.Mun, G.S.Sanghera, S.D.Vanlint and B.E.Barry I p98
Low pinch-off voltage f.e.t. logic (l.p.f.l.): l.s.i. oriented logic approach using quasinormally off GaAs m.e.s.f.e.t.s.. G.Nuzillat, F.Damay-Kavala, G.Bert and C.Arnodo I p287
'Mascot'. E.M.Da Costa and K.G.Nichols G p302
Sythesis procedure for p-symmetric Boolean functions. H.B.Kekre, S.C.Sahasrabudhe and V.Rama Rao E p93

MAGNETIC DEVICES AND PROPERTIES

A multielement magnetic gear. D.E.Hesmondhalgh and D.Tipping B p129
Determination of saturated reactances of turbogenerators. J.R.Smith, K.J.Binns, S.Williamson and G.W.Buckley C p122
Excitation of propagating spin waves in ferromagnetic films. B.A.Kalinikos H p4
Feasibility of electromagnetic separation of irradiated nuclear reactor fuel-rod components. J.Penman and A.C.Williamson B p277
Linear perturbation models for a.c. magnetic suspension systems: experimental and theoretical results. J.W.Henn D p64
Negative-sequence currents and losses in the solid rotor of a turbogenerator. A.G.Jack and R.L.Stoll C p53
Oscillatory synchronous linear motor with permanent-magnet excitation. O.Roubiček and Z.Pejšek B p8
Overvoltages caused by blocking twelve pulse h.v.d.c. schemes. R.Yacamini and N.Hatziargyriou C p189
Quasiperiodic oscillations caused by magnetic saturation in a tuned-circuit levitator. S.Hagihara A p245
Steady-state analysis of an induction motor fed from a current-source inverter using complex-state (Park's) vector. V.Subrahamanyam and D.Subbarayudu B d244
Study of Xi-core transverse-flux plate levitator. C.B.Rajanathan, D.A.Lowther and E.M.Freeman B p183
Theory and performance of the disc-type electromagnetic particle clutch under continuous slip service. S.Ramakrishnan and K.P.P.Pillai A p81

MAGNETIC FIELDS

Analysis of helical armature windings with particular reference to superconducting a.c. generators. A.F.Anderson, J.R.Bumby and B.I.Hassall C p129
Comparison of alternative formulations of 3-dimensional magnetic-field and eddy-current problems at power frequencies. C.J.Carpenter B d331
Electrical ionisation and breakdown of gases in a crossed magnetic field. A.E.D.Heylen A p221
Feasibility of electromagnetic separation of irradiated nuclear reactor fuel-rod components. J.Penman and A.C.Williamson B p277
Magnetic forces in idealised saturable-pole configurations. W.J.O'Connor B p29

MATHEMATICAL TECHNIQUES

A method of simulating linear and nonlinear resonant phenomena associated with transformer feeders. N.L.Diseko and J.P.Bickford C p169
Analysis and synthesis of matrix transfer functions using the new block-state equations in block-tridiagonal forms. L.S.Shieh and A.Tajvari D p19
Analysis of a 4-port Bragg device. P.D.Bloch and L.Solymer H p133
Analysis of feedback communication systems. O.O.Olaniyan F p30
Analysis of inhomogeneously filled stripline and microstripline. K.K.Joshi, J.S.Rao and B.N.Das H p11
Application of minimisation algorithms in electrical engineering. S.Williamson and J.R.Smith A p528
Decomposition approach to problem of unit commitment schedule for hydrothermal systems. L.F.B.Baptistella and J.C.Geromel D p250
Design and use of Comflex - a hardware-controlled packet switch. J.A.McDermid E p233
Design centering and tolerancing via margin sensitivity minimisation. D.Agnew G p270
Developments in the calculation of waveforms and frequency spectra for transient fault currents and voltages. J.P.Bickford, J.V.H.Sanderson, M.M.Abdelsalem, S.E.T.Mohamed, S.A.Morais and O.Olipade C p145
Dimension reduction procedure for the simplicial approximation approach to design centering. W.Maly and S.W.Director G p255
Edge-numbering convention: an insight into circuit formation. J.P.Char and S.D.Dadheech G p41
Efficient microprocessor-based cycloconvertor control. S.K.Tso, E.D.Spooner and J.Cosgrove B p190
Equalisation of recursive digital filters. C.Charalambous and A.Antoniou G p219
Explicit self-tuning methods. J.-J.J.Fuchs D p259
Fast computation of multidimensional discrete Fourier transforms. B.Arambepola F p49
Fast generation of chain code. B.G.Batchelor and B.K.Marlow E p143
Flow near the upstream electrode of gas-blast circuit breakers. P.J.Shayler and M.T.C.Fang C p26
Hardware realisation of binary search algorithm. F.K.Hanna and A.K.Misra E p148
Hybrid self-tuning control. P.J.Gawthrop D p229
Identification of nonlinear systems - a survey. S.A.Billings D p272
Identification of the Volterra kernels of nonlinear systems. S.Y.Fakhouri D p296
Load flow solution for ill-conditioned power systems by quadratically convergent Newton-like method. S.C.Tripathy and G.S.S.S.K.Purge Prasad C p273
Log-Weibull distributed sea clutter. M.Sekine, T.Musha, Y.Tomita, T.Hagisawa, T.Irabu and E.Kiuchi F p225
Masking ciphers. S.C.Kak F p185
Mathematical model of scenery hoist system at the Olivier theatre. S.K.Das E p263
Maximum entropy algorithm applied to image enhancement. G.J.Daniell and S.F.Gull E p170
Method of estimating the capacity of multipair cables to carry low-speed p.c.m. transmission systems. R.J.S.Bates and P.Cochrane F p16
Multiple bandpass filters in image processing. K.D.Baker and G.D.Sullivan E p173
New expression for mismatch uncertainty when measuring microwave attenuation. F.L.Warner H p66
Numerical description of treeing in p.m.m.a.. D.B.Watson and P.C.Morrin A p458
Numerical method for calculating magnetic-flux and eddy-current distributions in three dimensions. M.J.Balchin and J.A.M.Davidson A p46
Online computer control of pH in an industrial process. O.L.R.Jacobs, P.F.Hewkin and C.While D p161
Performance comparison of conventional and backtracking algorithms in circuit routing. D.J.Kinniment G p309
Polynomic systems theory: a review. P.E.Crouch D p220
Power spectra from approximate transforms. J.S.D.Mason A p250
Processing and synthesis of biological data. A.N.Barrett E p225
Propagation characteristics of elliptical dielectric-tube waveguides. S.R.Rengarajan and J.E.Lewis H p121
Protection ratio and economy of spectrum use in land mobile radio. W.Gosling F p174
Sampled multiserver queues with general arrivals and deterministic service time. D.Raychaudhuri and S.S.Rappaport E p88
Second derivative Gauss-Newton-based method for solving nonlinear simultaneous equations. P.R.Dimmer and O.P.D.Putteridge G p278
Self-tuning controllers based on pole-zero placement. K.J.Astrom and B.Wittenmark D p120
Signal-flow-graph analysis by decomposition method. J.Starzyk G p81
Simplified calibration equations for the unidirectional and bidirectional computer-corrected network analyser. D.Woods H p82
Singular-perturbation analysis of a closed-loop fixed-end-point optimal-control problem. P.K.Rajagopalan and D.S.Naidu D p194
Soft-decision error control for h.f. data transmission. P.G.Farrell and R.M.F.Goodman F p389
Statistical exploration approach to design centering. R.S.Soin and R.Spence G p260
Study of Xi-core transverse-flux plate levitator. C.B.Rajanathan, D.A.Lowther and E.M.Freeman B p183
Sylvester's criterion applied to Poisson's equation. A quantitative proof of Earnshaw's theorem. E.Moreno and D.Baldomir A p399
Techniques for time-domain analysis of l.s.i. circuits. A.L.Sangiovanni-Vincentelli and N.B.G.Rabbat G p292
Timing-jitter growth in a chain of regenerative repeaters for optical-fibre transmissions. U.Mengali and G.Pirani G p153 e331
Use of generalised resolution methods to locate sources in random dispersive media. R.Klemm F p34

MECHANICAL OSCILLATION

Linear perturbation models for a.c. magnetic suspension systems: experimental and theoretical results. J.W.Henn D p64
Quasiperiodic oscillations caused by magnetic saturation in a tuned-circuit levitator. S.Hagihara A p245
Simplified method for synthesising m.q.f. filters. R.Lajacono G p57

METAL-INSULATOR-SEMICONDUCTOR STRUCTURES

Current mechanism of tunnel m.i.s. solar cells. O.M.Neilsen I p301
Switching in m.i.s.m. structures. M.Darwish and K.Board I p317
Use of $V_{oc}I_{sc}$ measurements for determination of barrier height under illumination and for fill-factor calculations in Schottky-barrier solar cells. P.Panayotatos and H.C.Card I p308

METAL-OXIDE-SEMICONDUCTOR STRUCTURES

Computer-aided design of m.o.s. integrated layout. A.D.Ivannikov and P.P.Sipchuk G p313
Design and performance evaluation of a 256-point adaptive filter. C.F.N.Cowan and J.Mavor F p179

Joule heating in emitting sites on various nonrefractory arc cathodes. A.E.Guile A p452
Quasistatic and nonequilibrium phenomena in m.o.s. structures under the influence of a constant gate-current bias. P.G.C.Allman and J.G.Simmons I p312
Techniques for analytically determining surface potential and mobility of an m.o.s. transistor. W.V.Backensto and C.R.Viswanathan I p81
Use of $V_{oc}J_{sc}$ measurements for determination of barrier height under illumination and for fill-factor calculations in Schottky-barrier solar cells. P.Panayotatos and H.C.Card I p308

MICROPROCESSORS

Charge-coupled devices for use in electronically-focused ultrasonic imaging systems. J.D.Shott, R.D.Melen and J.D.Meindl F p144
Coefficient sensitivity in recursive digital filters implemented using microprocessors. A.G.Bolton G p177
Digital beam forming for sonar systems. T.E.Curtis and R.J.Ward F p257
Efficient microprocessor-based cycloconvertor control. S.K.Tso, E.D.Spooner and J.Cosgrove B p190
Electrical operational interlocks for a fossil-fired power station auxiliary system. D.Lidgate, D.Acock, B.M.N.Khalid and F.Psomadellis C p317
Good programming in assembly language. J.Mills E p241
Hardware realisation of binary search algorithm. F.K.Hanna and A.K.Misra E p148
KHAR: a translator system for machine-oriented languages. M.Azarakhsh and D.G.Jenkins E p97
Low-cost microprocessor-based system for teaching the c.a.d. of control systems. P.Atkinson and A.J.Allen A p111
Low-level-device programming with a high-level language. S.J.Young E p37
Method for reducing memory conflicts caused by busy waiting in multiple-processing synchronisation. K.Mühlemann E p85
Microcomputer-based real-time/online f.f.t. processor. W.K.Luk and H.F.Li E p18
Microprocessor-based adaptive water-turbine governor. D.Findlay, H.Davie, T.R.Foord, A.G.Marshall and D.J.Winning C p360
Microprocessor-based interactive image-processing system. F.M.Cady and R.M.Hodgson E p197
Microprogrammable arithmetic element and its applications to digital signal processing. S.S.Magar and D.A.Robinson F p99
Microwave power combining and graceful degradation. T.T.Ha G p148
'Optimiser': a microcomputer-based current controller to improve voltage levels in rural locations. D.P.Burton, D.Heffernan and E.Richmond B p46
Phase-lock techniques for synthesis of microwave frequencies. P.A.McAllister H p112
Special-purpose computer for video signal processing in radar systems. P.Corsini, G.Frosini and L.Lopriore E p109
Survey of radar data-processing techniques in air-traffic-control and surveillance systems. A.Farina and S.Pardini F p190

MICROWAVE CIRCUITS AND NETWORKS

Accurate formulas for computer-aided design of shielded microstrip circuits. S.S.Bedair and M.I.Sobhy H p305
Analysis of a 4-port Bragg device. P.D.Bloch and L.Solymer H p133
GaAs monolithic microwave circuits for phased-array applications. R.S.Pengelly F p301
Investigation into the technique of active reactance compensation to improve the gain-bandwidth performance of microwave bipolar transistor amplifiers. K.Madani and C.S.Aitchison H p292
Low-cost computer-based time-domain microwave network analyser. P.R.Rigg and J.E.Carroll H p107
Resistive diode microwave mixers used as phase comparators. P.Ruella H p251
Three-line broadband codirectional microwave couplers using planar comb and herringbone microstrip lines. P.R.Rigg and J.E.Carroll H p315

MICROWAVE COMPONENTS

Comparison of methods used for determining base spreading resistance. R.T.Unwin and K.F.Knott I p53
Counter-clockwise reflection-coefficient behaviour on a Smith chart. C.M.Krowne H p154 e304
Design concepts for active phased-array modules. J.Austin and J.R.Forrest F p290
Microwave power combining and graceful degradation. T.T.Ha G p148
Pseudoelliptical phase-equalised filter allowing good optimisation for both phase and amplitude response. L.Franti and G.M.Paganuzzi H p342
Scattering-matrix theory of dispersive interdigital transducers for pulse-compression radar. R.A.Waldron H p15
Topological and experimental analysis of stationary behaviour of transferred-electron devices with nonuniform geometry. H.Tateno and S.Kataoka I p9

MICROWAVE MEASUREMENTS

Analysis of a dual-six-port network analyser and derivation of calibration equations. D.Woods A p541
Applications of time-domain methods to microwave measurements. N.S.Nahman, J.R.Andrews, W.L.Gans, M.E.Guillaume, R.A.Lawton, A.R.Ondrejka and M.Young H p99
Impedance measurement using a 6-port directional coupler. A.L.Cullen, S.K.Judah and F.Nikravesh H p92
International harmonisation of microwave standards. A.E.Bailey H p70
Low-cost computer-based time-domain microwave network analyser. P.R.Rigg and J.E.Carroll H p107
Measurement of symmetrical waveguide discontinuities using the eigenvalue approach. J.Helszajn H p74
Microstrip coupler suitable for use as a 6-port reflectometer. R.J.Collier and N.A.El-Deeb H p87
Microwave Measurements (Editorial). A.L.Cullen H p65
Microwave properties of liquids using a modified cavity perturbation technique. A.Kumar and D.G.Smith H p1
New expression for mismatch uncertainty when measuring microwave attenuation. F.L.Warner H p66
Phase-lock techniques for synthesis of microwave frequencies. P.A.McAllister H p112
Short pulse radar for stratified lossy dielectric layer measurement. D.J.Daniels F p384
Simplified calibration equations for the unidirectional and bidirectional computer-corrected network analyser. D.Woods H p82

MICROWAVE SYSTEMS

Alternating-plane property of the poles of even-degree low pass filters. J.H.Cloete G p16
Applications of time-domain methods to microwave measurements. N.S.Nahman, J.R.Andrews, W.L.Gans, M.E.Guillaume, R.A.Lawton, A.R.Ondrejka and M.Young H p99
Design of subreflectors to compensate for Cassegrain main reflector deformations. M.O.Milner and R.H.T.Bates H p277
Excitation of propagating spin waves in ferromagnetic films. B.A.Kalinikos H p4
International harmonisation of microwave standards. A.E.Bailey H p70
Microstrip coupler suitable for use as a 6-port reflectometer. R.J.Collier and N.A.El-Deeb H p87
Phase-lock techniques for synthesis of microwave frequencies. P.A.McAllister H p112
Power gain in Cassegrain antennas with small gridded hyperboloidal subreflectors. R.Neri H p241
Small-signal analysis of the travelling-wave gyrotron using Pierce parameters. A.J.Sangster I p45
Studies of a focused-field filter for multiplexing microwave signals. D.E.N.Davies and A.Y.Niazi H p173
Theoretical studies of localised tumour heating using focused microwave arrays. M.Melek and A.P.Anderson F p319
Three-dimensional image-construction technique and its application to coherent microwave diagnostics. M.F.Adams and A.P.Anderson H p138

MODULATION

Data transmission over v.h.f. mobile-radio links using binary f.s.k. and two quasisynchronous transmitters. J.D.Parsons and A.Pongsupaht F p456
Protection ratio and economy of spectrum use in land mobile radio. W.Gosling F p174
Resistive diode microwave mixers used as phase comparators. P.Ruella H p251

MOTORS

A multielement magnetic gear. D.E.Hesmondhalgh and D.Tipping B p129
Current-source invertor-fed induction motor torque pulsations. G.K.Creighton B p231
Delta inverter. P.D.Evans, R.C.Dodson and J.F.Eastham B p333
Influence of winding design on the axial flux in laminated-stator cores. P.J.Tavner, J.Penman, R.L.Stoll and H.O.Lorch C d114

MOTORS, A.C.

Stabilisation of doubly-fed, slip-ring machines using the datum-shift method. A.D.Mansell and H.M.Power B p293
Study of rapid speed-changing methods in a.c. motor drives. D.A.Al-Nimma and S.Williams B p382

MOTORS, D.C.

Analytical method for the determination of the voltage distortion factor of a network loaded with a thyristor-regulated direct-current motor drive (Summary). P.Crnosija C p94
Determination of network voltage distortion factor by digital computer simulation. P.Crnošifa and M.Kmetić B p358
Effect of armature banding on the commutation of a d.c. machine. J.J.Cathey and S.A.Nasar B p201 e332
Experimental study of eddy currents induced in the solid shells of d.c. machines carrying undulating currents. E.J.Davies and S.Das B p317

MULTIVARIABLE CONTROL SYSTEMS

Design of p.d. controllers in linear multivariable systems. A.Balestrino and G.Celentano D p115
Identification and optimal output control of a laboratory power system. O.H.Abdalla and P.A.W.Walker D p237
Inversion of uniform rank multivariable systems. D.H.Owens D p153
Nested-feedback-loop decomposition for reduction of linear multivariable systems. D.H.Owens and A.D.Field D p103
On quantisation and other bounded nonlinearities in first-order discrete multivariable control. F.M.Boland and D.H.Owens D p38
Reduced-order optimal controller for discrete-time stochastic systems. M.J.Grimble D p55

NETWORKS

An analysis program, PAMS, for linear signal processing systems containing carrier-actuated modulators as time-varying elements. B.Nowrouzian and W.Saraga G p284
Analysis and synthesis of matrix transfer functions using the new block-state equations in block-tridiagonal forms. L.S.Shieh and A.Tajvari D p19
Analysis of a dual-six-port network analyser and derivation of calibration equations. D.Woods A p541
Analysis of general switched-capacitor networks using indefinite admittance matrix. E.Hökenek and G.S.Moschytz G p21
Analysis of multiphase switched-capacitor (m.s.c.) networks using the indefinite admittance matrix (i.a.m.). E.Hökenek and G.S.Moschytz G p226
Cascade networks of logic functions built in multiplexer units. A.J.Tosser and D.Aoulad-Syad E p64
Conductor systems for overhead lines: some considerations in their selection. D.O.Ash, P.Dey, B.Gaylard and R.R.Gibbon C d206
Design centering and tolerancing via margin sensitivity minimisation. D.Agnew G p270
Determination of network voltage distortion factor by digital computer simulation. P.Crnošifa and M.Kmetić B p358

Edge-numbering convention: an insight into circuit formation. J.P.Char and S.D.Dadheech G p41
Enlargement of piezoelectric filter bandwidth by parallel connection of coupled resonators. S.J.Foster and M.Redwood G p209
Equivalent nonlinear lumped-parameter network representations for a.c.s.r. conductors. R.D.Findlay C p430
Fast decomposition of networks in minimally interconnected subnetworks. J.M.Kontoleon G p215
Fast power-flow solution by the method of reduction and restoration. T.Krishnaparandhama, S.Elangovan, A.Kuppurajulu and V.Sankaranarayanan C p90
Inverting integrator with extended time constant using grounded capacitor. S.K.Saha G p99
Measurement of symmetrical waveguide discontinuities using the eigenvalue approach. J.Helszajn H p74
Modular networks for direct processing of delta-modulated signals. N.Kouvaras E d279
Practical analysis of wideband feedback amplifiers. D.J.H.Maclean G p1
Property of analytic functions related to band-pass transformation. I.M.Filanovsky, K.A.Stromsmoe, W.Saraga and A.Talbot G p176
Second-order function realisation with switched-capacitor network and unity-gain amplifiers. J.Malawka and M.S.Ghausi G p187
Signal-flow-graph analysis by decomposition method. J.Starzyk G p81
Simplified calibration equations for the unidirectional and bidirectional computer-corrected network analyser. D.Woods H p82
Simplified method for synthesising m.q.f. filters. R.Lajacono G p57
Slope reactance effects in single-phase saturated reactors. K.A.Walshe and C.B.Cooper C d329
Suggestions for control mechanism for reducing the number of priority changes in an adaptive loop. W.Yu and J.C.Majithia E p229
Termination of lossless coupled transmission lines subjected to a transient stimulus. D.Scurr and P.L.Moran G p75
Transmission matrix of switched-capacitor ladder networks: application in active-filter design. G.S.Moschytz and B.J.Hosticka G p87
Two-dimensional analysis of tapered distributed networks using finite elements. A.J.Walton, B.J.Marsden, P.L.Moran and N.G.Burrow G p34 e100
Unilateral capacitor element and its application in low-frequency RC active filters. G.Wilson G p13

NOISE AND INTERFERENCE

Adaptive antennas for u.h.f. broadcast reception. M.D.Windram, L.Brunt and E.J.Wilson F p249
Analysis of optical fibre connectors and modal noise generation. C.Pask H p282
Comparison of methods used for determining base spreading resistance. R.T.Unwin and K.F.Knott I p53
M-ary c.p.s.k. signalling over two-link nonlinear channels in additive Gaussian noise. N.A.Mathews and A.H.Aghvami F p410
Monte Carlo particle simulation of n-type GaAs field-effect transistors with a p-type buffer layer. G.S.Sanghera, A.Chryssafis and C.Moglestue I p203
Multiple bandpass filters in image processing. K.D.Baker and G.D.Sullivan E p173
Nonlinear temporal filter for television picture noise reduction. T.J.Dennis G p52
Preprocessing of data from spreading-resistance measurements. J.van Linschoten, J.Snijder and M.W.Hillen I p100
Protection ratio and economy of spectrum use in land mobile radio. W.Gosling F p174
Techniques for analytically determining surface potential and mobility of an m.o.s. transistor. W.V.Backensto and C.R.Viswanathan I p81

NONDESTRUCTIVE TESTING

Diagnostic testing of high-voltage machine insulation. A review of ten years' experience in the field. J.S.Simons B p139 d386

NONLINEAR SYSTEMS

Decomposition approach to problem of unit commitment schedule for hydrothermal systems. L.F.B.Baptistella and J.C.Geromel D p250
Equivalent nonlinear lumped-parameter network representations for a.c.s.r. conductors. R.D.Findlay C p430
Formula for output autocorrelation and spectrum of a Volterra system with stationary Gaussian input. J.F.Barrett D p286
Frequency-response identification of structure of nonlinear systems. Y.P.Singh and S.Subramanian D p77
Identification of nonlinear systems - a survey. S.A.Billings D p272
Identification of the Volterra kernels of nonlinear systems. S.Y.Fakhouri D p296
Load flow solution for ill-conditioned power systems by quadratically convergent Newton-like method. S.C.Tripathy and G.S.S.S.K.Purge Prasad C p273
Nonlinear state-variable-feedback excitation-and governor-control design using decoupling theory. S.N.Singh D p131
Regionaliser: a new nonlinear transformation convertor. J.L.Huertas and A.Gago G p247
Second derivative Gauss-Newton-based method for solving nonlinear simultaneous equations. P.R.Dimmer and O.P.D.Putteridge G p278
Three-dimensional nonlinear electromagnetic field computations, using scalar potentials. J.Simkin and C.W.Trowbridge B p368

NUMERICAL ANALYSIS

Efficient numerical method for predicting the torque/displacement curve of saturated VR stepping motors. H.B.Ertan, A.Hughes and P.J.Lawrenson B p246
New method for the display of three-dimensional vector fields. A.J.Baden Fuller and M.L.X.dos Santos A p435

OPTICAL FIBRES

Analysis of optical fibre connectors and modal noise generation. C.Pask H p282
Fundamental mode propagation on dielectric fibres of arbitrary cross-section. E.F.Keuster and R.C.Pate H p41
High performance multimode optical fibre acoustic sensor utilising heterodyne detection. T.J.Hall H p193
Measurements on jointed optical-fibre cable for the Slough-Maidenhead field trial. J.E.Taylor, S.J.Stannard Powell and D.T.Parr H p33
Novel method for coupling between single-mode fibres and integrated optical components and its possible applications. G.Arvidsson and L.Thylén H p37
Timing-jitter growth in a chain of regenerative repeaters for optical-fibre transmissions. U.Mengali and G.Pirani G p153 e331

OPTICAL TRANSMISSION

Filament displacement and refraction losses in a stripe-geometry AlGaAs d.h. laser. D.Kerps I p94

OPTICS

Analysis of a 4-port Bragg device. P.D.Bloch and L.Solymer H p133
Coverage shaping of contoured-beam antennas by field synthesis. R.Jorgensen H p201
Flat disc, radially nonhomogeneous, lenses. S.Cornbleet H p330
G.T.D. analysis of scattering from a dielectric-coated conducting cylinder. T.C.K.Rao and M.A.K.Hamid H p143
Novel method for coupling between single-mode fibres and integrated optical components and its possible applications. G.Arvidsson and L.Thylén H p37
Optical processing for adaptive phased-array radar. D.Casasent F p278

OPTIMAL CONTROL

Compact low-power coder for extreme bit rate reduction of television pictures. J.G.McWhirter, J.B.G.Roberts, R.F.Simons and D.J.Watson F p368
Decomposition approach to problem of unit commitment schedule for hydrothermal systems. L.F.B.Baptistella and J.C.Geromel D p250
Identification and optimal output control of a laboratory power system. O.H.Abdalla and P.A.W.Walker D p237
Method for reducing memory conflicts caused by busy waiting in multiple-processing synchronisation. K.Mühlemann E p85
Optimal controllers for a d-q machine (Summary). T.S.V.Prasadarao and D.G.Tamaskar D p75
'Optimiser': a microcomputer-based current controller to improve voltage levels in rural locations. D.P.Burton, D.Heffernan and E.Richmond B p46
Pole placement with minimised norm controllers. B.Kouvaritakis and R.Cameron D p32
Reduced-order optimal controller for discrete-time stochastic systems. M.J.Grimble D p55
Second derivative Gauss-Newton-based method for solving nonlinear simultaneous equations. P.R.Dimmer and O.P.D.Putteridge G p278
Self-adaptive near-optimal control of diffusion equations. A.S.I.Zinober D p290
Singular-perturbation analysis of a closed-loop fixed-end-point optimal-control problem. P.K.Rajagopalan and D.S.Naidu D p194
Singular perturbation method for a closed-loop optimal control problem. D.S.Naidu and P.K.Rajagopalan D p1
Unit commitment of thermal generation. K.Hamam, Y.M.Hamam, K.S.Hindi and A.Brameller C p3
Use of Kalman filtering techniques in dynamic ship-positioning systems. M.J.Grimble, R.J.Patton and D.A.Wise D p93

PERTURBATION THEORY

Decentralised controller with online interaction trajectory improvement. M.F.Hassan and M.G.Singh D p142
Linear perturbation models for a.c. magnetic suspension systems: experimental and theoretical results. J.W.Henn D p64
Singular-perturbation analysis of a closed-loop fixed-end-point optimal-control problem. P.K.Rajagopalan and D.S.Naidu D p194
Singular perturbation method for a closed-loop optimal control problem. D.S.Naidu and P.K.Rajagopalan D p1
Stability, stabilisation and performance of multilevel controllers under structural perturbations - Part II: Stabilisation under any structural perturbation. M.F.Hassan and M.G.Singh D p214
Stability, stabilisation and performance of multilevel controllers under structural perturbations - Part I: Cutting the links between co-ordinator and subsystems. M.F.Hassan, A.Titli, M.G.Singh and R.Hurteau D p207

PHASING AND PHASE CONTROL

Design concepts for active phased-array modules. J.Austin and J.R.Forrest F p290
Injection phase delay in high-power Baritt oscillators. S.Ahmad I p109
Linear induction motors controlling carriages moving round a circular track. B.E.Jones and B.Wilson D p265
Theoretical studies of localised tumour heating using focused microwave arrays. M.Melek and A.P.Anderson F p319

PHOTOELECTRIC DEVICES

Conduction in sputtered a-Si-H Schottky-barrier solar cells. M.J.Thompson, M.M.Alkaisi and J.Allison I p212

PHYSICAL PROPERTIES

High-pressure sodium lamp technology. C.I.McVey A p158
Properties and failure modes of incandescent tungsten filaments. O.Horacsek A p134

PICTURE PROCESSING AND PATTERN RECOGNITION

Assessment of scintigram quality. P.F.Sharp, R.B.Chesser and D.B.Smith E p185
Clip 4 parallel processing system. T.J.Fountain and V.Goetcherian E p219
Command language for interactive image analysis. B.G.Batchelor, P.J.Brumfitt and B.D.V.Smith E p203

Discrete double-sided Karhunen-Loève expansion. K.V.M.Fernando and H.Nicholson **D** p155
Fast generation of chain code. B.G.Batchelor and B.K.Marlow **E** p143
Generalisations of maximum-entropy pattern analysis. R.Benjamin **F** p341
Image restoration and enhancement (Editorial). D.M.Balston and F.K.Hanna **E** p157
Interpolating sampled cross-correlation surfaces of images for fine registration. R.Voles **F** p401
Measurement errors in pattern recognition. J.Kittler **E** p81
Optimisation techniques for digital image reconstruction from their projections. T.S.Durrani and C.E.Goutis **E** p161
Picture-processing techniques for geometrical tolerance checking of integrated-circuit layouts. J.R.Ullmann and H.H.Lafferty **E** p8
Transfer of computing and control technology into manufacturing industry, The. P.H.Hammond **A** p27

PLASMAS

High-pressure sheath to glow transition in a plasma-filled gap. R.M.Clements, Y.Oved and P.R.Smy **A** p447

POWER CONVERSION

Fault studies in a.c. systems interconnected by h.v. d.c. links. J.Arrillaga, M.D.Heffernan, C.B.Lake and C.P.Arnold **C** p15

POWER ELECTRONICS

Delta inverter. P.D.Evans, R.C.Dodson and J.F.Eastham **B** p333
Harmonic reduction in d.c.-ripple reinjection. J.F.Baird and J.Arrillaga **C** p294
Inverting integrator with extended time constant using grounded capacitor. S.K.Saha **G** p99
Microcomputer-based power-semiconductor-circuit waveform analyser. E.J.Prendergast and R.D.Jackson **B** p363
Microwave power combining and gracefui degradation. T.T.Ha **G** p148
New method of low-speed commutation of an inverter-fed synchronous motor. A.C.Williamson and J.Mwenechanya **B** p375
Output voltages of a multiswitch inverter. B.H.Smith and W.H.Charlton **B** p117
Punch-through diode as a power device. D.de Cogan **I** p67
Study of rapid speed-changing methods in a.c. motor drives. D.A.Al-Nimma and S.Williams **B** p382
The toroidal cage coil. P.N.Murgatroyd, W.Farrer, R.P.D.Hodgkinson and P.D.McLoughlin **B** p207

POWER SYSTEM PROTECTION

Electrical interlock design for complex high-power switching networks. D.Lidgate, P.W.Aitchison and D.Acock **C** d265
Evaluating the reliability of electrical systems in multi-unit generating stations. R.N.Allan, M.F.de Oliveira, A.Kozlowski and G.T.Williams **C** p65
Fault studies in a.c. systems interconnected by h.v. d.c. links. J.Arrillaga, M.D.Heffernan, C.B.Lake and C.P.Arnold **C** p15
Instability in h.v. d.c. schemes at low-order integer harmonics. R.Yacamini and J.C.de Oliveira **C** p179
New ultra-high-speed directional comparison technique for the protection of e.h.v. transmission lines. A.T.Johns **C** p228

POWER SYSTEMS AND PLANT

Advantage of incorporating geothermal energy into power-station cycles. A.A.L.White **A** p330
Application of travelling-wave methods to the calculation of transient-fault currents and voltages in power-system networks. J.P.Bickford and M.H.Abdel-Rahman **C** p153
Controller testing facility on 32.5 MW water turbine (Technical note). D.J.Winning, A.G.Marshall, D.G.E.Findlay, K.H.Aitken and N.F.Grant **C** p357
Design of synchronous generator excitation controllers in multimachine power systems inverse Nyquist array. P.K.Muttik and M.J.Gibbard **C** p350
Development of pumped-storage in a power system. A.M.Cochran, D.E.Isles and I.T.Pope **C** d262
Economic and operational implications of a complex of wind-driven generators on a power system. E.D.Farmer, V.G.Newman and P.H.Ashmole **A** p289
Electrical operational interlocks for a fossil-fired power station auxiliary system. D.Lidgate, D.Acock, B.M.N.Khalid and F.Psomadellis **C** p317
Evaluating the reliability of electrical systems in multi-unit generating stations. R.N.Allan, M.F.de Oliveira, A.Kozlowski and G.T.Williams **C** p65
Identification and optimal output control of a laboratory power system. O.H.Abdalla and P.A.W.Walker **D** p237
Improvements in steam temperature control on a modern oil-fired power-station boiler. R.M.Dunnett and R.Wells **D** p7
Interactive calculation of power system transients. A.M.M.Khan and J.P.Bickford **C** p41
Large-scale electrical energy storage. B.J.Davidson, I.Glendenning, R.D.Harman, A.B.Hart, B.J.Maddock, R.D.Moffitt, V.G.Newman, T.F.Smith, P.J.Worthington and J.K.Wright **A** p345
'Optimiser': a microcomputer-based current controller to improve voltage levels in rural locations. D.P.Burton, D.Heffernan and E.Richmond **B** p46
Overall approach to the reliability evaluation of composite generation and transmission systems. R.Billinton and T.K.P.Medicherla **C** p72
Prediction of dynamic response of marine systems incorporating induction-motor propulsion drives. J.R.Smith, A.F.Stronach, T.Tsao and K.A.Goodman **B** p308
Reducing power station costs. Hampson H.G. **A** p272
Scheme to improve transient response of industrial systems. S.N.Fisher and W.H.Jewell **B** p349
Transient stability of multimachine systems with saturable exciters. H.Yee and M.J.Muir **C** p9
Unit commitment of thermal generation. K.Hamam, Y.M.Hamam, K.S.Hindi and A.Brameller **C** p3

POWER TRANSMISSION

Development of z-transform electromagnetic transient analysis methods for multimode power networks. W.D.Humpage, K.P.Wong and T.T.Nguyen **C** p379
Fault studies in a.c. systems interconnected by h.v. d.c. links. J.Arrillaga, M.D.Heffernan, C.B.Lake and C.P.Arnold **C** p15
Grid control in the North West. J.A.Baylis **A** a72
Harmonics in multiple convertor systems: a generalised approach. R.Yacamini and J.C.de Oliveira **B** p96
Instability in h.v. d.c. schemes at low-order integer harmonics. R.Yacamini and J.C.de Oliveira **C** p179
Mutual impedance of transmission lines with earth return. A.Ametani and R.Schinzinger **C** p326
Overall approach to the reliability evaluation of composite generation and transmission systems. R.Billinton and T.K.P.Medicherla **C** p72
Overvoltages caused by blocking twelve pulse h.v.d.c. schemes. R.Yacamini and N.Hatziargyriou **C** p189
Some practical aspects of overvoltages on the CEGB transmission system. L.Csuros and K.F.Foreman **C** p248
The modern distribution network. A.Eyres **A** a72
Time convolution and 2-transform methods of electromagnetic transient analysis in power systems. W.D.Humpage, K.P.Wong and T.T.Nguyen **C** p386
Z-transform electromagnetic transient analysis in power systems. W.D.Humpage, K.P.Wong, T.T.Nguyen and D.Sutanto **C** p370

POWER UTILISATION AND INDUSTRIAL APPLICATIONS

Approach to the design of applicators for radio-frequency drying. R.Morrow **B** p124
Utilisation of electrical energy - a contribution by the electricity supply industry. A.W.Edwards **A** a71

PRINTED CIRCUITS

Actively peaked broadbanded monolithic amplifier. J.Choma **G** p61
Design and implementation of three-valued logic systems with m.o.s. integrated circuits. H.T.Mouftah and K.C.Smith **G** p165
Developments in high-speed integrated semiconductor devices (Editorial). J.Mavor **I** p253
Device and circuit trends in gigabit logic. B.G.Bosch **I** p254
GaAs diode/f.e.t. logic circuits for high-speed-frequency-divider applications. J.Mun, G.S.Sanghera, S.D.Vanlint and B.E.Barry **I** p98
Gallium arsenide review: past, present and future. D.M.Taylor, D.O.Wilson and D.H.Phillips **I** p266
Hardware realisation of binary search algorithm. F.K.Hanna and A.K.Misra **E** p148
Low pinch-off voltage f.e.t. logic (l.p.f.l.): l.s.i. oriented logic approach using quasinormally off GaAs m.e.s.f.e.t.s.. G.Nuzillat, F.Damay-Kavala, G.Bert and C.Arnodo **I** p287
Performance comparison of conventional and backtracking algorithms in circuit routing. D.J.Kinniment **G** p309

PROCESS CONTROL

Linear multipass processes: a two-dimensional interpretation. F.M.Boland and D.H.Owens **D** p189
On quantisation and other bounded nonlinearities in first-order discrete multivariable control. F.M.Boland and D.H.Owens **D** p38
Reduced-order optimal controller for discrete-time stochastic systems. M.J.Grimble **D** p55

PULSE-CODE MODULATION

Method of estimating the capacity of multipair cables to carry low-speed p.c.m. transmission systems. R.J.S.Bates and P.Cochrane **F** p16
Predictors for intraframe encoding of Pal picture signals. H.Gharavi and R.Steele **F** p205

RADAR AND RADIONAVIGATION

Applications of c.c.d.s. to sonar system. J.F.Dix, N.Dean, J.Widdowson and J.Mavor **F** p125
Computer simulation study of a radar Doppler processor using the maximum-intropy method. S.Haykin and H.C.Chan **F** p464
Design and application of real-time spectrum-analyser systems. J.B.G.Roberts, G.L.Moule and G.Parry **F** p76
Digital beam forming for radar. P.Barton **F** p266
Experimental phased-array radar ELRA: antenna system. W.Sander **F** p285
F.M.-C.W. Delft atmospheric research radar. L.P.Ligthart and L.R.Nieuwkerk **F** p421
Forty years of ground radar. A.H.Shaw **F** p169
GaAs monolithic microwave circuits for phased-array applications. R.S.Pengelly **F** p301
Linear frequency coded sequence (l.f.c.s.). C.N.Oligboh and M.H.Ackroyd **G** p191
Log-Weibull distributed sea clutter. M.Sekine, T.Musha, Y.Tomita, T.Hagisawa, T.Irabu and E.Kiuchi **F** p225
Medium fading of radar targets at sea with special reference to operation at 3 cm and 10 cm. P.D.L.Williams **F** p212
Multitarget interleaved tracking for phased-array radar. A.Farina and P.Neri **F** p312
Non-Rayleigh weather clutter. M.Sekine, T.Musha, T.Irabu, E.Kiuchi, T.Hagisawa and Y.Tomita **F** p471
Optical processing for adaptive phased-array radar. D.Casasent **F** p278
Optimisation of a digital autodetector for linear and logarithmic radar video. J.F.Roulston and M.Jackson **F** p22
Optimisation of rejection filters. F.Chiuppesi, G.Galati and P.Lombardi **F** p354
Radar applications of s.a.w. dispersive filters. M.B.N.Butler **F** p118
Receivers for the NAVSTAR global positioning system. P.K.Blair **F** p163
S.A.W. filters: some case histories. J.M.Deacon and J.Heighway **F** p107
Scattering-matrix theory of dispersive interdigital transducers for pulse-compression radar. R.A.Waldron **H** p15

Short pulse radar for stratified lossy dielectric layer measurement. D.J.Daniels F p384
Signal processing using surface-acoustic-wave and digital components. H.Gautier and P.Tournois F p92
Special-purpose computer for video signal processing in radar systems. P.Corsini, G.Frosini and L.Lopriore E p109
Survey of radar data-processing techniques in air-traffic-control and surveillance systems. A.Farina and S.Pardini F p190
Synthetic-aperture-radar real-time processing. D.J.Bonfield and J.R.E.Thomas F p155

RADIATION

Analysis of radiation pattern and G/T_A for shaped dual-reflector antennas. G.L.James H p52
Evaluation of focal fields and radiation characteristics of a dual-offset reflector antenna. T.S.Bird and J.L.Boomars H p209
Synthesis and enhancement of the radionuclide tomographic section. R.W.Rowe, P.E.Undrill and W.I.Kayes E p193
Theoretical studies of localised tumour heating using focused microwave arrays. M.Melek and A.P.Anderson F p319

RADIO-WAVE PROPAGATION
(incl. Ionospheric and Tropospheric)

Synthetic-aperture-radar real-time processing. D.J.Bonfield and J.R.E.Thomas F p155

RADIOCOMMUNICATION

Data transmission over v.h.f. mobile-radio links using binary f.s.k. and two quasisynchronous transmitters. J.D.Parsons and A.Pongsupaht F p456
Detection of broadband u.h.f. signals using analogue correlation. E.A.Theodorou and S.Evans G p199
Error-rate reduction in v.h.f. mobile radio data systems using specific diversity reception techniques. J.D.Parsons and A.Pongsupaht F p475
Forty years of ground radar. A.H.Shaw F p169
Protection ratio and economy of spectrum use in land mobile radio. W.Gosling F p174

RAILWAY ELECTRIFICATION AND TRANSPORTATION

Electric transport: the future prospects. B.M.Bird A p21
Experience of electronics on rapid transit stock. M.A.Harding B p215
Parameters of solid-rotor induction machines with unbalanced supply. B.J.Chalmers, E.Spooner and R.H.Abdel-Hamid B p174

RELAYS

New ultra-high-speed directional comparison technique for the protection of e.h.v. transmission lines. A.T.Johns C p228
Performance of distance protection of e.h.v. feeders utilising shunt-reactor arrangements for arc suppression and voltage control. A.T.Johns, M.El-Nour and R.K.Aggarwal C p304

RELIABILITY

A new type of test for connectors to be used on aluminium conductors. R.D.Naybour and J.R.Brailsford C d339
Evaluating the reliability of electrical systems in multi-unit generating stations. R.N.Allan, M.F.de Oliveira, A.Kozlowski and G.T.Williams C p65

RELUCTANCE MOTORS

Variable-speed switched reluctance motors. P.J.Lawrenson, J.M.Stephenson, P.T.Blenkinsop, J.Corda and N.N.Fulton B p253

REVIEW OF PROGRESS

Diagnostic testing of high-voltage machine insulation. A review of ten years' experience in the field. J.S.Simons B p139 d386
Future developments in lamps. M.A.Cayless A p211
Historical review of artificial light sources. B.Bowers A p127
Identification of nonlinear systems - a survey. S.A.Billings D p272
Industrial innovation. A.E.Pannenborg A p495
Polynomic systems theory: a review. P.E.Crouch D p220
Recent progress in metal halide discharge-lamp research. W.M.Keeffe A p181

SATELLITE LINKS AND SPACE COMMUNICATION

Receivers for the NAVSTAR global positioning system. P.K.Blair F p163
Satellite-antenna measurement techniques. W.R.Keen A p417

SCHOTTKY-BARRIER DEVICES

Computer technique for solving Schottky barrier from dark forward current-voltage characteristics. C.Boutrit, J.C.Georges and S.Ravelet I p250
Conduction in sputtered a-Si-H Schottky-barrier solar cells. M.J.Thompson, M.M.Alkaisi and J.Allison I p212
Current mechanism of tunnel m.i.s. solar cells. O.M.Neilsen I p301
GaAs monolithic microwave circuits for phased-array applications. R.S.Pengelly F p301
Low-noise millimetre-wave mixer diodes: results and evaluation of a test programme. N.J.Keen I p188 e296
Monte Carlo particle simulation of n-type GaAs field-effect transistors with a p-type buffer layer. G.S.Sanghera, A.Chryssafis and C.Moglestue I p203
p-type InP/Langmuir film m.i.s. diodes. R.W.Sykes, G.G.Roberts, T.Fok and D.T.Clark I p137
Required minimum value of barrier height in minority-carrier m.i.s. solar cells. O.M.Nielsen I p105
Solar cells. F.C.Treble A p505
Switching in m.i.s.m. structures. M.Darwish and K.Board I p317
Use of $V_{oc}J_{sc}$ measurements for determination of barrier height under illumination and for fill-factor calculations in Schottky-barrier solar cells. P.Panayotatos and H.C.Card I p308

SEMICONDUCTOR DEVICES AND MATERIALS

A 3.5 GHz self-aligned single-clocked binary frequency divider on GaAs. M.Cathelin, M.Gavant and M.Rocchi I p270
Baritt diodes for K_a-band frequencies. J.Freyer and P.N.Förg I p78
Bias-dependent 1/f noise model of an m.o.s. transistor. W.V.Backensto and C.R.Viswanathan I p87
Capacitor coupling of GaAs depletion-mode f.e.t.s.. A.W.Livingstone and P.J.T.Mellor I p297
Characteristics of isotype n Ge-n GaAs heterojunctions. J.C.De Jaeger and G.Salmer I p207
Charge-coupled devices in gallium arsenide. I.Deyhimy, R.J.Anderson, R.C.Eden and J.S.Harris I p278
Comparison of methods used for determining base spreading resistance. R.T.Unwin and K.F.Knott I p53
Computer technique for solving Schottky barrier from dark forward current-voltage characteristics. C.Boutrit, J.C.Georges and S.Ravelet I p250
Counter-clockwise reflection-coefficient behaviour on a Smith chart. C.M.Krowne H p154 e304
Current mechanism of tunnel m.i.s. solar cells. O.M.Neilsen I p301
Degradation behaviour of n-channel m.o.s.f.e.t.s. operated at 77K. J.R.Davis I p183
Design concepts for active phased-array modules. J.Austin and J.R.Forrest F p290
Developments in high-speed integrated semiconductor devices (Editorial). J.Mavor I p253
Device and circuit trends in gigabit logic. B.G.Bosch I p254
Electron and hole photocurrent effects on impatt oscillators. H.P.Vyas, R.J.Gutman and J.M.Borrego I p126
Electrothermal transients due to self heating in a silicon p-n diode. W.J.Stepowicz and W.Janke I p25
GaAs monolithic microwave circuits for phased-array applications. R.S.Pengelly F p301
Gallium arsenide review: past, present and future. D.M.Taylor, D.O.Wilson and D.H.Phillips I p266
General model for defect formation in silicon dioxide. A.K.M.Zakzouk I p230 e336
Gunn oscillations in thin GaAs epilayers and m.e.s.f.e.t.s.. C.Tsironis and J.J.M.Dekkers I p241
Injection phase delay in high-power Baritt oscillators. S.Ahmad I p109
Inversion-controlled switching mechanism of m.i.s.s. devices. G.Sarrabayrouse, J.Buxo, A.E.Owen, A.Munoz Yague and J-P.Sabaa I p119 e296
Investigation of Ar ion implant gettering of gold in silicon by m.o.s. and Rutherford backscattering techniques. A.G.Nassibian and B.Golja I p29
Large-signal behaviour and capability of the transistor transit-time oscillator. Y.Druelle, Y.Crosnier and G.Salmer I p72
Measurement of lifetime of photoinjected carriers in solar cells by reverse voltage pulse response. S.R.Dhariwal I p20
Microcomputer-aided interface-state analysis. P.J.Martin and G.G.Roberts I p133
Monte Carlo particle simulation of n-type GaAs field-effect transistors with a p-type buffer layer. G.S.Sanghera, A.Chryssafis and C.Moglestue I p203
p-type InP/Langmuir film m.i.s. diodes. R.W.Sykes, G.G.Roberts, T.Fok and D.T.Clark I p137
Phase-lock techniques for synthesis of microwave frequencies. P.A.McAllister H p112
Predeposition through a polysilicon layer as a tool to reduce anomalies in phosphorus profiles and the push-out effect in n-p-n transistors. M.Finetti, G.Masetti, P.Nagrini and S.Solmi I p37
Punch-through diode as a power device. D.de Cogan I p67
Quasistatic and nonequilibrium phenomena in m.o.s. structures under the influence of a constant gate-current bias. P.G.C.Allman and J.G.Simmons I p140
Quasistatic and nonequilibrium phenomena in m.o.s. structures under the influence of a constant gate-current bias. P.G.C.Allman and J.G.Simmons I p312
Scales m.o.s. circuits: performances and simulation. P.Antognetti and G.Puggelli I p199
Semiconductor fuses and their applications. A.F.Howe and P.G.Newbery B p155
Semiconductor laser analysis: general method for characterising devices of various cross-sectional geometries. K.A.Shore, T.E.Rozzi and G.H.in't Veld I p221
Theory of switching in p-n-insulator (tunnel)-metal devices: thick-tunnel oxides and indirect tunnel effects. S.E.D.Habib and J.G.Simmons I p111
Theory of the metal-insulator-semiconductor thyristor. S.E.D.Habib and J.G.Simmons I p176
Topological and experimental analysis of stationary behaviour of transferred-electron devices with nonuniform geometry. H.Tateno and S.Kataoka I p9
Transferred-electron harmonic generators for millimetre band sources. A.M.Mazzone and H.D.Rees I p149
Use of $V_{oc}J_{sc}$ measurements for determination of barrier height under illumination and for fill-factor calculations in Schottky-barrier solar cells. P.Panayotatos and H.C.Card I p308
V-groove isolated b.i.f.e.t. technology for micropower i.c.s.. S.D.S.Malhi and C.A.T.Salama I p169

SIGNAL PROCESSING

An analysis program, PAMS, for linear signal processing systems containing carrier-actuated modulators as time-varying elements. B.Nowrouzian and W.Særaga G p284
An intersymbol interference cancellation equaliser for use in systems employing envelope detection. B.Farhang-Boroujeny and L.F.Turner F p485
Applications of c.c.d.s. to sonar system. J.F.Dix, N.Dean, J.Widdowson and J.Mavor F p125
Applications of time-domain methods to microwave measurements. N.S.Nahman, J.R.Andrews, W.L.Gans, M.E.Guillaume, R.A.Lawton, A.R.Ondrejka and M.Young H p99
Bandwidth compression of digital colour-television signals using block-adaptive d.p.c.m.. H.Gharavi F p405

Channel vocoder based on c.c.d. discrete-Fourier-transform processors. M.C.Davie F p132
Charge-coupled devices for use in electronically-focused ultrasonic imaging systems. J.D.Shott, R.D.Melen and J.D.Meindl F p144
Compact low-power coder for extreme bit rate reduction of television pictures. J.G.McWhirter, J.B.G.Roberts, R.F.Simons and D.J.Watson F p368
Design and application of real-time spectrum-analyser systems. J.B.G.Roberts, G.L.Moule and G.Parry F p76
Design concepts for active phased-array modules. J.Austin and J.R.Forrest F p290
Digital beam forming for radar. P.Barton F p266
Digital beam forming for sonar systems. T.E.Curtis and R.J.Ward F p257
Error-rate reduction in v.h.f. mobile radio data systems using specific diversity reception techniques. J.D.Parsons and A.Pongsupaht F p475
Experimental phased-array radar ELRA: antenna system. W.Sander F p285
F.M.-C.W. Delft atmospheric research radar. L.P.Ligthart and L.R.Nieuwkerk F p421
Fast computation of multidimensional discrete Fourier transforms. B.Arambepola F p49
Linear frequency coded sequence (l.f.c.s.). C.N.Oligboh and M.H.Ackroyd G p191
Low sidelobe patterns from thinned arrays using multiplicative processing. D.E.N.Davies and C.R.Ward F p9
Microcomputer-based power-semiconductor-circuit waveform analyser. E.J.Prendergast and R.D.Jackson B p363
Microcomputer-based real-time/online f.f.t. processor. W.K.Luk and H.F.Li E p18
Microprogrammable arithmetic element and its applications to digital signal processing. S.S.Magar and D.A.Robinson F p99
Modular networks for direct processing of delta-modulated signals. N.Kouvaras E d279
Multiple bandpass filters in image processing. K.D.Baker and G.D.Sullivan E p173
Multitarget interleaved tracking for phased-array radar. A.Farina and P.Neri F p312
Optical processing for adaptive phased-array radar. D.Casasent F p278
Radar applications of s.a.w. dispersive filters. M.B.N.Butler F p118
Receivers for the NAVSTAR global positioning system. P.K.Blair F p163
S.A.W. filters: some case histories. J.M.Deacon and J.Heighway F p107
Scattering-matrix theory of dispersive interdigital transducers for pulse-compression radar. R.A.Waldron H p15
Short pulse radar for stratified lossy dielectric layer measurement. D.J.Daniels F p384
Signal processing using surface-acoustic-wave and digital components. H.Gautier and P.Tournois F p92
Some philosophical aspects of signal processing. R.Benjamin F p67
Special-purpose computer for video signal processing in radar systems. P.Corsini, G.Frosini and L.Lopriore E p109
Synthetic-aperture-radar real-time processing. D.J.Bonfield and J.R.E.Thomas F p155
Use of generalised resolution methods to locate sources in random dispersive media. R.Klemm F p34

SIMULATION

Analysis of blocking probabilities in skipped gradings which are offered unbalanced traffic. P.K.Das and D.G.Smith F p430
Buffer design in a closed form with hybrid input and random server interruptions. H.B.Kekre and M.Khalid F p448
Calculator-aided evaluation of integrated n-m.o.s. operational amplifiers. N.Saleh and S.Tewfick G p67
Comparative study of saturation methods in synchronous machine models. R.G.Harley, D.J.N.Limebeer and E.Chirricozzi B p1
Computer simulation of multipath fading in the land mobile radio environment. K.J.Gladstone and J.P.McGeehan G p323
Computer simulation study of a radar Doppler processor using the maximum-intropy method. S.Haykin and H.C.Chan F p464
Decentralised controller with online interaction trajectory improvement. M.F.Hassan and M.G.Singh D p142
Depletion-mode m.o.s.f.e.t. model including a field-dependent surface mobility. G.Baccarani, F.Landini and B.Riccó I p62
Design and use of Comflex - a hardware-controlled packet switch. J.A.McDermid E p233
Determination of network voltage distortion factor by digital computer simulation. P.Crnošifa and M.Kmetić B p358
Determination of saturated reactances of turbogenerators. J.R.Smith, K.J.Binns, S.Williamson and G.W.Buckley C p122
Flux penetration and losses in steel plate with sinusoidal magnetisation. D.O'Kelly B p287
Hybrid self-tuning control. P.J.Gawthrop D p229
Identification and optimal output control of a laboratory power system. O.H.Abdalla and P.A.W.Walker D p237
Identification of the Volterra kernels of nonlinear systems. S.Y.Fakhouri D p296
Linear perturbation models for a.c. magnetic suspension systems: experimental and theoretical results. J.W.Henn D p64
Mathematical model of scenery hoist system at the Olivier theatre. S.K.Das E p263
Modal analysis of identifiability of linear compartmental models. J.P.Norton, R.F.Brown and K.R.Godfrey D p83
Modelling and simulation in engineering marketing. L.A.Williams A p61
New method for predetermination of true saturation characteristics of transformers and nonlinear reactors. S.Prusty and M.V.S.Rao C p106
Nonlinear state-variable-feedback excitation-and governor-control design using decoupling theory. S.N.Singh D p131
Online computer control of pH in an industrial process. O.L.R.Jacobs, P.F.Hewkin and C.While D p161
Parameters of solid-rotor induction machines with unbalanced supply. B.J.Chalmers, E.Spooner and R.H.Abdel-Hamid B p174
Polynomic systems theory: a review. P.E.Crouch D p220
Self-tuning controllers based on pole-zero placement. K.J.Astrom and B.Wittenmark D p120
Slope reactance effects in single-phase saturated reactors. K.A.Walshe and C.B.Cooper C d329
Techniques for time-domain analysis of l.s.i. circuits. A.L.Sangiovanni-Vincentelli and N.B.G.Rabbat G p292
Theoretical studies of localised tumour heating using focused microwave arrays. M.Melek and A.P.Anderson F p319
Three-phase pole-by-pole model of a linear induction machine. T.A.Nondahl and D.W.Novotny B p68
Use of Kalman filtering techniques in dynamic ship-positioning systems. M.J.Grimble, R.J.Patton and D.A.Wise D p93

SONICS AND ULTRASONICS

Charge-coupled devices for use in electronically-focused ultrasonic imaging systems. J.D.Shott, R.D.Melen and J.D.Meindl F p144
Scattering-matrix theory of dispersive interdigital transducers for pulse-compression radar. R.A.Waldron H p15

SOUND BROADCASTING AND AUDIO

JSRU channel vocoder, The. J.N.Holmes F p53

SPECTRAL ANALYSIS

Computer simulation study of a radar Doppler processor using the maximum-intropy method. S.Haykin and H.C.Chan F p464
Design of digital differentiators satisfying prescribed specifications. A.Antoniou E p24
Design of multiplexer-universal-logic-module networks using spectral techniques. A.M.Lloyd E p31
Karhunen-Loève expansion with reference to singular-value decomposition and separation of variables. K.V.M.Fernando and H.Nicholson D p204
Power spectra from approximate transforms. J.S.D.Mason A p250
Use of Kalman filtering techniques in dynamic ship-positioning systems. M.J.Grimble, R.J.Patton and D.A.Wise D p93

SPEECH SYNTHESIS

JSRU channel vocoder, The. J.N.Holmes F p53

STABILITY

Analysis and synthesis of matrix transfer functions using the new block-state equations in block-tridiagonal forms. L.S.Shieh and A.Tajvari D p19
Axial electric-field measurements of d.c. arcs in current-limiting fuses. R.Ranjan and M.R.Barrault C p199
Decentralised controller with online interaction trajectory improvement. M.F.Hassan and M.G.Singh D p142
Dynamic stability of helical and barrel coils in transformers against axial short-circuit forces. M.R.Patel C p281
Effect of field failure of a d.w.r. generator. B.N.Sarkar, V.K.Verma and P.Mukhopadhyay C p82
Identification and optimal output control of a laboratory power system. O.H.Abdalla and P.A.W.Walker D p237
Linear multipass processes: a two-dimensional interpretation. F.M.Boland and D.H.Owens D p189
Polynomic systems theory: a review. P.E.Crouch D p220
Practical analysis of wideband feedback amplifiers. D.J.H.Maclean G p1
Stability, stabilisation and performance of multilevel controllers under structural perturbations - Part II: Stabilisation under any structural perturbation. M.F.Hassan and M.G.Singh D p214
Stability, stabilisation and performance of multilevel controllers under structural perturbations - Part I: Cutting the links between co-ordinator and subsystems. M.F.Hassan, A.Titli, M.G.Singh and R.Hurteau D p207
Transient stability of multimachine systems with saturable exciters. H.Yee and M.J.Muir C p9

STEPPING MOTORS

Efficient numerical method for predicting the torque/displacement curve of saturated VR stepping motors. H.B.Ertan, A.Hughes and P.J.Lawrenson B p246

SUPERCONDUCTIVITY

Analysis of helical armature windings with particular reference to superconducting a.c. generators. A.F.Anderson, J.R.Bumby and B.I.Hassall C p129

SURFACE-ACOUSTIC-WAVE DEVICES (S.A.W.)

Radar applications of s.a.w. dispersive filters. M.B.N.Butler F p118
Receivers for the NAVSTAR global positioning system. P.K.Blair F p163
S.A.W. filters: some case histories. J.M.Deacon and J.Heighway F p107
Scattering-matrix theory of dispersive interdigital transducers for pulse-compression radar. R.A.Waldron H p15
Signal processing using surface-acoustic-wave and digital components. H.Gautier and P.Tournois F p92

SWITCHES AND SWITCHING THEORY

Design and use of Comflex - a hardware-controlled packet switch. J.A.McDermid E p233
Electrical interlock design for complex high-power switching networks. D.Lidgate, P.W.Aitchison and D.Acock C d265
GaAs monolithic microwave circuits for phased-array applications. R.S.Pengelly F p301
Mathematical model of scenery hoist system at the Olivier theatre. S.K.Das E p263
Output voltages of a multiswitch inverter. B.H.Smith and W.H.Charlton B p117
Some practical aspects of overvoltages on the CEGB transmission system. L.Csuros and K.F.Foreman C p248
Switching in m.i.s.m. structures. M.Darwish and K.Board I p317
Sythesis procedure for p-symmetric Boolean functions. H.B.Kekre, S.C.Sahasrabudhe and V.Rama Rao E p93
Theory of switching in p-n-insulator (tunnel)-metal devices: thick-tunnel oxides and indirect tunnel effects. S.E.D.Habib and J.G.Simmons I p111

SWITCHGEAR

Fault studies in a.c. systems interconnected by h.v. d.c. links. J.Arrillaga, M.D.Heffernan, C.B.Lake and C.P.Arnold C p15

SYNCHRONOUS MOTORS

A new connection for synchronous motor excitation. A.C.Williamson B p169
Comparative study of saturation methods in synchronous machine models. R.G.Harley, D.J.N.Limebeer and E.Chirricozzi B p1
Disc-geometry homopolar synchronous machine. P.D.Evans and J.F.Eastham B p299
Effect of field failure of a d.w.r. generator. B.N.Sarkar, V.K.Verma and P.Mukhopadhyay C p82
Implementation of new approach to determination of synchronous-machine parameters from tests. G.Shackshaft and A.T.Poray C d44
New method of low-speed commutation of an inverter-fed synchronous motor. A.C.Williamson and J.Mwenechanya B p375
Oscillatory synchronous linear motor with permanent-magnet excitation. O.Roubiček and Z.Pejšek B p8
Stabilisation of doubly-fed, slip-ring machines using the datum-shift method. A.D.Mansell and H.M.Power B p293

SYSTEM PROTECTION

Multiple-driven-rod earth connection. G.F.Tagg C p240
Mutual impedance of transmission lines with earth return. A.Ametani and R.Schinzinger C p326

TELECOMMUNICATION

Adaptive antennas for u.h.f. broadcast reception. M.D.Windram, L.Brunt and E.J.Wilson F p249
Analysis of feedback communication systems. O.O.Olaniyan F p30
Design of gradings subjected to unbalanced offered traffic. P.K.Das and D.G.Smith F p41
Method of estimating the capacity of multipair cables to carry low-speed p.c.m. transmission systems. R.J.S.Bates and P.Cochrane F p16
Subjective tests on visual telecommunications standards. G.M.Reid F p3

TELEPHONE EXCHANGES AND NETWORKS

Novel capacitor-divider voltage sensors for high-voltage transmission systems. A.Stalewski and G.C.Weller C d210

TELETEXT AND VIEWDATA

Second generation teletext and viewdata decoders. K.Pandey G e33

TELEVISION

Analysis of line-scan output/e.h.t. generator circuit for c.r.t. displays. D.M.Taub G p129
Bandwidth compression of digital colour-television signals using block-adaptive d.p.c.m.. H.Gharavi F p405
Compact low-power coder for extreme bit rate reduction of television pictures. J.G.McWhirter, J.B.G.Roberts, R.F.Simons and D.J.Watson F p368
Management of the engineering function in the IBA. A.W.Pragnell A p620
Nonlinear temporal filter for television picture noise reduction. T.J.Dennis G p52
Predictors for intraframe encoding of Pal picture signals. H.Gharavi and R.Steele F p205
S.A.W. filters: some case histories. J.M.Deacon and J.Heighway F p107
Subjective tests on visual telecommunications standards. G.M.Reid F p3

THYRISTORS AND THYRISTOR APPLICATIONS

Determination of network voltage distortion factor by digital computer simulation. P.Crnošifa and M.Kmetić B p358
Efficient microprocessor-based cycloconvertor control. S.K.Tso, E.D.Spooner and J.Cosgrove B p190
Microcomputer-based power-semiconductor-circuit waveform analyser. E.J.Prendergast and R.D.Jackson B p363
Operation of a lead/acid battery with thyristor chopper burden. T.U.Ahamed and W.Shepherd B p120
Performance of thyristor bridge convertors employing flywheeling. W.Drury, W.Farrer and B.L.Jones B p268
Semiconductor fuses and their applications. A.F.Howe and P.G.Newbery B p155
Theory of the metal-insulator-semiconductor thyristor. S.E.D.Habib and J.G.Simmons I p176
Thyristor-controlled in-phase boosting for h.v.d.c. convertors. J.Arrillaga, G.Woods and R.M.Duke C p221

TRANSDUCERS

Capacitance transducer using a thin dielectric and variable-area electrode. I.Basarab-Horwath and B.E.Jones A p392
Fast-acting helical solenoid actuators. A.H.Scilly D p245
Scattering-matrix theory of dispersive interdigital transducers for pulse-compression radar. R.A.Waldron H p15

TRANSFER FUNCTIONS

Alternating-plane property of the poles of even-degree low pass filters. J.H.Cloete G p16
Analysis and synthesis of matrix transfer functions using the new block-state equations in block-tridiagonal forms. L.S.Shieh and A.Tajvari D p19
Design of p.d. controllers in linear multivariable systems. A.Balestrino and G.Celentano D p115
Generalisations of maximum-entropy pattern analysis. R.Benjamin F p341
Generalised self-tuning controller with pole assignment. A.Y.Allidina and F.M.Hughes D p13
On the sensitivity of a system compensated by the inverse Nyquist array. T.G.Koussiouris D p177 e294
Pole placement with minimised norm controllers. B.Kouvaritakis and R.Cameron D p32
Property of analytic functions related to band-pass transformation. I.M.Filanowsky, K.A.Stromsmoe, W.Saraga and A.Talbot G p176
Self-tuning controllers based on pole-zero placement. K.J.Astrom and B.Wittenmark D p120

TRANSFORMERS AND SWITCHGEAR

A method of simulating linear and nonlinear resonant phenomena associated with transformer feeders. N.L.Diseko and J.P.Bickford C p169
Application of power transistors to polyphase regenerative power convertors. A.R.Daniels and D.T.Slattery C d266
Calculation of the losses in three-phase transformer tanks. Z.Valkovic C p20
Clarifying an ambiguity in recent a.c.-d.c. load-flow formulations. J.Arrillaga, B.J.Harker and K.S.Turner C p324
Development testing techniques for airblast and SF_6 switchgear. G.E.Gardner and R.J.Unwin C p285
Dynamic stability of helical and barrel coils in transformers against axial short-circuit forces. M.R.Patel C p281
Generation of high-frequency sinusoidal voltage using solid-state switching device, actuating pulse transformer and operated by a d.c. power pack. S.Ghosh and J.R.Biswas G p109
Harmonics in multiple convertor systems: a generalised approach. R.Yacamini and J.C.de Oliveira B p96
Instability in h.v. d.c. schemes at low-order integer harmonics. R.Yacamini and J.C.de Oliveira C p179
New method for predetermination of true saturation characteristics of transformers and nonlinear reactors. S.Prusty and M.V.S.Rao C p106
New power convertor technique employing power transistors. A.R.Daniels and D.T.Slattery C d266
Reducing power station costs. Hampson H.G. A p272

TRANSFORMS

Analytical method for the determination of the voltage distortion factor of a network loaded with a thyristor-regulated direct-current motor drive (Summary). P.Crnosija C p94
Channel vocoder based on c.c.d. discrete-Fourier-transform processors. M.C.Davie F p132
Charge-coupled devices for use in electronically-focused ultrasonic imaging systems. J.D.Shott, R.D.Melen and J.D.Meindl F p144
Compact low-power coder for extreme bit rate reduction of television pictures. J.G.McWhirter, J.B.G.Roberts, R.F.Simons and D.J.Watson F p368
Design and application of real-time spectrum-analyser systems. J.B.G.Roberts, G.L.Moule and G.Parry F p76
Development of z-transform electromagnetic transient analysis methods for multimode power networks. W.D.Humpage, K.P.Wong and T.T.Nguyen C p379
Efficient program for decoding the (255, 223) Reed-Solomon code over $GF(2^8)$ with both errors and erasures, using transform decoding. R.L.Miller, T.K.Truong and I.S.Reed E p136
Estimation of transformer winding temperature and coolant flows using general network method. A.J.Oliver C p395
Fast computation of multidimensional discrete Fourier transforms. B.Arambepola F p49
Generalisations of maximum-entropy pattern analysis. R.Benjamin F p341
Linear frequency coded sequence (l.f.c.s.). C.N.Oligboh and M.H.Ackroyd G p191
Low-cost computer-based time-domain microwave network analyser. P.R.Rigg and J.E.Carroll H p107
Low sidelobe patterns from thinned arrays using multiplicative processing. D.E.N.Davies and C.R.Ward F p9
Microcomputer-based real-time/online f.f.t. processor. W.K.Luk and H.F.Li E p18
Microprogrammable arithmetic element and its applications to digital signal processing. S.S.Magar and D.A.Robinson F p99
Optical processing for adaptive phased-array radar. D.Casasent F p278
Overvoltages caused by blocking twelve pulse h.v.d.c. schemes. R.Yacamini and N.Hatziargyriou C p189
Processing and synthesis of biological data. A.N.Barrett E p225
Radar applications of s.a.w. dispersive filters. M.B.N.Butler F p118
Signal processing using surface-acoustic-wave and digital components. H.Gautier and P.Tournois F p92
The toroidal cage coil. P.N.Murgatroyd, W.Farrer, R.P.D.Hodgkinson and P.D.McLoughlin B p207
Three-dimensional image-construction technique and its application to coherent microwave diagnostics. M.F.Adams and A.P.Anderson H p138
Time convolution and Z-transform methods of electromagnetic transient analysis in power systems. W.D.Humpage, K.P.Wong and T.T.Nguyen C p386
Use of generalised resolution methods to locate sources in random dispersive media. R.Klemm F p34
Z-transform electromagnetic transient analysis in power systems. W.D.Humpage, K.P.Wong, T.T.Nguyen and D.Sutanto C p370

TRANSIENTS

Application of travelling-wave methods to the calculation of transient-fault currents and voltages in power-system networks. J.P.Bickford and M.H.Abdel-Rahman C p153
Electrothermal transients due to self heating in a silicon p-n diode. W.J.Stepowicz and W.Janke I p25
Interactive calculation of power system transients. A.M.M.Khan and J.P.Bickford C p41
Linear perturbation models for a.c. magnetic suspension systems: experimental and theoretical results. J.W.Henn D p64
Punch-through diode as a power device. D.de Cogan I p67
Scheme to improve transient response of industrial systems. S.N.Fisher and W.H.Jewell B p349
Some practical aspects of overvoltages on the CEGB transmission system. L.Csuros and K.F.Foreman C p248
Termination of lossless coupled transmission lines subjected to a transient stimulus. D.Scurr and P.L.Moran G p75
Transient stability of multimachine systems with saturable exciters. H.Yee and M.J.Muir C p9

Voltage waveform distortion in synchronous generators with rectifier loading. W.J.Bonwick **B** p13

TRANSISTORS

A thin-film transistor with polytetrafluoroethylene as insulator. A.De Vos and B.Hindryckx **I** p42
Actively peaked broadbanded monolithic amplifier. J.Choma **G** p61
Application of power transistors to polyphase regenerative power convertors. A.R.Daniels and D.T.Slattery **C** d266
Bias-dependent 1/f noise model of an m.o.s. transistor. W.V.Backensto and C.R.Viswanathan **I** p87
Current gain in bipolar transistors with a field plate over the base surface. V.Anantharam and K.N.Bhat **I** p15
Degradation behaviour of n-channel m.o.s.f.e.t.s. operated at 77K. J.R.Davis **I** p183
Depletion-mode m.o.s.f.e.t. model including a field-dependent surface mobility. G.Baccarani, F.Landini and B.Riccó **I** p62
Device and circuit trends in gigabit logic. B.G.Bosch **I** p254
Inversion-controlled switching mechanism of m.i.s.s. devices. G.Sarrabayrouse, J.Buxo, A.E.Owen, A.Munoz Yague and J-P.Sabaa **I** p119 e296
Large-signal behaviour and capability of the transistor transit-time oscillator. Y.Druelle, Y.Crosnier and G.Salmer **I** p72
New power convertor technique employing power transistors. A.R.Daniels and D.T.Slattery **C** d266
Noise figure of m.e.s.f.e.t.s.. C.R.Brewitt-Taylor, P.N.Robson and J.E.Sitch **I** p1
Practical analysis of wideband feedback amplifiers. D.J.H.Maclean **G** p1
Predeposition through a polysilicon layer as a tool to reduce anomalies in phosphorus profiles and the push-out effect in n-p-n transistors. M.Finetti, G.Masetti, P.Nagrini and S.Solmi **I** p37
Saturation characteristics of n-p-n dual-output current mirror. B.L.Hart **G** p173

TRANSMISSION-LINE THEORY

Applications of time-domain methods to microwave measurements. N.S.Nahman, J.R.Andrews, W.L.Gans, M.E.Guillaume, R.A.Lawton, A.R.Ondrejka and M.Young **H** p99
Conductor systems for overhead lines: some considerations in their selection. D.O.Ash, P.Dey, B.Gaylard and R.R.Gibbon **C** d206
Effect of field failure of a d.w.r. generator. B.N.Sarkar, V.K.Verma and P.Mukhopadhyay **C** p82
Electrical interlock design for complex high-power switching networks. D.Lidgate, P.W.Aitchison and D.Acock **C** d265
Loaded coaxial-cable transmission characteristics. T.Higashi and N.Kojima **H** p27
Matrix theory for n-line microwave coupler design. J.E.Carroll and P.R.Rigg **H** p309
New ultra-high-speed directional comparison technique for the protection of e.h.v. transmission lines. A.T.Johns **C** p228
Novel capacitor-divider voltage sensors for high-voltage transmission systems. A.Stalewski and G.C.Weller **C** d210
Optimal controllers for a d-q machine (Summary). T.S.V.Prasadarao and D.G.Tamaskar **D** p75
Performance of distance protection of e.h.v. feeders utilising shunt-reactor arrangements for arc suppression and voltage control. A.T.Johns, M.El-Nour and R.K.Aggarwal **C** p304
Termination of lossless coupled transmission lines subjected to a transient stimulus. D.Scurr and P.L.Moran **G** p75
Three-line broadband codirectional microwave couplers using planar comb and herringbone microstrip lines. P.R.Rigg and J.E.Carroll **H** p315

TRANSMITTERS

Data transmission over v.h.f. mobile-radio links using binary f.s.k. and two quasisynchronous transmitters. J.D.Parsons and A.Pongsupaht **F** p456
Forty years of ground radar. A.H.Shaw **F** p169
GaAs monolithic microwave circuits for phased-array applications. R.S.Pengelly **F** p301
Method of estimating the capacity of multipair cables to carry low-speed p.c.m. transmission systems. R.J.S.Bates and P.Cochrane **F** p16

VEHICLES AND TRANSPORTATION

Developments for medium-capacity urban public transport. H.B.Calverley **A** e118
Electric transport: the future prospects. B.M.Bird **A** p21

VOICE COMMUNICATION

Channel vocoder based on c.c.d. discrete-Fourier-transform processors. M.C.Davie **F** p132
JSRU channel vocoder, The. J.N.Holmes **F** p53

WAVE PROPAGATION

Gain/bandwidth predictions for travelling-wave gyrotron. A.J.Sangster **I** p235
Generation of high-frequency sinusoidal voltage using solid-state switching device, actuating pulse transformer and operated by a d.c. power pack. S.Ghosh and J.R.Biswas **G** p109
Matrix theory for n-line microwave coupler design. J.E.Carroll and P.R.Rigg **H** p309
Measurement of losses in multiconductor cable transmitting in the dipole-mode. E.Sugimoto, H.M.Barlow and J.B.Davies **H** p270
Propagation characteristics of elliptical dielectric-tube waveguides. S.R.Rengarajan and J.E.Lewis **H** p121
Source region electric field derivation by a dyadic Green's function approach. J.A.R.Ball and P.J.Khan **H** p301

WAVEGUIDES

Analysis of inhomogeneously filled stripline and microstripline. K.K.Joshi, J.S.Rao and B.N.Das **H** p11
Characteristic impedance of nonplanar striplines. K.K.Joshi, J.S.Rao and B.N.Das **H** p287
Dielectric-loaded trifurcated horn for H-plane stacked reflector feed array. K.K.Chan, C.C.Huang and A.R.Raab **H** p61
Dual-mode waveguides for variably polarised slotted waveguide array antennas. A.J.Sangster and R.W.Lyon **H** p237
Fault location by underground seismic survey. I.M.Mason, D.J.Buchanan and A.K.Booer **F** p322
Fundamental mode propagation on dielectric fibres of arbitrary cross-section. E.F.Keuster and R.C.Pate **H** p41
Improved bandwidth of microstrip antennas using parasitic elements. C.Wood **H** p231
Leaky modes in active three-layer slab waveguides. R.W.H.Engelmann and D.Kerps **I** p330
Low-noise millimetre-wave mixer diodes: results and evaluation of a test programme. N.J.Keen **I** p188 e296
Measurement of losses in multiconductor cable transmitting in the dipole-mode. E.Sugimoto, H.M.Barlow and J.B.Davies **H** p270
Optical waveguide filters for the visible spectrum. A.Yi-Yan, J.A.H.Wilkinson and C.O.W.Wilkinson **H** p335
Optimisation of a collinear acousto-optic TE_m - TE_n mode converter in $LiNbO_3$. L.N.Binh and J.Livingstone **H** p323
Scattering and mode conversion of guided modes of a slab waveguide by a circular cylinder. N.Morita **H** p263
Scattering coefficients of a dielectric taper in a rectangular waveguide. M.Razaz and J.B.Davies **H** p185
Source region electric field derivation by a dyadic Green's function approach. J.A.R.Ball and P.J.Khan **H** p301
Studies of a focused-field filter for multiplexing microwave signals. D.E.N.Davies and A.Y.Niazi **H** p173
Theory of curved diffraction gratings. M.G.F.Wilson and M.C.Bone **H** p127
Variational bound principle for irregular waveguides. K.Kalikstein **H** p354

WAVES AND WAVE SCATTERING

Analysis of radiation pattern and G/T_A for shaped dual-reflector antennas. G.L.James **H** p52
Application of travelling-wave methods to the calculation of transient-fault currents and voltages in power-system networks. J.P.Bickford and M.H.Abdel-Rahman **C** p153
Applications of radio/frequency power to the drying of timber. R.Morrow **A** p394
Applications of time-domain methods to microwave measurements. N.S.Nahman, J.R.Andrews, W.L.Gans, M.E.Guillaume, R.A.Lawton, A.R.Ondrejka and M.Young **H** p99
Computer simulation of multipath fading in the land mobile radio environment. K.J.Gladstone and J.P.McGeehan **G** p323
Dielectric-loaded trifurcated horn for H-plane stacked reflector feed array. K.K.Chan, C.C.Huang and A.R.Raab **H** p61
Evaluation of focal fields and radiation characteristics of a dual-offset reflector antenna. T.S.Bird and J.L.Boomars **H** p209
Experimental study of eddy currents induced in the solid shells of d.c. machines carrying undulating currents. E.J.Davies and S.Das **B** p317
Field matching through volume suppression. J.Grzesik **H** p20
Fundamental limitations of wave-front analysis by least squares. J.H.Ellis **H** p219
Fundamental mode propagation on dielectric fibres of arbitrary cross-section. E.F.Keuster and R.C.Pate **H** p41
G.T.D. analysis of scattering from a dielectric-coated conducting cylinder. T.C.K.Rao and M.A.K.Hamid **H** p143
G.T.D. solution for diffraction by convex corrugated surfaces. G.L.James **H** p257
Hybrid technique in waveform generation and synthesis. W.A.Evans and M.S.Towers **G** p119
Investigation of a scatterer coupled to an aperture in a conducting screen. C.M.Butler **H** p161
Measurement of symmetrical waveguide discontinuities using the eigenvalue approach. J.Helszajn **H** p74
Microstrip coupler suitable for use as a 6-port reflectometer. R.J.Collier and N.A.El-Deeb **H** p87
Performance of distance protection of e.h.v. feeders utilising shunt-reactor arrangements for arc suppression and voltage control. A.T.Johns, M.El-Nour and R.K.Aggarwal **C** p304
Propagation characteristics of elliptical dielectric-tube waveguides. S.R.Rengarajan and J.E.Lewis **H** p121
Recent progress on ducks. S.H.Salter **A** p308
Scattering and mode conversion of guided modes of a slab waveguide by a circular cylinder. N.Morita **H** p263
Scattering coefficients of a dielectric taper in a rectangular waveguide. M.Razaz and J.B.Davies **H** p185
Simplified calibration equations for the unidirectional and bidirectional computer-corrected network analyser. D.Woods **H** p82
Termination of lossless coupled transmission lines subjected to a transient stimulus. D.Scurr and P.L.Moran **G** p75
Three-line broadband codirectional microwave couplers using planar comb and herringbone microstrip lines. P.R.Rigg and J.E.Carroll **H** p315
Variational bound principle for irregular waveguides. K.Kalikstein **H** p354
Wave energy. I.Glendenning **A** p301

Book Reviews

A seamless robe: broadcasting-philosophy and practice: C. Curran **A** p416
Acousto-optics: J. Sapriel **H** p81
Amorphous semiconductors: M. Brodsky **I** p218
Atomic Gas Laser transition data: W.R. Bennett **H** p106
Charged coupled devices and their applications: J.D.E. Beynon and D.R. Lamb **I** p147
Circuity and system theory: G. Lago and L.M. Benningfield **G** p60
Coherence in spectroscopy and modern physics: F.T. Arecchi, R. Bonifacio and M.O. Scully **H** p36
Control and co-ordination in hierarchical systems: W. Findeisen, F.N. Bailey, M. Bryds, K. Malinowski, P. Tatjewski and A. Wozniak **D** p285
Crystal growth bibliography: A.M. Keese, T.F. Connolly and G.C. Battle, Jr. **I** p147
Digital and Kalman filtering: S.M. Bozic **D** p188
Digital methods for signal analysis: K.G. Beauchamp and C.K. Ewen **F** p29
Electric power systems: B.M. Weedy **C** p110
Electronic devices: F.R. Connor **A** p258
Energy and human needs: S.C. Curran and J.S. Curran **A** p584
Engineering and physical science: G.D. Redford, D. Rees and A. Greer **A** p266
Fiber and integrated optics: D.B. Ostrowsky **H** p334
Finite elements in electrical and magnetic field problems: M.V.K. Chari and P.P. Silvester **A** p574
Foundations of programming with Pascal: L. Moore **E** p278
Fuzzy switching and automata theory and applications: A. Kandel and S.C. Lee **E** p278
Infotech state-of-the-art report on supercomputers: C.R. Jesshope and R.W. Hockney **E** p151
Introduction to control theory including optimal control: D. Burghes and A. Graham **D** p249
Introduction to v.l.s.i. systems: C. Mead and L. Conway **F** p455
Microwave devices and circuits: S.Y. Liao **H** p184
Modern transmission line theory: L.N. Dworsky **H** p300
Monotone operators and applications in control and network theory: V. Dolezal **D** p244
Nondestructive evaluation of semiconductor materials and devices: J.N. Zemel **I** p147
Number theory in digital signal processing: J.H. McClellan and C.M. Rader **E** p152
Optical crystallography (5th edition): E.M. Wahlstrom **H** p60
Optimal economic operation of electric power systems: M.E. El-Hawary and G.S. Christensen **C** p419
Site characterisation and aggregation of implanted atoms in materials: A. Perez and R. Coussement **I** p218
Software design for electronic switching systems: S. Takamura, H. Kawashima and N. Nakajma **F** p189
Software maintenance management: B.P. Lientz and E.B. Swanson **E** p277
Systematic construction of data base applications: H. Wedikind and E. Ortner **E** p152
Systems: decomposition, optimisation and control: M.G. Singh and A. Titli **D** p176
Teletext and viewdata: S.A. Money **F** p131
The Volterra and Weiner theories of nonlinear systems: M. Schetzen **D** p236
Topics in applied physics Vol.38: charged-coupled devices: D.F. Barbe **F** p248

Conference Reports

1980 conference on pattern recognition **E** p159
6th European solid-state circuits conference **E** p276
Case studies in advanced signal processing (IEE Electronics Divn. international specialist seminar) **F** p238
Computer architecture (7th international symposium) **E** p154
Distributed computing systems (1st international conference) **E** p2
IEEE international radar conference **F** p415
Magnetic bubbles (2nd Intermag/MMM conference) **E** p4
Multiple-valued logic (10th international symposium) **E** p119
NATO advanced Study Institute on multiple processor computers **E** p275
Operating systems principles (7th symposium) **E** p78
Radio spectrum conservation techniques **F** p419
Solid-state circuits (5th European conference) **E** p77
Solid-state circuits (International conference) **E** p105
Spring Compcon '80 **E** p153
Video and data recording (International conference) **E** p6

Contributors to Discussions Published in IEE Proceedings Part B

Amor, C.F., **241**
Black, I.A., **386**
Eastman, D.F., **329**
Freris, L.L., **240**
Hogg, W.K., **386**
Lincoln, H.S., **330**
Mason, J.H., **386**
Miller, R., **386**
Pal, S.K., **241**
Pearce, D.F., **329**
Pontin, G.W.W., **240**
Rogers, F.E., **240**
Sturland, R.W., **329**
Watson, G.J., **329**
Wood, J.W., **386**
Young, F., **330**

Contributors to Discussions Published in IEE Proceedings Part C

Amor, C.F., **331**
Amos, K.G., **111**
Anderson, A.F., **46**, **114**
Ash, D.O., **340**
Barclay, R.S., **262**
Barnes, J., **208**
Beale, H.K., **342**
Bradbury, J., **208**, **340**
Burbridge, R.F., **111**
Carpenter, C.J., **116**
Coates, R., **331**
Cory, B.J., **265**
Cotterill, R., **263**
Csuros, L., **210**
Cullen, J.B., **343**
Dineley, J.L., **45**
Douglas, J.A.K., **330**
Ellis, N.S., **204**
Erinmez, I.A., **46**
Fletcher, C.P., **329**
Gardner, G.E., **203**
Gibbon, M.A., **267**
Gifford, R.A., **204**
Gosden, J.H., **339**
Gosland, L., **333**
Gosling, G.G., **203**
Gregson, L., **203**
Hammond, P., **118**
Hitchcock, J.A., **335**
Hodkinson, R.L., **267**
Houldsworth, J.A., **266**
Howard, R.S., **111**
Hughes, M.L., **342**
Ibbotson, F.J., **263**
Jackson, R.J., **262**
Jackson, R.L., **342**
Kendall, P.G., **112**
King, K.G., **266**
Lamb, R., **208**
Lewis, K.G., **343**
Lidgate, D., **264**
Loughran, J., **330**
Macdonald, D.C., **44**
McDonald, F.G., **341**
Maples, G.C., **265**
Myall .W.G., **207**
Orawski, G., **207**, **341**
O'Sullivan, D., **335**
Phemister, T.G., **116**
Plumpton, A., **111**
Preece, R.J., **333**
Preston, T.W., **116**
Price, C.F., **339**
Reece, A.B.J., **44**, **115**
Smee, G., **334**
Smith, J.R., **342**
Smith, R., **117**
Soulsby, D.R., **336**
Steel, J.G., **115**
Stille, C.E., **264**
Thelwell, M.J., **333**
Vaughan, D.W., **341**
Ward, H.L., **112**
Watson, A.R., **343**
White, E.L., **210**
Wood, A.B., **206**
Young, D.J., **329**